






Digitized by the Internet Archive
in 2022 with funding from
University of Toronto

(23)

HOSPITAL MORBIDITY STATISTICS

Based on the experience of
provincial hospital insurance
plans in Canada
January 1-December 31, 1962



Department of National Health
and Welfare

Ottawa

December 1964.



968185


FOREWORD

The tables in this bulletin have been compiled and consolidated from data prepared by Provincial and Territorial Hospital Insurance Plans for the year 1962. In some instances, the data have already been published, in full or in part, by the provinces in their Annual Reports; in others, the data have been submitted directly to this Department in unpublished form.

Data for the tables are obtained from hospital admission-separation forms. The contents and format of the tables follow the uniform outline for hospital morbidity statistics recommended by the Working Party on Admission-Separation Forms and Related Matters, and approved by the Advisory Committee on Hospital Insurance and Diagnostic Services in 1961. Some provinces did not provide the information for certain tables, as indicated in the various footnotes.

Separation rates and patient-day rates are based on population estimates produced by the Dominion Bureau of Statistics for the year 1962.

The bulletin has been prepared by Mr. Archie McKenzie of the Biostatistics Section of the Research and Statistics Division; the tables have been prepared and rates calculated by Mr. Jacques Bazinet.



John E. Osborne, Director,
Research and Statistics Division.

INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations and patient-days, separation rates and patient-day rates per 100,000 population, and average length of stay, by sex and age group, by the Canadian List of 98 diagnoses, for Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common operations, by province.
6. Separations, and separation rates per 100,000 population for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to be a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. No attempt is made to include sick persons who are treated at home, in a physician's office, or in out-patient clinics.

It must be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations for the same illness or multiple admissions of the same individual for different illnesses. With patients moved from one hospital to another or with recurring attacks of the same illness being counted independently for each episode in hospital, there may be some tendency for the caseload to be overestimated. It is not possible to determine from these data how much any individual may contribute to the total caseload of illnesses. Although these distinctions are of little importance from the point of view of those treating the sick person, they have definite interest for those concerned with hospital administration and planning of community services.

Hospital caseloads will tend to reflect those types of disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can be treated at

home or in the physician's office are less likely to appear in hospital morbidity statistics. Examples of such conditions are upper respiratory illnesses and rheumatism. Hospitalization data may therefore be a fair indicator of morbidity in some conditions but a poor indicator in others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

LIST OF TABLES

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|--|-------------|
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1962. | 12 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1962. | 13 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, New Brunswick, 1962. | 14 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1962. | 15 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1962. | 16 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1962. | 17 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1962. | 18 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1962. | 19 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1962. | 20 |
| 1 | SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1962. | 21 |
| 2a(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Number of Separations, Male. | 22 |
| 2a(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Number of Separations, Female. | 23 |
| 2a(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Number of Separations, Both Sexes. | 24 |
| 2b(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Days since Admission, Male. | 25 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|---|-------------|
| 2b(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Days since Admission, Female. | 26 |
| 2b(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Days since Admission, Both Sexes. | 27 |
| 2c(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Average Length of Stay, Male. | 28 |
| 2c(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Average Length of Stay, Female. | 29 |
| 2c(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Average Length of Stay, Both Sexes. | 30 |
| 2d(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Separation Rate per 1,000 Population, Male. | 31 |
| 2d(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Separation Rate per 1,000 Population, Female. | 32 |
| 2d(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Separation Rate per 1,000 Population, Both Sexes. | 33 |
| 2e(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Day Rate per 1,000 Population, Male. | 34 |
| 2e(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Day Rate per 1,000 Population, Female. | 35 |
| 2e(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Patient-Day Rate per 1,000 Population, Both Sexes. | 36 |
| 2f(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Separations, Male. | 37 |
| 2f(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Separations, Female. | 38 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|---|-------------|
| 2f(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Separations, Both Sexes. | 39 |
| 2g(i) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Patient-Days, Male. | 40 |
| 2g(ii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Patient-Days, Female. | 41 |
| 2g(iii) | HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1962. Percentage Distribution of Patient-Days, Both Sexes. | 42 |
| 5a(i) | SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1962. | 44 |
| 5a(ii) | PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1962. | 45 |
| 5a(iii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1962. Number of Separations, Male. | 46 |
| 5a(iv) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1962. Number of Separations, Female. | 47 |
| 5a(v) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1962. Number of Separations, Male. | 48 |
| 5a(vi) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1962. Number of Separations, Female. | 49 |
| 5a(vii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1962. Number of Separations, Male. | 50 |
| 5a(viii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1962. Number of Separations, Female. | 51 |
| 5a(ix) | SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1962. | 52 |
| 5a(x) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1962. Number of Separations, Male. | 53 |
| 5a(xi) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1962. Number of Separations, Female. | 54 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|--|-------------|
| 5a(xii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1962. Number of Separations, Male. | 55 |
| 5a(xiii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1962. Number of Separations, Female. | 56 |
| 5a(xiv) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1962. Number of Separations, Male. | 57 |
| 5a(xv) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1962. Number of Separations, Female. | 58 |
| 5a(xvi) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1962. Number of Separations, Male. | 59 |
| 5a(xvii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1962 Number of Separations, Female. | 60 |
| 5a(xviii) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1962. Number of Separations, Male. | 61 |
| 5a(xix) | SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1962. Number of Separations, Female. | 62 |
| 5b(i) | PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1962. | 63 |
| 5b(ii) | PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1962. | 64 |
| 5b(iii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1962. Patient-Days of Separations, Male. | 65 |
| 5b(iv) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1962. Patient-Days of Separations, Female. | 66 |
| 5b(v) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1962. Patient-Days of Separations, Male. | 67 |
| 5b(vi) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENT, Prince Edward Island, 1962. Patient-Days of Separations, Female. | 68 |
| 5b(vii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1962. Patient-Days of Separations, Male. | 69 |
| 5b(viii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1962. Patient-Days of Separations, Female. | 70 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|---|-------------|
| 5b(ix) | PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1962. | 71 |
| 5b(x) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1962. Patient-Days of Separations, Male. | 72 |
| 5b(xi) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1962. Patient-Days of Separations, Female. | 73 |
| 5b(xii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1962. Patient-Days of Separations, Male. | 74 |
| 5b(xiii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1962. Patient-Days of Separations, Female. | 75 |
| 5b(xiv) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1962. Patient-Days of Separations, Male. | 76 |
| 5b(xv) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1962. Patient-Days of Separations, Female. | 77 |
| 5b(xvi) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1962. Patient-Days of Separations, Male. | 78 |
| 5b(xvii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1962. Patient-Days of Separations, Female. | 79 |
| 5b(xviii) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1962. Patient-Days of Separations, Male. | 80 |
| 5b(xix) | PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1962. Patient-Days of Separations, Female. | 81 |
| 6(a) | SEPARATIONS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1962. | 82 |
| 6(b) | PATIENT-DAYS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1962. | 106 |
| 6(c) | AVERAGE STAY OF ALL SEPARATIONS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1962. | 128 |
| 6(d) | SEPARATION RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT- OF-PROVINCE HOSPITALIZATION, Canada, 1962. | 152 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|--|-------------|
| 6(e) | PATIENT-DAY RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1962. | 176 |
| | NOTES: TABLE 6. | 198 |
| | THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955). | 199 |
| 7(a) | NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR EIGHT PROVINCES AND TWO TERRITORIES, 1962. | 201 |
| 7(b) | RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR EIGHT PROVINCES AND TWO TERRITORIES, 1962. | 202 |
| 7(c) | PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR EIGHT PROVINCES AND TWO TERRITORIES, 1962. | 203 |
| 7(d) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1962. | 204 |
| 7(e) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1962. | 206 |
| 7(f) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1962. | 207 |
| 7(g) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1962. | 209 |
| 7(h) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1962. | 211 |
| 7(i) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1962. | 213 |
| 7(j) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1962. | 215 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|--|-------------|
| 7(k) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1962. | 217 |
| 7(l) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), Yukon, 1962. | 219 |
| 7(m) | HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1962. | 221 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1962 | 223 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Quebec, 1962. | 224 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Ontario, 1962. | 225 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Manitoba, 1962. | 226 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1962. | 227 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Alberta, 1962. | 228 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), British Columbia, 1962. | 229 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Yukon, 1962. | 230 |
| 8 | SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1962. | 231 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND OUT-OF-PROVINCE HOSPITALIZATION) Prince Edward Island, 1962. | 232 |

| <u>Table Number</u> | | <u>Page</u> |
|-------------------------|---|-------------|
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR QUEBEC RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1962. | 236 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" (EXCLUDING NEWBORNS), Ontario, 1962. | 241 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORNS), Manitoba, 1962. | 245 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Saskatchewan, 1962. | 250 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1962. | 254 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1962. | 259 |
| 9 | SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1962. | 263 |
| 10 | SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR FIVE PROVINCES AND ONE TERRITORY, 1962. | 267 |

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission of these separations, Prince Edward Island, 1962.

| Items | Separations | | | | Patient-Days | |
|--|---------------------|---------|--------|---------------------|--------------|---------|
| | Adults and Children | Newborn | Total | Adults and Children | Newborn | Total |
| A. Responsibility of Provincial Plan | | | | | | |
| 1. Hospitalized in the province | | | | | | |
| i Active treatment hospitals | | | | | | |
| ii Chronic and convalescent hospitals | | | | | | |
| a) Chronic units in general hospitals | 16,271 | 2,762 | 19,033 | 161,881 | 17,866 | 179,747 |
| b) Public chronic hospitals | 83 | - | 83 | 8,968 | - | 8,968 |
| c) Private chronic hospitals | - | - | - | - | - | - |
| d) Other chronic facilities | - | - | - | - | - | - |
| e) Public convalescent units | - | - | - | - | - | - |
| 2. Hospitalized in other provinces | 401 | 29 | 430 | 6,797 | 201 | 6,998 |
| 3. Hospitalized in other countries | 39 | 1 | 40 | 699 | 5 | 704 |
| Sum of A | 16,794 | 2,792 | 19,586 | 178,345 | 18,072 | 196,417 |
| E. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions) | | | | | | |
| 1. Department of Veteran's Affairs | | | | | | |
| i In D.V.A. hospitals | 195 | - | 195 | 3,666 | - | 3,666 |
| ii In other hospitals | 161 | - | 161 | 1,667 | - | 1,667 |
| 2. Workmen's Compensation Board | | | | | | |
| 3. Uninsured residents | 1,001 | 199 | 1,200 | 6,618 | 1,210 | 7,828 |
| 4. Non-residents | 296 | 21 | 317 | 2,325 | 164 | 2,489 |
| 5. Insured residents not the responsibility of Provincial Plan | - | - | - | - | - | - |
| 6. Other agencies | - | - | - | - | - | - |
| Sum of E | 1,653 | 220 | 1,873 | 14,276 | 1,374 | 15,650 |
| Sum of A and B | 18,447 | 3,012 | 21,459 | 192,621 | 19,446 | 212,067 |

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, Nova Scotia, 1962

| Items | Separations | | Total | Patient-Days | | Total |
|--|------------------------|---------|---------|------------------------|---------|-----------|
| | Adults and Children | Newborn | | Adults and Children | Newborn | |
| A. Responsibility of Provincial Plan | | | | | | |
| 1. Hospitalized in province | | | | | | |
| i Active treatment hospitals | 104,000 | 19,169 | 123,169 | 1,054,400 | 121,404 | 1,175,804 |
| ii Chronic and convalescent hospitals | 619 | - | 619 | 20,251 | - | 20,251 |
| 2. Hospitalized in other provinces | 1,129 | 194 | 1,323 | 11,745 | 1,287 | 13,032 |
| 3. Hospitalized in other countries | 176 | 1 | 177 | 2,222 | 2 | 2,224 |
| Sum of A | 105,924 | 19,364 | 125,288 | 1,088,618 | 122,693 | 1,211,311 |
| B. Not responsibility of Provincial Plan (excluding patients of mental tuberculosis institutions) | | | | | | |
| 1. Department of Veteran's Affairs | | | | | | |
| i in D.V.A. hospitals | 1,645 | - | 1,645 | 80,800 | - | 80,800 |
| ii in other hospitals | 300 | - | 300 | 3,849 | - | 3,849 |
| 2. Workmen's Compensation Board | 1,347 | - | 1,347 | 16,720 | - | 16,720 |
| 3. Uninsured residents and non-residents | 2,005 | 274 | 2,279 | 20,243 | 1,861 | 22,104 |
| 4. Insured residents not the responsibility of N.S.H.I.C. | 165 | 28 | 193 | 981 | 80 | 1,061 |
| 5. Other agencies | 246 | 11 | 257 | 1,665 | 74 | 1,739 |
| 6. U.S.A.F. | 25 | 7 | 32 | 145 | 53 | 198 |
| Sum of B | 5,733 | 320 | 6,053 | 124,403 | 2,068 | 126,471 |
| C. Sum of A and B | 111,657 | 19,684 | 131,341 | 1,213,021 | 124,761 | 1,337,782 |

TABLE 1

SUMMARY OF HOSPITALISATION

Separations during the year and patient-days since admission
of these separations, New Brunswick, 1962

| | Items | Separations | | Total | Patient-Days | | Total |
|----|---|------------------------|---------|---------|------------------------|---------|-----------|
| | | Adults and Children | Newborn | | Adults and Children | Newborn | |
| A. | <u>Responsibility of Provincial Plan</u> | | | | | | |
| 1. | Hospitalized in province | 93,546 | 15,999 | 109,545 | 934,276 | 90,671 | 1,024,947 |
| 2. | Hospitalized in other provinces | 2,902 | 149 | 3,051 | 68,502 | 1,147 | 69,649 |
| 3. | Hospitalized in other countries | 356 | 23 | 379 | 3,742 | 101 | 3,843 |
| | Sum of A | 96,804 | 16,171 | 112,975 | 1,006,520 | 91,919 | 1,098,439 |
| B. | <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuber- culosis institutions) | | | | | | |
| 1. | Department of Veteran's Affairs | 98 | - | 98 | 1,047 | - | 1,047 |
| 2. | Workmen's Compensation Board | 1,523 | - | 1,523 | 19,281 | - | 19,281 |
| 3. | Department of National Defence | 93 | - | 93 | 767 | - | 767 |
| 4. | Uninsured residents | 480 | 138 | 613 | 3,828 | 748 | 4,576 |
| 5. | Non-residents | 3,790 | 410 | 4,200 | 33,195 | 2,400 | 35,595 |
| 6. | Other | 20 | 7 | 27 | 121 | 38 | 159 |
| | Sum of B | 6,004 | 555 | 6,559 | 58,239 | 3,186 | 61,425 |
| C. | Sum of A and B | 102,808 | 16,726 | 119,534 | 1,064,759 | 95,105 | 1,159,864 |

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, Quebec, 1962

| Items | Separations | | | Patient-Days | | |
|--|------------------------|---------|---------|------------------------|---------|-----------|
| | Adults and Children | Newborn | Total | Adults and Children | Newborn | Total |
| A. <u>Responsibility of Provincial Plan</u> | | | | | | |
| 1.(a) Responsibility of the province | 690,120 | 128,479 | 818,599 | 7,992,471 | 836,137 | 8,828,608 |
| (b) Responsibility of the province (with a "third party" involved in payment) | 48,042 | - | 48,042 | 548,102 | - | 548,102 |
| Sum of a | 738,162 | 128,479 | 866,641 | 8,540,573 | 836,137 | 9,376,710 |
| B. <u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuber- culosis institutions) | | | | | | |
| 1. Federal Government | 523 | - | 523 | 7,277 | - | 7,277 |
| 2. Workmen's Compensation Board | 11,368 | - | 11,368 | 135,315 | - | 135,315 |
| 3. Non-residents | 7,135 | 385 | 7,520 | 102,354 | 2,299 | 104,653 |
| 4. Other agencies | 389 | 52 | 441 | 4,599 | 292 | 4,891 |
| Sum of B | 19,415 | 437 | 19,852 | 249,545 | 2,591 | 252,136 |
| C. Sum of A and B | 757,577 | 128,916 | 886,493 | 8,790,118 | 838,728 | 9,628,846 |

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, Manitoba, 1962

| Items | Separations | | | Patient-Days | | |
|--|------------------------|---------|---------|------------------------|---------|-----------|
| | Adults and Children | Newborn | Total | Adults and Children | Newborn | Total |
| A. <u>Responsibility of Provincial Plan</u> | | | | | | |
| 1. Hospitalized in the province | | | | | | |
| i Active treatment hospitals | 154,415 | 22,131 | 176,546 | 1,412,690 | 144,816 | 1,557,506 |
| ii Extended treatment hospitals | 2,602 | - | 2,602 | 225,504 | - | 225,504 |
| 2. Hospitalized in other provinces | 1,924 | 271 | 2,195 | 17,407 | 1,849 | 19,256 |
| 3. Hospitalized in other countries | 665 | 64 | 729 | 6,551 | 341 | 6,892 |
| Sum of A | 159,606 | 22,466 | 182,072 | 1,662,152 | 147,006 | 1,809,158 |
| B. <u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuber- culosis institutions) | | | | | | |
| 1. Department of Veteran's Affairs | | | | | | |
| i In D.V.A. hospitals | 657 | - | 657 | 11,534 | - | 11,534 |
| ii In other hospitals | 82 | 2 | 84 | 944 | 50 | 994 |
| 2. Workmen's Compensation Boards | 1,367 | - | 1,367 | 20,190 | - | 20,190 |
| 3. Uninsured residents | 70 | 11 | 81 | 390 | 105 | 495 |
| 4. Non-residents | 6,128 | 541 | 6,669 | 77,058 | 5,358 | 82,416 |
| 5. Insured residents not the responsibility as the Provincial Plan. | 481 | 10 | 491 | 2,547 | 72 | 2,619 |
| 6. Other agencies | 662 | 161 | 823 | 4,907 | 1,248 | 6,155 |
| Sum of B | 9,947 | 725 | 10,672 | 117,570 | 6,833 | 124,403 |
| C. <u>Sum of A and B</u> | 169,553 | 23,191 | 192,744 | 1,779,722 | 153,839 | 1,933,561 |

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, Saskatchewan, 1962

| Items | Separations | | Total | Patient-Day | | |
|--|------------------------|---------|---------|------------------------|---------|-----------|
| | Adults and Children | Newborn | | Adults and Children | Newborn | Total |
| A. <u>Responsibility of Provincial Plan</u> | | | | | | |
| 1. Hospitalized in the province | | | | | | |
| i Active treatment hospitals | 185,758 | 22,462 | 208,220 | 1,791,150 | 146,873 | 1,938,023 |
| ii Chronic and convalescent hospitals (subdivided where applicable) | - | - | - | - | - | - |
| a) Chronic units attached to general hospitals | - | - | - | - | - | - |
| b) Public chronic hospitals | - | - | - | - | - | - |
| c) Private hospitals giving chronic care | 532 | - | 532 | 123,853 | - | 123,853 |
| d) Other chronic facilities(1) | - | - | - | - | - | - |
| e) Public convalescent units and hospitals | 4,570 | 636 | 5,206 | 47,053 | 4,896 | 51,949 |
| 2. Hospitalized in other provinces | 386 | 32 | 418 | 3,710 | 210 | 3,920 |
| 3. Hospitalized in other countries | 191,246 | 23,130 | 214,376 | 1,965,766 | 151,979 | 2,117,745 |
| Sum of A | | | | | | |
| B. <u>Not the responsibility of Province Plan</u> (excluding patients of mental and tuber- culosis institutions) | | | | | | |
| 1. Department of Veteran's Affairs | | | | | | |
| i In D.V.A. hospitals | 753 | 2 | 755 | 9,550 | 22 | 9,572 |
| ii In other hospitals | 1,814 | - | 1,814 | 17,560 | - | 17,560 |
| 2. Workmen's Compensation Boards | 2,527 | 284 | 2,811 | 14,651 | 1,653 | 16,304 |
| 3. Uninsured residents | 3,616 | 422 | 4,038 | 31,346 | 2,834 | 34,180 |
| 4. Non-residents | 17 | - | 17 | 84 | - | 84 |
| 5. Insured residents not the responsibility of the Provincial Plan | 398 | 5 | 403 | 3,362 | 28 | 3,390 |
| 6. Other agencies | 9,125 | 713 | 9,838 | 76,553 | 4,537 | 81,090 |
| Sum of B. | | | | | | |
| Sum of A and B | 200,371 | 23,843 | 224,214 | 2,042,319 | 156,516 | 2,198,835 |

(1) Geriatric hospitals at Regina, Saskatoon and Melfort

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission of these separations, Alberta, 1962

| Items | Separations | | | Patient-Days | | |
|--|---------------------|-----------------------------|---------|---------------------|---------|-----------|
| | Adults and Children | Newborn | Total | Adults and Children | Newborn | Total |
| A. Responsibility of Provincial Plan | | | | | | |
| 1. Hospitalized in the province | | | | | | |
| i Active treatment hospitals | | | | | | |
| if Chronic and convalescent hospitals | | | | | | |
| a) Auxiliary hospitals | 254,807 | 37,651 | 292,458 | 2,311,129 | 270,607 | 2,581,736 |
| b) Nursing homes | 911 | - | 911 | 316,857 | - | 316,857 |
| 2. Hospitalized in other provinces | 775 | - | 775 | 383,183 | - | 383,183 |
| 3. Hospitalized in other countries | 2,632 | 406 | 3,038 | 22,341 | 2,693 | 25,034 |
| Sum of A. | 289 | 24 | 313 | 3,429 | 116 | 3,545 |
| | 259,414 | 38,081 | 297,495 | 3,036,939 | 273,416 | 3,310,355 |
| B. Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions) | | | | | | |
| 1. Federal | | | | | | |
| i In Federal hospitals (1) | 2,918 | 12 | 2,930 | 149,362 | 103 | 149,465 |
| if In other hospitals | 1,487 | 1 | 1,488 | 34,076 | 8 | 34,084 |
| 2. Workmen's Compensation Boards | 4,710 | - | 4,710 | 52,458 | - | 52,458 |
| 3. Uninsured residents | | Included with Non-Residents | | | | |
| 4. Non-residents | 5,009 | 593 | 5,602 | 49,280 | 4,810 | 54,090 |
| 5. Insured residents not the responsibility of the Provincial Plan | 1 | - | 1 | 181 | - | 181 |
| 6. Other agencies | - | - | - | - | - | - |
| Sum of B. | 14,125 | 606 | 14,731 | 295,357 | 4,921 | 290,278 |
| Sum of A and B | 273,539 | 38,687 | 312,226 | 3,322,296 | 278,337 | 3,600,633 |

(1) Taken from totals provided by the hospitals to the Alberta Hospitalization Benefits Plan.

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, British Columbia, 1962

| Items | Separations | | | Patient-Days | | |
|---|------------------------|---------|---------|------------------------|---------|-----------|
| | Adults and Children | Newborn | Total | Adults and Children | Newborn | Total |
| A. Responsibility of Provincial Plan | | | | | | |
| 1. Hospitalized in the province | | | | | | |
| i Active treatment hospitals | | | | | | |
| ii Chronic and convalescent hospitals) | | | | | | |
| a) Chronic units attached to general hospitals) | | | | | | |
| b) Public chronic hospitals | 271,974 | 37,204 | 309,178 | 2,656,706 | 265,639 | 2,922,345 |
| c) Private hospitals giving care | 2,410 | - | 2,410 | 86,267 | - | 86,267 |
| d) Other chronic facilities | | | | | | |
| e) Public convalescent units and hospitals | | | | | | |
| 2. Hospitalized in other provinces | 2,604 | 263 | 2,867 | 28,489 | 1,951 | 30,440 |
| 3. Hospitalized in other countries | 536 | 17 | 553 | 4,190 | 75 | 4,265 |
| Sum of A | 277,524 | 37,484 | 315,008 | 2,775,652 | 267,665 | 3,043,317 |
| B. Not the Responsibility of Provincial Plan (excluding patients of mental and tuber- culosis institutions) | | | | | | |
| 1. Federal Government (D.V.A. and Indians) | .. | .. | .. | 423,909 | 224 | 424,133 |
| 2. Workmen's Compensation Boards | .. | .. | .. | 74,629 | - | 74,629 |
| 3. Uninsured residents(1) | .. | .. | .. | 67,543 | 7,474 | 75,017 |
| 4. Non-residents | .. | .. | .. | 26,075 | 3,022 | 29,097 |
| 5. Insured residents not the responsibility of the Provincial Plan | .. | .. | .. | .. | .. | .. |
| 6. Other agencies | .. | .. | .. | .. | .. | .. |
| Sum of B | .. | .. | .. | 592,156 | 10,720 | 602,876 |
| Sum of A and B | .. | .. | .. | 3,367,808 | 278,385 | 3,646,193 |
| C. | | | | | | |

(1) Including non-plan days of care for insured residents

.. Not available

- Zero

TABLE 1

SUMMARY OF HOSPITALIZATION

Separations during the year and patient-days since admission
of these separations, Northwest-Territories, 1962

| Items | Separations | | Total | Patient-Days | | |
|--|------------------------|---------|-------|------------------------|---------|--------|
| | Adults and Children | Newborn | | Adults and Children | Newborn | Total |
| A. Responsibility of Territorial Plan | | | | | | |
| 1. Hospitalized in Territories | 5,349 | 713 | 6,062 | 51,879 | 4,171 | 56,050 |
| 2. Hospitalized in other provinces | 996 | 105 | 1,101 | 11,147 | 947 | 12,094 |
| 3. Hospitalized in other countries | 11 | - | 11 | 95 | - | 95 |
| Sum of A | 6,356 | 818 | 7,174 | 63,121 | 5,118 | 68,239 |
| B. Not the responsibility of Territorial Plan (excluding patients of mental and tuberculosis institutions) | | | | | | |
| 1. Workmen's Compensation Boards | 75 | - | 75 | 590 | - | 590 |
| 2. Department of Veterans Affairs | 2 | - | 2 | 22 | - | 22 |
| 3. Department of National Defence | 4 | - | 4 | 20 | - | 20 |
| 4. Royal Canadian Mounted Police | 3 | - | 3 | 9 | - | 9 |
| 5. Self | 20 | - | 20 | 142 | - | 142 |
| 6. Other Provincial Plans | 132 | 16 | 148 | 912 | 116 | 1,028 |
| 7. Indian and Northern Health Services | 169 | - | 169 | 2,328 | - | 2,328 |
| Other agencies | 23 | 1 | 24 | 134 | 19 | 153 |
| Sum of B | 428 | 17 | 445 | 4,157 | 135 | 4,292 |
| Sum of A and B | 6,784 | 835 | 7,619 | 67,278 | 5,253 | 72,531 |
| C. | | | | | | |

TABLE 2a (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| NUMBER OF SEPARATIONS | | | | | | | | | | | | | |
|-----------------------|----------|--------|---------|--------|---------|---------|--------|--------|---------|---------|-------|--------|-----------|
| | N.F.L.D. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| MALES | | | | | | | | | | | | | |
| Newborn | -- | 1,611 | 9,877 | 8,493 | 66,358 | -- | 11,544 | 11,829 | 19,285 | 19,003 | 278 | 417 | 148,695 |
| Under 1 | 2,918) | | 2,872) | | 19,580) | | 4,726 | 5,857 | 6,975 | 6,121 | 167 | 531) | 203,836 |
| 1 - 4 | 2,576) | 1,375 | 4,023) | 7,215 | 31,052) | 64,658 | 7,146 | 9,480 | 12,489 | 13,231 | 247 | 597) | |
| 5 - 9 | 1,386 | 555 | 3,428 | 3,682 | 29,993 | 37,271 | 5,015 | 7,115 | 10,384 | 11,340 | 100 | 261 | 111,660 |
| 10 - 14 | 1,450 | 376 | 2,524 | 2,615 | 18,213 | 19,804 | 3,624 | 4,592 | 6,245 | 6,033 | 63 | 175 | 65,714 |
| 15 - 19 | 1,179 | 377 | 1,892 | 2,251 | 16,444 | 15,937 | 3,013 | 3,761 | 5,185 | 4,371 | 49 | 120 | 54,579 |
| 20 - 24 | 1,051 | 271 | 1,362 | 1,712 | 16,067 | 14,948 | 2,643 | 2,521 | 4,693 | 3,705 | 103 | 133 | 49,209 |
| 25 - 29 | 950 | 197 | 1,114 | 1,241 | 14,283 | 14,928 | 2,294 | 2,231 | 4,399 | 3,687 | 113 | 95 | 45,532 |
| 30 - 34 | 798 | 216 | 1,207 | 1,372 | 15,739 | 17,359 | 2,423 | 2,530 | 4,542 | 4,307 | 110 | 126 | 50,729 |
| 35 - 39 | 878 | 229 | 1,536 | 1,563 | 16,235 | 18,896 | 2,749 | 2,683 | 4,801 | 4,514 | 113 | 101 | 54,298 |
| 40 - 44 | 1,008 | 312 | 1,750 | 2,000 | 16,224 | 18,777 | 2,920 | 3,079 | 4,783 | 4,694 | 83 | 98 | 55,728 |
| 45 - 49 | 888 | 392 | 2,010 | 1,824 | 16,244 | 20,001 | 3,308 | 3,429 | 4,870 | 5,260 | 68 | 78 | 58,372 |
| 50 - 54 | 882 | 373 | 2,341 | 1,995 | 16,641 | 21,321 | 3,393 | 3,782 | 5,017 | 5,746 | 85 | 101 | 61,677 |
| 55 - 59 | 646 | 372 | 2,210 | 1,764 | 15,701 | 21,486 | 3,518 | 3,944 | 5,262 | 5,950 | 64 | 75 | 60,992 |
| 60 - 64 | 647 | 409 | 2,208 | 1,774 | 13,808 | 21,389 | 3,677 | 3,878 | 5,247 | 5,835 | 50 | 74 | 58,996 |
| 65 - 69 | 652 | 485 | 2,306 | 1,851 | 11,201 | 19,395 | 3,713 | 4,414 | 5,248 | 5,689 | 33 | 50 | 55,037 |
| 70 - 74 | 539 | 416 | 2,159 | 1,801 | 9,436 | 17,135 | 4,143 | 5,315 | 5,892 | 6,869 | 23 | 38 | 53,766 |
| 75 - 79 | 416 | 367 | 1,989 | 1,484 | 6,509 | 13,349 | 3,543 | 5,042 | 5,217 | 6,440 | 35 | 29 | 44,420 |
| 80 - 84 | 256 | 252 | 1,240 | 900 | 3,497 | 8,083 | 2,488 | 3,364 | 3,291 | 4,000 | 21 | 23 | 27,415 |
| 85+ | 124 | 213 | 815 | 615 | 1,736 | 5,052 | 1,385 | 1,839 | 2,161 | 2,320 | 31 | 11 | 16,302 |
| Unknown | 11 | -- | -- | -- | -- | 60 | -- | -- | -- | -- | 3 | -- | 74 |
| All Ages | 19,755 | 8,798 | 48,863 | 46,152 | 354,961 | 369,849 | 77,865 | 90,715 | 125,986 | 129,115 | 1,839 | 3,133 | 1,277,031 |

TABLE 2a (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| NUMBER OF SEPARATIONS | | | | | | | | | | | | | |
|-----------------------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|-------|--------|-----------|
| | N.F.D. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| FEMALES | | | | | | | | | | | | | |
| Newborn | -- | 1,398 | 9,292 | 7,823 | 62,558 | -- | 11,106 | 11,301 | 18,644 | 18,201 | 253 | 401 | 140,977 |
| Under 1 | 2,329) | 1,048 | 2,012) | 5,407 | 13,699) | 46,981 | 3,540 | 4,347 | 5,358 | 4,497 | 101 | 427) | 152,325 |
| 1 - 4 | 1,956) | | 2,985) | | 23,421) | | 5,669 | 7,354 | 10,021 | 10,501 | 208 | 464) | |
| 5 - 9 | 1,521 | 432 | 2,959 | 3,261 | 25,436 | 31,895 | 4,817 | 6,457 | 8,880 | 9,794 | 113 | 220 | 95,785 |
| 10 - 14 | 1,172 | 341 | 2,232 | 2,384 | 15,579 | 17,086 | 3,544 | 4,273 | 5,997 | 5,169 | 46 | 183 | 58,306 |
| 15 - 19 | 3,601 | 693 | 5,571 | 4,529 | 29,683 | 37,647 | 6,297 | 7,465 | 11,781 | 10,567 | 140 | 285 | 118,259 |
| 20 - 24 | 5,943 | 1,547 | 9,949 | 8,728 | 68,569 | 62,751 | 12,483 | 13,018 | 22,269 | 20,865 | 304 | 446 | 246,872 |
| 25 - 29 | 4,579 | 1,320 | 7,839 | 7,297 | 66,401 | 78,587 | 10,812 | 11,691 | 19,189 | 18,080 | 313 | 461 | 227,469 |
| 30 - 34 | 3,979 | 960 | 6,214 | 6,239 | 56,847 | 63,959 | 8,971 | 9,686 | 14,742 | 15,524 | 281 | 342 | 187,744 |
| 35 - 39 | 2,984 | 687 | 4,996 | 5,011 | 42,774 | 49,888 | 7,249 | 7,931 | 11,473 | 12,674 | 171 | 267 | 140,305 |
| 40 - 44 | 2,123 | 646 | 3,724 | 3,009 | 27,786 | 33,960 | 5,279 | 6,091 | 8,632 | 10,012 | 103 | 169 | 102,134 |
| 45 - 49 | 1,137 | 405 | 2,791 | 2,559 | 19,793 | 26,942 | 4,488 | 5,290 | 6,784 | 8,429 | 62 | 104 | 78,784 |
| 50 - 54 | 932 | 431 | 2,322 | 2,253 | 17,062 | 23,300 | 4,024 | 4,600 | 5,693 | 6,814 | 63 | 59 | 67,553 |
| 55 - 59 | 713 | 331 | 2,031 | 1,856 | 14,881 | 19,307 | 3,242 | 3,957 | 4,938 | 5,249 | 26 | 59 | 56,590 |
| 60 - 64 | 677 | 385 | 2,010 | 1,847 | 12,914 | 18,473 | 3,213 | 3,743 | 4,617 | 5,015 | 25 | 47 | 52,966 |
| 65 - 69 | 653 | 399 | 2,123 | 1,728 | 11,645 | 17,775 | 3,440 | 4,042 | 4,374 | 4,922 | 24 | 31 | 51,156 |
| 70 - 74 | 466 | 436 | 2,067 | 1,691 | 9,777 | 17,462 | 3,447 | 4,201 | 4,589 | 5,436 | 23 | 22 | 49,617 |
| 75 - 79 | 369 | 384 | 1,783 | 1,446 | 7,117 | 13,902 | 3,139 | 3,715 | 3,912 | 4,882 | 13 | 23 | 40,685 |
| 80 - 84 | 189 | 285 | 1,178 | 935 | 3,680 | 9,601 | 2,116 | 2,515 | 2,646 | 3,311 | 10 | 17 | 26,483 |
| 85+ | 73 | 242 | 847 | 579 | 1,910 | 6,514 | 1,334 | 1,452 | 1,713 | 1,931 | 7 | 10 | 16,612 |
| Unknown | 17 | -- | -- | -- | -- | 45 | -- | -- | -- | -- | 6 | 4 | 72 |
| All Ages | 36,013 | 12,570 | 74,925 | 69,182 | 531,532 | 596,075 | 108,210 | 123,129 | 176,252 | 182,473 | 2,292 | 4,041 | 1,916,694 |

TABLE 2a (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| NUMBER OF SEPARATIONS | | | | | | | | | | | | | |
|-----------------------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|-------|--------|-----------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| BOTH SEXES | | | | | | | | | | | | | |
| Newborn | -- | 3,009 | 19,109 | 10,316 | 128,916 | -- | 22,650 | 23,130 | 37,929 | 37,204 | 531 | 318 | 269,672 |
| Under 1 | 5,247) | 2,423 | 4,834) | 12,622 | 33,279) | 111,639 | 8,266 | 10,204 | 12,333 | 10,018 | 268 | 953) | 350,161 |
| 1 - 4 | 4,532) | | 7,008) | | 54,473) | | 12,815 | 16,834 | 22,510 | 23,732 | 455 | 1,061) | |
| 5 - 9 | 3,407 | 987 | 6,387 | 6,943 | 55,429 | 69,166 | 10,432 | 13,602 | 19,264 | 21,134 | 213 | 461 | 207,445 |
| 10 - 14 | 2,922 | 717 | 4,756 | 4,999 | 33,792 | 36,890 | 7,168 | 8,665 | 12,242 | 11,202 | 109 | 358 | 124,020 |
| 15 - 19 | 4,780 | 1,070 | 7,163 | 8,760 | 40,127 | 53,584 | 9,310 | 11,226 | 16,966 | 14,933 | 189 | 405 | 172,838 |
| 20 - 24 | 6,994 | 1,316 | 11,311 | 10,440 | 84,636 | 97,699 | 15,126 | 15,539 | 20,962 | 24,570 | 407 | 579 | 296,081 |
| 25 - 29 | 5,829 | 1,517 | 8,953 | 3,538 | 30,684 | 93,515 | 13,106 | 13,922 | 23,586 | 22,367 | 420 | 556 | 273,001 |
| 30 - 34 | 4,777 | 1,176 | 7,421 | 7,011 | 72,586 | 81,318 | 11,394 | 12,216 | 19,234 | 17,831 | 391 | 468 | 235,473 |
| 35 - 39 | 3,862 | 1,116 | 6,532 | 6,574 | 59,009 | 68,784 | 9,998 | 10,814 | 16,274 | 17,188 | 234 | 368 | 200,803 |
| 40 - 44 | 3,131 | 953 | 5,474 | 5,609 | 44,010 | 52,737 | 8,199 | 9,170 | 13,415 | 14,706 | 186 | 267 | 157,662 |
| 45 - 49 | 2,025 | 797 | 4,801 | 4,383 | 36,037 | 46,943 | 7,796 | 8,719 | 11,654 | 13,689 | 130 | 182 | 137,150 |
| 50 - 54 | 1,814 | 804 | 4,663 | 4,248 | 33,703 | 44,621 | 7,417 | 8,382 | 10,710 | 12,560 | 148 | 160 | 129,230 |
| 55 - 59 | 1,359 | 703 | 4,241 | 3,620 | 30,582 | 40,793 | 6,760 | 7,901 | 10,200 | 11,199 | 90 | 134 | 117,582 |
| 60 - 64 | 1,324 | 794 | 4,216 | 3,621 | 26,722 | 39,862 | 6,890 | 7,621 | 9,664 | 10,850 | 75 | 121 | 111,962 |
| 65 - 69 | 1,305 | 884 | 4,429 | 3,579 | 22,846 | 37,170 | 7,153 | 8,456 | 9,622 | 10,611 | 57 | 81 | 106,193 |
| 70 - 74 | 1,005 | 852 | 4,226 | 3,492 | 19,213 | 34,597 | 7,590 | 9,516 | 10,481 | 12,305 | 46 | 60 | 103,383 |
| 75 - 79 | 785 | 751 | 3,772 | 2,930 | 13,626 | 27,251 | 6,682 | 8,757 | 9,129 | 11,322 | 48 | 52 | 85,105 |
| 80 - 84 | 445 | 537 | 2,418 | 1,835 | 7,177 | 17,684 | 4,604 | 5,879 | 5,937 | 7,311 | 31 | 40 | 53,898 |
| 85+ | 197 | 455 | 1,662 | 1,194 | 3,646 | 11,566 | 2,719 | 3,291 | 3,874 | 4,251 | 38 | 21 | 32,914 |
| Unknown | 28 | -- | -- | -- | -- | 105 | -- | -- | -- | -- | 9 | 4 | 146 |
| All Ages | 55,768 | 21,368 | 123,788 | 115,334 | 886,493 | 965,924 | 186,075 | 213,844 | 302,238 | 311,588 | 4,131 | 7,174 | 3,193,725 |

TABLE 2b (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962
(1) See notes on page 43 for details

| PATIENT-DAYS SINCE ADMISSION | | | | | | | | | | | | | |
|------------------------------|----------|---------|---------|---------|-----------|-----------|---------|-----------|-----------|-----------|--------|--------|------------|
| | W.F.D. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| TE. AIDS | | | | | | | | | | | | | |
| Newborn | -- | 9,014 | 59,499 | 44,278 | 409,880 | -- | 72,450 | 73,707 | 133,295 | 128,499 | 1,761 | 2,596 | 934,791 |
| Under 1 | 35,359) | 9,737) | 23,261 | 44,757 | 198,084) | 326,539 | 32,791 | 41,312 | 47,679 | 47,176 | 932 | 4,097 | 1,302,528 |
| 1 - 4 | 28,058) | | 21,364 | | 212,160) | | 36,594 | 51,544 | 65,764 | 70,888 | 1,594 | 4,186 | |
| 5 - 9 | 19,369 | 2,316 | 17,018 | 21,773 | 152,392 | 147,323 | 21,157 | 31,983 | 46,768 | 50,121 | 617 | 1,974 | 513,311 |
| 10 - 14 | 19,020 | 3,519 | 13,827 | 16,353 | 119,586 | 107,262 | 20,419 | 24,818 | 39,841 | 32,932 | 390 | 2,082 | 400,057 |
| 15 - 19 | 24,634 | 4,210 | 33,738 | 28,330 | 226,665 | 243,766 | 37,521 | 44,802 | 72,758 | 65,461 | 636 | 2,593 | 765,314 |
| 20 - 24 | 33,414 | 8,943 | 50,855 | 50,842 | 445,162 | 513,631 | 71,068 | 76,737 | 131,580 | 128,458 | 2,065 | 2,973 | 1,521,728 |
| 25 - 29 | 27,141 | 7,515 | 47,913 | 43,882 | 404,106 | 520,951 | 63,244 | 72,101 | 123,248 | 119,876 | 2,153 | 3,214 | 1,495,344 |
| 30 - 34 | 25,645 | 6,138 | 41,256 | 40,585 | 453,625 | 479,930 | 60,508 | 64,340 | 97,707 | 103,241 | 1,902 | 2,508 | 1,302,405 |
| 35 - 39 | 21,900 | 6,250 | 39,229 | 37,014 | 399,304 | 433,893 | 55,512 | 58,760 | 84,501 | 97,623 | 1,207 | 2,437 | 1,237,700 |
| 40 - 44 | 20,605 | 6,110 | 35,420 | 33,648 | 312,244 | 372,900 | 45,320 | 52,212 | 73,592 | 88,328 | 805 | 1,377 | 1,042,561 |
| 45 - 49 | 13,508 | 4,518 | 32,915 | 37,280 | 280,353 | 357,071 | 46,536 | 53,093 | 76,496 | 85,500 | 742 | 1,632 | 989,644 |
| 50 - 54 | 12,959 | 5,146 | 30,259 | 27,906 | 268,320 | 353,094 | 45,620 | 50,267 | 62,019 | 79,412 | 408 | 750 | 936,220 |
| 55 - 59 | 12,109 | 3,938 | 29,702 | 28,686 | 271,889 | 347,998 | 45,057 | 46,988 | 61,651 | 69,653 | 242 | 621 | 916,734 |
| 60 - 64 | 12,125 | 5,461 | 30,674 | 30,872 | 268,041 | 395,000 | 45,427 | 51,310 | 89,499 | 76,235 | 309 | 878 | 1,005,831 |
| 65 - 69 | 12,159 | 5,855 | 35,554 | 23,786 | 272,007 | 441,538 | 60,978 | 62,382 | 82,568 | 79,091 | 225 | 300 | 1,061,443 |
| 70 - 74 | 9,632 | 7,772 | 37,290 | 31,993 | 257,328 | 552,042 | 66,320 | 65,316 | 116,677 | 95,692 | 270 | 382 | 1,242,714 |
| 75 - 79 | 7,201 | 7,346 | 35,454 | 28,364 | 228,589 | 590,184 | 70,801 | 63,006 | 134,259 | 96,345 | 260 | 273 | 1,262,082 |
| 80 - 84 | 4,976 | 4,396 | 22,309 | 21,340 | 153,881 | 558,801 | 53,621 | 51,316 | 126,676 | 67,840 | 202 | 164 | 1,065,522 |
| 85+ | 1,834 | 4,357 | 19,057 | 14,696 | 117,958 | 600,268 | 43,581 | 31,600 | 138,976 | 41,070 | 48 | 240 | 1,013,085 |
| Unknown | 206 | -- | -- | -- | -- | 479 | -- | -- | -- | -- | 83 | 70 | 838 |
| All Ages | 339,854 | 113,041 | 662,594 | 611,385 | 5,511,360 | 7,342,670 | 994,531 | 1,067,594 | 1,607,634 | 1,628,641 | 17,249 | 35,999 | 20,132,572 |

TABLE 2b (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| PATIENT-DAYS SINCE ADMISSION | | | | | | | | | | | | | | |
|------------------------------|---------|---------|-----------|-----------|-----------|------------|-----------|-----------|-----------|-----------|--------|--------|------------|--|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA | |
| BOTH SEXES | | | | | | | | | | | | | | |
| Newborn | | | | | | | | | | | | | | |
| Under 1 | 74,650) | 19,502 | 121,404 | 92,705 | 838,728 | --- | 148,481 | 151,979 | 270,687 | 265,639 | 3,678 | 5,118 | 1,917,921 | |
| 1 - 4 | 57,928) | 22,269 | 54,862) | 115,322 | 475,799) | 768,512 | 76,628 | 95,981 | 108,271 | 110,730 | 2,562 | 9,609) | 3,015,934 | |
| 5 - 9 | 41,392 | 7,243 | 37,637 | 49,330 | 341,398 | 328,685 | 47,819 | 69,427 | 106,244 | 114,251 | 1,266 | 5,088 | 1,149,780 | |
| 10 - 14 | 35,470 | 7,240 | 30,986 | 37,924 | 260,777 | 243,497 | 41,347 | 52,765 | 79,592 | 71,129 | 780 | 3,783 | 865,290 | |
| 15 - 19 | 39,637 | 6,944 | 50,095 | 47,578 | 373,665 | 376,183 | 56,970 | 70,076 | 113,280 | 97,422 | 1,187 | 3,826 | 1,236,863 | |
| 20 - 24 | 43,637 | 10,997 | 69,228 | 66,161 | 526,494 | 640,282 | 91,408 | 96,960 | 165,730 | 155,690 | 2,830 | 4,181 | 1,945,918 | |
| 25 - 29 | 37,806 | 10,096 | 59,432 | 51,343 | 615,109 | 677,393 | 82,205 | 88,859 | 160,026 | 149,240 | 3,139 | 4,317 | 1,942,405 | |
| 30 - 34 | 34,868 | 8,273 | 52,633 | 54,573 | 619,601 | 665,336 | 81,854 | 85,879 | 139,492 | 143,540 | 2,796 | 3,769 | 1,892,669 | |
| 35 - 39 | 32,214 | 9,066 | 57,089 | 52,205 | 586,314 | 654,040 | 83,624 | 83,100 | 128,797 | 139,628 | 2,202 | 3,638 | 1,831,917 | |
| 40 - 44 | 34,933 | 9,708 | 56,598 | 50,826 | 508,575 | 612,999 | 75,753 | 81,097 | 120,124 | 134,404 | 1,589 | 2,323 | 1,994,929 | |
| 45 - 49 | 26,486 | 5,117 | 39,423 | 31,052 | 506,580 | 629,614 | 82,748 | 88,585 | 135,112 | 143,688 | 1,439 | 2,477 | 1,748,321 | |
| 50 - 54 | 27,081 | 10,226 | 44,594 | 54,462 | 529,466 | 666,865 | 89,001 | 93,014 | 131,922 | 146,423 | 1,386 | 2,349 | 1,838,783 | |
| 55 - 59 | 22,754 | 9,556 | 42,369 | 56,015 | 536,837 | 731,875 | 94,396 | 98,081 | 133,941 | 150,285 | 1,944 | 1,605 | 1,898,658 | |
| 60 - 64 | 25,014 | 11,184 | 68,040 | 62,010 | 521,274 | 825,121 | 104,640 | 105,304 | 191,455 | 165,270 | 880 | 1,943 | 2,082,135 | |
| 65 - 69 | 25,138 | 13,339 | 76,661 | 65,786 | 502,248 | 901,571 | 124,433 | 128,557 | 187,274 | 176,256 | 502 | 1,067 | 2,202,832 | |
| 70 - 74 | 19,014 | 15,129 | 71,664 | 67,279 | 476,402 | 999,972 | 147,027 | 151,914 | 250,775 | 227,773 | 666 | 989 | 2,437,604 | |
| 75 - 79 | 17,378 | 13,744 | 70,093 | 58,018 | 401,158 | 1,007,017 | 150,290 | 148,064 | 264,928 | 222,231 | 823 | 1,096 | 2,375,465 | |
| 80 - 84 | 9,722 | 8,335 | 43,764 | 40,704 | 265,155 | 886,196 | 112,076 | 113,925 | 245,925 | 146,769 | 654 | 409 | 1,873,934 | |
| 85+ | 4,087 | 8,144 | 34,392 | 29,151 | 197,575 | 867,926 | 79,893 | 71,857 | 253,030 | 89,177 | 521 | 373 | 1,641,126 | |
| Unknown | 369 | --- | --- | --- | --- | 1,150 | --- | --- | --- | --- | 142 | 70 | 1,731 | |
| All Ages | 609,578 | 210,112 | 1,196,055 | 1,124,269 | 9,628,846 | 12,504,234 | 1,851,145 | 1,993,892 | 3,305,638 | 3,008,612 | 33,655 | 68,239 | 35,594,275 | |

TABLE 2c (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962
(1) See notes on page 43 for details

| AVERAGE LENGTH OF STAY | | | | | | | | | | | | | |
|------------------------|--------|--------|--------|------|--------|------|------|-------|-------|------|-------|--------|--------|
| | N.F.D. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| MALES | | | | | | | | | | | | | |
| Newborn | -- | 6.5 | 6.3 | 5.7 | 6.5 | -- | 6.6 | 6.6 | 7.1 | 7.2 | 6.9 | 6.0 | 6.6 |
| Under 1 | 13.5) | 9.1 | 11.0) | 9.8 | 14.2) | 6.8 | 9.3 | 9.3 | 8.7 | 10.4 | 9.5 | 9.2) | 8.4 |
| 1 - 4 | 12.4) | | 7.5) | | 8.4) | | 6.2 | 7.1 | 6.6 | 6.5 | 8.4 | 10.1) | |
| 5 - 9 | 11.7 | 8.0 | 6.0 | 7.5 | 6.3 | 4.9 | 4.7 | 5.2 | 5.7 | 5.7 | 6.5 | 11.9 | 5.7 |
| 10 - 14 | 11.3 | 9.9 | 6.8 | 8.2 | 7.8 | 6.9 | 5.8 | 6.1 | 6.4 | 6.3 | 6.1 | 9.7 | 7.1 |
| 15 - 19 | 12.7 | 7.3 | 8.6 | 8.6 | 8.9 | 8.3 | 6.5 | 6.7 | 7.8 | 7.3 | 7.2 | 10.3 | 8.3 |
| 20 - 24 | 9.7 | 7.6 | 9.1 | 9.1 | 9.5 | 8.5 | 7.7 | 8.0 | 7.3 | 7.4 | 7.4 | 9.1 | 8.6 |
| 25 - 29 | 11.2 | 13.1 | 10.3 | 8.8 | 10.6 | 10.5 | 6.3 | 7.5 | 8.4 | 8.0 | 8.7 | 11.6 | 9.8 |
| 30 - 34 | 11.6 | 9.9 | 9.5 | 10.2 | 10.5 | 10.7 | 8.8 | 8.5 | 9.2 | 8.2 | 8.1 | 10.0 | 10.1 |
| 35 - 39 | 11.7 | 12.3 | 11.6 | 9.7 | 11.5 | 11.7 | 10.2 | 9.1 | 9.2 | 9.3 | 8.1 | 11.4 | 10.9 |
| 40 - 44 | 14.2 | 11.5 | 12.1 | 11.6 | 12.1 | 12.8 | 10.4 | 9.4 | 9.7 | 9.8 | 9.4 | 9.7 | 11.7 |
| 45 - 49 | 14.6 | 11.7 | 13.2 | 14.1 | 13.9 | 13.6 | 10.9 | 10.4 | 12.0 | 11.1 | 10.2 | 10.8 | 13.0 |
| 50 - 54 | 16.0 | 13.6 | 14.7 | 13.3 | 15.7 | 15.7 | 12.8 | 11.3 | 13.9 | 12.0 | 10.8 | 15.8 | 14.6 |
| 55 - 59 | 16.5 | 15.1 | 14.8 | 15.5 | 16.9 | 17.9 | 14.0 | 13.0 | 13.7 | 13.5 | 11.0 | 13.1 | 16.1 |
| 60 - 64 | 19.9 | 14.0 | 16.9 | 17.6 | 18.3 | 20.1 | 16.1 | 13.9 | 19.4 | 15.3 | 11.4 | 14.4 | 18.2 |
| 65 - 69 | 19.9 | 15.4 | 17.8 | 20.0 | 20.6 | 23.7 | 17.1 | 15.0 | 20.0 | 17.1 | 8.4 | 15.3 | 20.4 |
| 70 - 74 | 17.4 | 17.7 | 17.3 | 19.6 | 23.2 | 26.1 | 19.5 | 16.3 | 23.4 | 19.2 | 17.2 | 16.0 | 22.2 |
| 75 - 79 | 24.5 | 17.4 | 17.7 | 20.0 | 26.5 | 31.2 | 22.4 | 16.9 | 28.9 | 19.5 | 16.1 | 28.4 | 25.1 |
| 80 - 84 | 18.5 | 15.6 | 17.3 | 21.5 | 31.9 | 40.5 | 23.5 | 18.6 | 36.2 | 19.7 | 21.5 | 10.7 | 29.5 |
| 85+ | 18.2 | 17.8 | 18.8 | 23.5 | 45.9 | 53.0 | 26.2 | 21.9 | 55.1 | 20.7 | 15.3 | 12.1 | 38.5 |
| Unknown | 14.8 | -- | -- | -- | -- | 11.2 | -- | -- | -- | -- | 19.7 | -- | 12.1 |
| All Ages | 13.7 | 11.0 | 10.9 | 11.1 | 11.6 | 14.0 | 11.0 | 10.2 | 12.4 | 10.7 | 8.9 | 10.3 | 12.1 |

TABLE 2c (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| AVERAGE LENGTH OF STAY | | | | | | | | | | | | | |
|------------------------|-------|--------|-------|------|-------|------|------|-------|-------|------|-------|--------|--------|
| | NFLD. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| FEMALES | | | | | | | | | | | | | |
| Newborn | -- | 6.4 | 6.4 | 5.7 | 6.5 | -- | 6.5 | 6.5 | 7.1 | 7.1 | 7.0 | 6.5 | 6.6 |
| Under 1 | 15.2) | 9.3 | 11.6) | 8.3 | 14.5) | 7.0 | 9.3 | 9.5 | 8.9 | 10.5 | 9.7 | 11.0) | 8.6 |
| 1 - 4 | 13.3) | | 7.2) | | 9.1) | | 6.5 | 7.0 | 6.6 | 6.8 | 7.7 | 9.0) | |
| 5 - 9 | 12.7 | 6.5 | 5.8 | 6.7 | 6.0 | 4.6 | 4.4 | 5.0 | 5.3 | 5.1 | 5.5 | 9.0 | 5.4 |
| 10 - 14 | 12.9 | 10.3 | 6.2 | 6.9 | 7.7 | 6.3 | 5.8 | 5.8 | 6.6 | 6.4 | 8.7 | 11.4 | 6.9 |
| 15 - 19 | 6.8 | 6.1 | 6.1 | 6.3 | 7.6 | 6.5 | 6.0 | 6.0 | 6.2 | 6.2 | 6.0 | 9.1 | 6.6 |
| 20 - 24 | 5.6 | 5.8 | 5.7 | 5.8 | 6.5 | 6.2 | 5.7 | 5.9 | 5.9 | 6.2 | 6.8 | 6.7 | 6.2 |
| 25 - 29 | 5.6 | 5.7 | 6.1 | 6.0 | 7.0 | 6.6 | 5.8 | 6.2 | 6.4 | 6.4 | 6.9 | 7.0 | 6.6 |
| 30 - 34 | 6.4 | 6.4 | 6.6 | 6.5 | 8.0 | 7.5 | 6.7 | 6.6 | 6.6 | 7.0 | 6.8 | 7.3 | 7.4 |
| 35 - 39 | 7.3 | 7.0 | 7.9 | 7.4 | 9.3 | 8.7 | 7.7 | 7.4 | 7.4 | 7.7 | 7.5 | 9.3 | 8.5 |
| 40 - 44 | 9.7 | 9.5 | 9.5 | 9.3 | 11.2 | 11.0 | 8.6 | 8.6 | 8.5 | 8.8 | 7.8 | 8.1 | 10.2 |
| 45 - 49 | 11.9 | 11.2 | 11.8 | 14.6 | 14.2 | 13.3 | 10.4 | 10.0 | 11.3 | 10.1 | 12.0 | 15.7 | 12.6 |
| 50 - 54 | 13.9 | 11.9 | 13.0 | 12.4 | 15.7 | 15.2 | 11.3 | 10.9 | 10.9 | 11.7 | 7.4 | 12.7 | 13.9 |
| 55 - 59 | 17.0 | 11.9 | 14.6 | 15.5 | 18.3 | 18.0 | 13.9 | 11.9 | 12.5 | 13.3 | 9.3 | 10.5 | 16.2 |
| 60 - 64 | 17.9 | 14.2 | 15.3 | 16.7 | 20.8 | 21.4 | 14.1 | 13.7 | 19.4 | 15.2 | 12.4 | 18.7 | 19.0 |
| 65 - 69 | 18.6 | 14.7 | 16.7 | 16.7 | 23.4 | 24.8 | 17.7 | 15.4 | 18.9 | 16.1 | 9.4 | 9.7 | 21.1 |
| 70 - 74 | 20.7 | 17.8 | 18.0 | 18.9 | 26.3 | 31.6 | 19.2 | 15.5 | 25.9 | 17.6 | 11.7 | 17.4 | 25.0 |
| 75 - 79 | 19.5 | 19.1 | 19.9 | 19.6 | 32.1 | 42.5 | 22.6 | 17.0 | 34.3 | 19.7 | 20.0 | 11.9 | 31.0 |
| 80 - 84 | 26.3 | 15.4 | 18.9 | 22.8 | 41.8 | 58.2 | 25.3 | 20.4 | 47.9 | 20.5 | 20.2 | 9.6 | 40.2 |
| 85+ | 25.1 | 18.0 | 22.5 | 25.4 | 61.8 | 92.2 | 32.7 | 21.8 | 81.1 | 21.3 | 6.9 | 24.0 | 61.0 |
| Unknown | 12.1 | -- | -- | -- | -- | 10.6 | -- | --- | -- | -- | 13.8 | 17.5 | 11.6 |
| All Ages | 9.4 | 9.0 | 8.8 | 8.8 | 10.4 | 12.3 | 9.2 | 8.7 | 10.3 | 8.9 | 7.5 | 8.9 | 10.5 |

TABLE 2c (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| AVERAGE LENGTH OF STAY | | | | | | | | | | | | | |
|------------------------|-------|--------|-------|------|-------|------|------|-------|-------|------|-------|--------|--------|
| | NEED. | P.S.I. | N.S. | N.B. | Q.E. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| BOTH SEXES | | | | | | | | | | | | | |
| Newborn | | | | | | | | | | | | | |
| Under 1 | -- | 6.5 | 6.3 | 5.7 | 6.5 | -- | 6.6 | 6.6 | 7.1 | 7.1 | 0.9 | 0.3 | 0.6 |
| 1 - 4 | 14.2 | 9.2 | 11.2) | 9.1 | 14.3) | 0.9 | 9.3 | 9.4 | 8.8 | 10.4 | 9.6 | 10.0 | 3.5 |
| 5 - 9 | 12.6 | 7.3 | 7.3) | 7.1 | 8.7) | 4.8 | 4.6 | 7.0 | 6.6 | 6.6 | 3.1 | 9.0 | |
| 10 - 14 | 12.1 | 10.1 | 5.9 | 7.6 | 6.2 | 6.6 | 5.6 | 5.1 | 5.5 | 5.4 | 5.9 | 10.6 | 5.5 |
| 15 - 19 | 8.3 | 6.5 | 6.5 | 7.0 | 7.7 | 6.6 | 6.1 | 6.0 | 6.5 | 6.3 | 7.2 | 10.6 | 7.0 |
| 20 - 24 | 6.2 | 6.0 | 6.1 | 6.4 | 7.1 | 6.6 | 6.0 | 6.2 | 6.1 | 6.5 | 6.3 | 9.4 | 7.2 |
| 25 - 29 | 6.5 | 6.7 | 6.6 | 6.4 | 7.0 | 7.2 | 6.3 | 6.4 | 6.1 | 6.3 | 7.0 | 7.2 | 6.6 |
| 30 - 34 | 7.3 | 7.0 | 7.1 | 7.2 | 8.5 | 8.2 | 7.2 | 7.0 | 7.2 | 7.2 | 7.2 | 8.1 | 7.1 |
| 35 - 39 | 8.3 | 8.1 | 8.7 | 7.9 | 9.9 | 9.5 | 8.4 | 7.8 | 7.9 | 8.1 | 7.8 | 9.9 | 9.1 |
| 40 - 44 | 11.2 | 10.1 | 10.3 | 10.1 | 11.6 | 11.6 | 9.2 | 8.8 | 9.0 | 9.1 | 8.5 | 8.7 | 10.7 |
| 45 - 49 | 13.1 | 11.4 | 12.4 | 14.4 | 14.1 | 13.4 | 10.6 | 10.2 | 11.6 | 10.5 | 11.1 | 13.6 | 12.7 |
| 50 - 54 | 14.9 | 12.7 | 13.9 | 12.8 | 15.7 | 15.4 | 12.0 | 11.1 | 12.3 | 11.8 | 9.4 | 14.7 | 14.2 |
| 55 - 59 | 16.7 | 13.6 | 14.7 | 15.5 | 17.6 | 17.9 | 14.0 | 12.4 | 13.1 | 13.4 | 10.5 | 12.0 | 16.1 |
| 60 - 64 | 18.9 | 14.1 | 16.1 | 17.1 | 19.5 | 20.7 | 15.2 | 13.8 | 19.4 | 15.2 | 11.7 | 16.1 | 16.6 |
| 65 - 69 | 19.3 | 15.1 | 17.3 | 18.4 | 22.0 | 24.3 | 17.4 | 15.2 | 19.5 | 16.6 | 8.8 | 13.2 | 20.7 |
| 70 - 74 | 13.9 | 17.8 | 17.7 | 19.3 | 24.8 | 23.9 | 19.4 | 16.0 | 24.5 | 18.5 | 14.5 | 16.5 | 23.6 |
| 75 - 79 | 22.1 | 18.3 | 18.7 | 19.8 | 29.4 | 37.0 | 22.5 | 16.9 | 31.2 | 19.6 | 17.1 | 21.1 | 27.9 |
| 80 - 84 | 21.8 | 15.5 | 18.1 | 22.2 | 37.0 | 50.1 | 24.3 | 19.4 | 41.4 | 20.1 | 21.1 | 10.2 | 34.8 |
| 85+ | 20.7 | 17.9 | 20.7 | 24.4 | 54.2 | 75.0 | 29.4 | 21.8 | 66.6 | 21.0 | 13.7 | 17.6 | 49.9 |
| Unknown | 13.2 | -- | -- | -- | -- | 11.0 | -- | -- | -- | -- | 15.8 | 17.5 | 11.9 |
| All Ages | 10.9 | 9.8 | 9.7 | 9.7 | 10.9 | 12.9 | 9.9 | 9.3 | 11.1 | 9.7 | 8.1 | 9.5 | 11.1 |

TABLE 2d (i)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

SEPARATION RATE PER 1,000 POPULATION

| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
|----------|--------|--------|--------|-------|--------|-------|-------|-------|-------|-------|-------|--------|--------|
| MALES | | | | | | | | | | | | | |
| Newborn | --- | 29.8 | 26.1 | 27.7 | 24.7 | --- | 24.3 | 25.1 | 27.3 | 22.5 | 33.1 | 31.4 | 15.9 |
| Under 1 | 379.0) | 202.2 | 296.1) | 176.8 | 284.6) | 167.5 | 411.0 | 499.3 | 357.7 | 312.3 | 556.7 | 1062.0 | 174.3 |
| 1 - 4 | 92.3) | | 107.9) | | 113.0) | | 160.9 | 203.0 | 165.9 | 171.6 | 247.0 | 351.2 | 103.8 |
| 5 - 9 | 58.0 | 89.5 | 78.3 | 95.4 | 92.8 | 106.7 | 107.8 | 127.9 | 124.2 | 127.3 | 111.1 | 163.1 | 67.1 |
| 10 - 14 | 46.5 | 59.7 | 60.4 | 69.2 | 61.3 | 62.8 | 75.8 | 94.3 | 83.8 | 75.4 | 90.0 | 134.6 | 70.8 |
| 15 - 19 | 50.0 | 76.9 | 54.5 | 76.8 | 66.3 | 67.2 | 79.1 | 99.0 | 97.1 | 71.1 | 122.5 | 133.3 | 31.9 |
| 20 - 24 | 64.9 | 77.4 | 51.6 | 86.5 | 85.3 | 77.9 | 87.2 | 93.9 | 104.5 | 76.1 | 171.7 | 110.8 | 75.5 |
| 25 - 29 | 67.4 | 67.9 | 49.5 | 73.9 | 79.6 | 71.9 | 78.0 | 84.3 | 89.6 | 70.9 | 141.2 | 73.1 | 79.3 |
| 30 - 34 | 59.6 | 80.0 | 56.7 | 83.7 | 85.0 | 75.2 | 81.0 | 91.7 | 83.5 | 74.9 | 122.2 | 105.0 | 85.1 |
| 35 - 39 | 67.5 | 81.8 | 69.8 | 89.3 | 90.2 | 80.3 | 89.5 | 96.0 | 100.9 | 78.2 | 161.4 | 112.2 | 97.7 |
| 40 - 44 | 78.1 | 107.6 | 79.2 | 117.0 | 103.7 | 91.6 | 100.3 | 112.7 | 113.1 | 88.6 | 138.3 | 140.0 | 111.8 |
| 45 - 49 | 75.9 | 135.2 | 95.3 | 115.4 | 116.0 | 107.6 | 119.4 | 129.0 | 130.2 | 102.3 | 170.0 | 130.0 | 135.7 |
| 50 - 54 | 89.1 | 136.1 | 123.2 | 142.5 | 136.7 | 131.9 | 139.6 | 162.0 | 158.3 | 128.5 | 263.3 | 202.0 | 163.8 |
| 55 - 59 | 83.5 | 177.1 | 152.4 | 160.4 | 161.0 | 160.3 | 174.2 | 194.8 | 191.3 | 159.9 | 213.3 | 187.5 | 197.8 |
| 60 - 64 | 111.6 | 204.5 | 185.5 | 199.3 | 182.9 | 195.2 | 222.8 | 240.2 | 239.6 | 199.1 | 250.0 | 370.0 | 228.7 |
| 65 - 69 | 133.1 | 269.4 | 221.7 | 231.4 | 194.1 | 223.2 | 263.3 | 291.9 | 305.1 | 231.3 | 330.0 | 250.0 | 275.2 |
| 70 - 74 | 145.7 | 277.3 | 254.0 | 277.1 | 223.1 | 256.1 | 331.4 | 363.7 | 387.6 | 282.7 | 230.0 | 380.0 | 325.2 |
| 75 - 79 | 143.4 | 333.6 | 331.5 | 322.6 | 242.0 | 296.0 | 396.1 | 478.5 | 478.6 | 328.6 | 350.0 | 290.0 | 380.8 |
| 80 - 84 | 170.7 | 420.0 | 354.3 | 360.0 | 249.8 | 341.1 | 540.9 | 621.2 | 593.4 | 377.4 | 210.0 | 230.0 | 435.9 |
| 85+ | 155.0 | 532.5 | 370.5 | 439.3 | 244.5 | 401.0 | 554.0 | 731.8 | 800.4 | 454.9 | 155.0 | 55.0 | --- |
| Unknown | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| All Ages | 82.0 | 162.6 | 129.0 | 150.5 | 132.2 | 116.1 | 164.1 | 192.7 | 178.1 | 153.2 | 218.9 | 235.6 | 136.2 |

TABLE 2d(ii)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| SEPARATION RATE PER 1,000 POPULATION | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|--------|-------|--------|-------|-------|-------|-------|-------|-------|--------|--------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | P.C. | YUKON | N.W.T. | CANADA |
| MALES | | | | | | | | | | | | | |
| newborn | -- | 26.9 | 25.3 | 26.0 | 23.3 | -- | 24.1 | 25.4 | 28.1 | 22.3 | 38.3 | 37.5 | 15.3 |
| Under 1 | 314.7) | 158.8 | 212.7) | 139.7 | 211.7) | 127.9 | 318.9 | 399.9 | 286.5 | 241.8 | 336.7 | 854.0) | 136.5 |
| 1 - 4 | 72.7) | | 83.4) | | 88.7) | | 134.0 | 168.3 | 140.0 | 142.1 | 231.1 | 290.0) | |
| 5 - 9 | 47.8 | 72.0 | 71.3 | 83.1 | 82.2 | 95.6 | 96.7 | 123.6 | 112.3 | 115.0 | 125.6 | 146.7 | 93.2 |
| 10 - 14 | 48.9 | 55.9 | 55.9 | 65.3 | 54.6 | 57.0 | 77.0 | 92.8 | 89.5 | 67.3 | 76.7 | 140.8 | 62.2 |
| 15 - 19 | 153.2 | 150.7 | 170.9 | 162.3 | 122.7 | 166.7 | 173.5 | 201.3 | 229.6 | 180.6 | 350.0 | 356.2 | 159.7 |
| 20 - 24 | 371.4 | 483.4 | 406.1 | 447.6 | 350.2 | 418.4 | 418.9 | 467.9 | 488.4 | 428.4 | 760.0 | 495.5 | 404.4 |
| 25 - 29 | 361.2 | 488.9 | 368.0 | 439.6 | 366.2 | 383.5 | 393.2 | 445.5 | 414.4 | 384.4 | 521.7 | 512.2 | 355.9 |
| 30 - 34 | 323.5 | 369.2 | 291.7 | 371.4 | 302.9 | 287.7 | 310.4 | 357.2 | 316.4 | 291.8 | 468.3 | 427.5 | 302.6 |
| 35 - 39 | 250.8 | 316.8 | 223.0 | 278.4 | 232.2 | 209.4 | 227.2 | 279.4 | 248.3 | 211.8 | 235.0 | 445.0 | 227.0 |
| 40 - 44 | 186.2 | 230.7 | 166.2 | 212.3 | 173.3 | 166.3 | 179.6 | 220.0 | 210.0 | 178.5 | 257.5 | 333.0 | 176.0 |
| 45 - 49 | 107.3 | 144.6 | 136.1 | 168.4 | 140.8 | 149.6 | 164.4 | 206.1 | 192.2 | 162.4 | 206.7 | 260.0 | 154.2 |
| 50 - 54 | 109.6 | 187.4 | 133.2 | 176.0 | 140.4 | 149.1 | 172.7 | 214.7 | 197.7 | 161.9 | 315.0 | 196.7 | 155.4 |
| 55 - 59 | 109.7 | 174.2 | 149.3 | 176.8 | 150.2 | 147.6 | 170.6 | 226.5 | 214.7 | 161.0 | 130.0 | 295.0 | 159.4 |
| 60 - 64 | 118.8 | 213.9 | 170.3 | 200.8 | 163.3 | 163.9 | 202.1 | 260.1 | 250.9 | 179.7 | 250.0 | 235.0 | 173.1 |
| 65 - 69 | 133.3 | 221.7 | 194.8 | 210.7 | 188.1 | 186.3 | 245.7 | 302.8 | 293.6 | 192.3 | 240.0 | 210.0 | 204.1 |
| 70 - 74 | 122.6 | 290.7 | 227.1 | 248.7 | 204.5 | 216.4 | 284.9 | 381.5 | 364.2 | 229.4 | 230.0 | 220.0 | 236.9 |
| 75 - 79 | 136.7 | 320.0 | 266.1 | 301.2 | 228.8 | 250.0 | 365.0 | 462.9 | 439.6 | 271.2 | 130.0 | 230.0 | 279.4 |
| 80 - 84 | 135.0 | 407.1 | 287.3 | 322.4 | 221.7 | 303.3 | 460.0 | 568.6 | 563.0 | 327.8 | 100.0 | 170.0 | 326.1 |
| 85+ | 91.2 | 434.0 | 292.1 | 304.7 | 203.2 | 332.3 | 513.1 | 619.2 | 658.8 | 351.1 | 35.0 | 50.0 | 344.6 |
| Unknown | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| All Ages | 157.3 | 242.2 | 204.0 | 230.4 | 198.2 | 188.8 | 235.0 | 276.5 | 266.0 | 223.6 | 347.3 | 377.7 | 208.5 |

TABLE 2d(iii)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALISATION, 1962

(1) See notes on page 43 for details

| SEPARATION RATE PER 1,000 POPULATION | | | | | | | | | | | | | |
|--------------------------------------|--------|--------|--------|-------|--------|-------|-------|-------|-------|-------|-------|--------|--------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| MALE SEXES | | | | | | | | | | | | | |
| Newborn | -- | 28.4 | 25.7 | 26.9 | 24.0 | -- | 24.2 | 25.2 | 27.7 | 22.4 | 35.4 | 34.1 | 15.6 |
| Under 1 | 347.5) | 180.8 | 258.4) | 159.0 | 249.3) | 148.2 | 365.8 | 451.5 | 322.9 | 278.0 | 446.7 | 958.0) | 155.8 |
| 1 - 4 | 32.7) | | 95.9) | | 101.1) | | 147.8 | 186.2 | 153.2 | 157.2 | 239.5 | 321.5) | |
| 5 - 9 | 53.0 | 80.9 | 74.9 | 91.8 | 87.6 | 101.3 | 102.4 | 125.9 | 118.4 | 121.2 | 118.3 | 155.2 | 98.6 |
| 10 - 14 | 47.7 | 57.8 | 58.2 | 67.3 | 58.0 | 59.9 | 76.4 | 93.5 | 89.2 | 71.4 | 83.8 | 137.7 | 64.7 |
| 15 - 19 | 101.5 | 112.6 | 110.9 | 118.5 | 94.1 | 115.7 | 125.1 | 149.5 | 162.0 | 124.5 | 236.2 | 238.2 | 114.3 |
| 20 - 24 | 217.2 | 271.3 | 222.2 | 265.6 | 220.3 | 250.6 | 251.7 | 284.3 | 297.9 | 252.3 | 407.0 | 275.7 | 244.4 |
| 25 - 29 | 216.7 | 270.9 | 204.4 | 255.6 | 223.7 | 226.8 | 230.3 | 264.1 | 247.3 | 222.3 | 304.3 | 252.7 | 228.9 |
| 30 - 34 | 185.9 | 221.9 | 174.2 | 229.2 | 194.7 | 179.5 | 193.8 | 223.3 | 197.0 | 179.1 | 260.7 | 234.0 | 139.2 |
| 35 - 39 | 155.1 | 199.3 | 147.1 | 185.2 | 162.0 | 145.2 | 159.7 | 188.4 | 173.5 | 147.3 | 218.5 | 245.3 | 156.5 |
| 40 - 44 | 128.8 | 168.1 | 123.0 | 164.5 | 139.0 | 128.9 | 140.2 | 166.7 | 160.9 | 134.8 | 186.0 | 222.5 | 138.0 |
| 45 - 49 | 90.8 | 139.8 | 115.4 | 141.4 | 128.4 | 128.3 | 141.7 | 166.8 | 160.3 | 132.5 | 185.7 | 182.0 | 132.8 |
| 50 - 54 | 93.6 | 160.3 | 130.3 | 158.5 | 138.6 | 140.3 | 155.8 | 187.3 | 177.0 | 144.7 | 296.0 | 200.0 | 145.3 |
| 55 - 59 | 98.5 | 175.8 | 150.9 | 168.4 | 155.6 | 154.1 | 172.4 | 209.5 | 202.0 | 160.4 | 180.0 | 223.3 | 161.7 |
| 60 - 64 | 115.1 | 208.9 | 178.0 | 200.1 | 172.8 | 179.3 | 212.7 | 249.6 | 202.0 | 189.7 | 250.0 | 302.5 | 188.0 |
| 65 - 69 | 133.2 | 245.6 | 207.9 | 220.9 | 191.0 | 203.9 | 254.6 | 297.0 | 244.8 | 211.4 | 285.0 | 270.0 | 216.1 |
| 70 - 74 | 134.0 | 234.0 | 240.1 | 262.6 | 213.2 | 234.4 | 308.5 | 382.7 | 299.8 | 256.4 | 460.0 | 300.0 | 255.4 |
| 75 - 79 | 140.2 | 326.5 | 297.0 | 311.7 | 234.9 | 270.6 | 381.8 | 471.8 | 461.1 | 301.1 | 480.0 | 520.0 | 301.6 |
| 80 - 84 | 153.4 | 413.1 | 318.2 | 339.8 | 234.5 | 319.8 | 500.4 | 597.6 | 582.1 | 353.2 | 310.0 | 400.0 | 351.8 |
| 85+ | 123.1 | 505.6 | 325.9 | 361.8 | 225.1 | 259.2 | 533.1 | 677.4 | 730.9 | 401.0 | 190.0 | 105.0 | 384.5 |
| Unknown | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| All Ages | 118.7 | 201.6 | 165.9 | 190.0 | 165.2 | 152.3 | 199.0 | 233.4 | 220.6 | 187.8 | 275.4 | 298.9 | 172.0 |

TABLE 2e (1) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| PATIENT-DAY RATE PER 1,000 POPULATION | | | | | | | | | | | | | |
|---------------------------------------|-------|--------|-------|-------|-------|-------|-------|-------|-------|------|-------|--------|--------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | Sask. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| Newborn | -- | 194 | 163 | 158 | 160 | -- | 160 | 166 | 194 | 163 | 228 | 190 | 105 |
| Under 1 | 5103) | 1843 | 3258) | 1730 | 4037) | 1145 | 3812 | 4661 | 3107 | 3243 | 5267 | 9824) | 1465 |
| 1 - 4 | 1142) | | 806) | | 950) | | 990 | 1433 | 1093 | 1118 | 2075 | 3542) | |
| 5 - 9 | 578 | 714 | 471 | 714 | 565 | 519 | 512 | 670 | 711 | 720 | 721 | 1946 | 592 |
| 10 - 14 | 527 | 591 | 410 | 571 | 475 | 432 | 438 | 574 | 565 | 477 | 546 | 1308 | 475 |
| 15 - 19 | 636 | 558 | 471 | 657 | 593 | 558 | 510 | 665 | 759 | 520 | 878 | 1370 | 586 |
| 20 - 24 | 631 | 537 | 469 | 790 | 814 | 660 | 671 | 754 | 761 | 559 | 1275 | 1007 | 706 |
| 25 - 29 | 756 | 890 | 512 | 652 | 842 | 754 | 645 | 633 | 749 | 565 | 1232 | 848 | 741 |
| 30 - 34 | 638 | 791 | 536 | 853 | 896 | 803 | 714 | 781 | 813 | 614 | 993 | 1051 | 797 |
| 35 - 39 | 793 | 1006 | 812 | 868 | 1039 | 935 | 916 | 871 | 931 | 728 | 1307 | 1279 | 932 |
| 40 - 44 | 1111 | 1241 | 958 | 1355 | 1255 | 1172 | 1046 | 1058 | 1100 | 869 | 1307 | 1351 | 1144 |
| 45 - 49 | 1109 | 1586 | 1256 | 1631 | 1616 | 1466 | 1307 | 1335 | 1567 | 1132 | 1742 | 1408 | 1453 |
| 50 - 54 | 1126 | 1881 | 1807 | 1897 | 2146 | 2064 | 1785 | 1831 | 2205 | 1544 | 3060 | 3198 | 1986 |
| 55 - 59 | 1458 | 2675 | 2253 | 2484 | 2717 | 2865 | 2443 | 2524 | 2629 | 2162 | 2340 | 2460 | 2631 |
| 60 - 64 | 2222 | 2862 | 3140 | 3499 | 3354 | 3924 | 3589 | 3344 | 4656 | 3039 | 2855 | 5325 | 3608 |
| 65 - 69 | 2649 | 4158 | 3953 | 4625 | 3990 | 5294 | 4500 | 4375 | 6088 | 3950 | 2770 | 3835 | 4659 |
| 70 - 74 | 2536 | 4905 | 4397 | 5429 | 5179 | 6696 | 6457 | 6251 | 9085 | 5435 | 3960 | 6070 | 6115 |
| 75 - 79 | 3509 | 5816 | 5874 | 6447 | 6415 | 9242 | 8931 | 8075 | 13823 | 6423 | 5630 | 8230 | 8151 |
| 80 - 84 | 3164 | 6565 | 6130 | 7746 | 7970 | 13814 | 12708 | 11562 | 21682 | 7446 | 4520 | 2450 | 11228 |
| 85+ | 2816 | 9468 | 6970 | 10325 | 11214 | 21243 | 14525 | 16019 | 44094 | 9433 | 2365 | 665 | 16776 |
| Unknown | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| All Ages | 1119 | 1794 | 1409 | 1672 | 1534 | 1621 | 1805 | 1967 | 2203 | 1637 | 1953 | 2424 | 1649 |

TABLE 2e (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| PATIENT-DAY RATE PER 1,000 POPULATION | | | | | | | | | | | | | |
|---------------------------------------|-------|--------|-------|------|-------|-------|-------|-------|-------|------|-------|--------|--------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| MALES | | | | | | | | | | | | | |
| Newborn | -- | 174 | 162 | 147 | 153 | -- | 157 | 166 | 201 | 157 | 267 | 243 | 102 |
| Under 1 | 4778) | 1475 | 2528) | 1157 | 3062 | 889 | 2954 | 3801 | 2550 | 2536 | 3273 | 9394) | 1167 |
| 1 - 4 | 969) | | 597) | | 804 | | 865 | 1179 | 918 | 959 | 1771 | 2618) | |
| 5 - 9 | 609 | 469 | 410 | 588 | 493 | 442 | 425 | 612 | 591 | 588 | 686 | 1316 | 499 |
| 10 - 14 | 632 | 577 | 347 | 448 | 419 | 358 | 444 | 539 | 595 | 429 | 663 | 1602 | 427 |
| 15 - 19 | 1048 | 915 | 1035 | 1015 | 937 | 1079 | 1034 | 1208 | 1418 | 1119 | 2090 | 3241 | 1060 |
| 20 - 24 | 2088 | 2795 | 2321 | 2607 | 2274 | 2597 | 2385 | 2758 | 2886 | 2638 | 5162 | 3303 | 2493 |
| 25 - 29 | 2120 | 2783 | 2249 | 2643 | 2560 | 2542 | 2300 | 2748 | 2662 | 2467 | 3588 | 3571 | 2537 |
| 30 - 34 | 2085 | 2361 | 1937 | 2416 | 2417 | 2159 | 2094 | 2372 | 2098 | 2035 | 3170 | 3135 | 2228 |
| 35 - 39 | 1840 | 2232 | 1751 | 2056 | 2168 | 1822 | 1740 | 2070 | 1829 | 1655 | 2145 | 4145 | 1921 |
| 40 - 44 | 1807 | 2182 | 1581 | 1979 | 1948 | 1826 | 1541 | 1886 | 1791 | 1574 | 2012 | 2754 | 1817 |
| 45 - 49 | 1274 | 1614 | 1606 | 2453 | 1994 | 1983 | 1705 | 2068 | 2167 | 1647 | 2473 | 4080 | 1937 |
| 50 - 54 | 1525 | 2237 | 1801 | 2180 | 2208 | 2259 | 1958 | 2346 | 2153 | 1886 | 2340 | 2500 | 2154 |
| 55 - 59 | 1863 | 2073 | 2184 | 2732 | 2744 | 2661 | 2371 | 2690 | 2680 | 2143 | 1210 | 3105 | 2589 |
| 60 - 64 | 2127 | 3034 | 2599 | 3356 | 3389 | 3505 | 2857 | 3566 | 4864 | 2732 | 3090 | 4390 | 3382 |
| 65 - 69 | 2481 | 3253 | 3262 | 3510 | 4394 | 4628 | 4356 | 4674 | 5541 | 3089 | 2250 | 3000 | 4314 |
| 70 - 74 | 2535 | 5181 | 4098 | 4705 | 5383 | 6841 | 5481 | 5931 | 9419 | 4038 | 2700 | 3820 | 5935 |
| 75 - 79 | 2667 | 6122 | 5292 | 5909 | 7350 | 10615 | 8233 | 7850 | 15085 | 5352 | 2600 | 2730 | 8668 |
| 80 - 84 | 3554 | 6280 | 5441 | 7359 | 9270 | 17684 | 11657 | 11602 | 26952 | 6717 | 2020 | 1640 | 13122 |
| 85+ | 2292 | 8714 | 6571 | 7735 | 12549 | 30626 | 16762 | 13475 | 53452 | 7467 | 240 | 1200 | 21031 |
| Unknown | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| All Ages | 1484 | 2178 | 1804 | 2036 | 2055 | 2326 | 2160 | 2397 | 2728 | 1996 | 2613 | 3364 | 2190 |

TABLE 2 e (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| PATIENT-DAY RATE PER 1,000 POPULATION | | | | | | | | | | | | | |
|---------------------------------------|--------|--------|-------|------|-------|-------|-------|-------|-------|------|-------|--------|--------|
| | N.F.D. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| Newborn | --- | 184 | 163 | 153 | 156 | --- | 159 | 166 | 198 | 160 | 245 | 213 | 103 |
| Under 1 | 4944) | 1662 | 2903) | 1451 | 3564) | 1020 | 3391 | 4247 | 2834 | 2899 | 4270 | 9609) | 1320 |
| 1 - 4 | 1057) | | 704) | | 878) | | 929 | 1310 | 1008 | 1040 | 1931 | 3094) | |
| 5 - 9 | 644 | 594 | 441 | 653 | 540 | 481 | 469 | 542 | 553 | 555 | 703 | 1541 | 547 |
| 10 - 14 | 579 | 584 | 379 | 510 | 448 | 396 | 441 | 557 | 580 | 454 | 600 | 1455 | 452 |
| 15 - 19 | 842 | 731 | 744 | 832 | 763 | 813 | 766 | 933 | 1082 | 812 | 1484 | 2251 | 818 |
| 20 - 24 | 1355 | 1641 | 1360 | 1692 | 1558 | 1643 | 1521 | 1774 | 1831 | 1598 | 2830 | 1991 | 1606 |
| 25 - 29 | 1405 | 1803 | 1357 | 1642 | 1705 | 1643 | 1445 | 1686 | 1677 | 1483 | 2242 | 1962 | 1629 |
| 30 - 34 | 1357 | 1561 | 1237 | 1644 | 1662 | 1468 | 1392 | 1570 | 1425 | 1297 | 1864 | 1884 | 1502 |
| 35 - 39 | 1294 | 1619 | 1286 | 1471 | 1610 | 1381 | 1336 | 1475 | 1373 | 1196 | 1694 | 2425 | 1429 |
| 40 - 44 | 1438 | 1703 | 1272 | 1666 | 1606 | 1498 | 1295 | 1475 | 1440 | 1232 | 1589 | 1936 | 1481 |
| 45 - 49 | 1188 | 1599 | 1428 | 2034 | 1805 | 1720 | 1505 | 1695 | 1858 | 1391 | 2056 | 2477 | 1593 |
| 50 - 54 | 1472 | 2045 | 1804 | 2032 | 2177 | 2160 | 1870 | 2078 | 2181 | 1710 | 2772 | 2936 | 2068 |
| 55 - 59 | 1649 | 2389 | 2220 | 2605 | 2731 | 2764 | 2408 | 2601 | 2652 | 2153 | 1888 | 2675 | 2611 |
| 60 - 64 | 2175 | 2943 | 2871 | 3426 | 3372 | 3712 | 3230 | 3449 | 4751 | 2889 | 2933 | 4858 | 3495 |
| 65 - 69 | 2565 | 3705 | 3599 | 4061 | 4199 | 4946 | 4428 | 4515 | 5834 | 3511 | 2510 | 3557 | 4483 |
| 70 - 74 | 2535 | 5043 | 4242 | 5059 | 5287 | 6775 | 5977 | 6109 | 9237 | 4745 | 6660 | 4945 | 5022 |
| 75 - 79 | 3103 | 5976 | 5567 | 6172 | 6917 | 10000 | 8588 | 7978 | 14390 | 5910 | 8230 | 10960 | 8418 |
| 80 - 84 | 3352 | 6412 | 5758 | 7538 | 8675 | 16025 | 12182 | 11580 | 24110 | 7090 | 6540 | 4090 | 12232 |
| 85+ | 2554 | 9049 | 6744 | 8834 | 12196 | 26954 | 15665 | 14791 | 48685 | 8413 | 2605 | 1865 | 19172 |
| Unknown | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| All Ages | 1297 | 1982 | 1603 | 1852 | 1794 | 1972 | 1980 | 2176 | 2457 | 1814 | 2244 | 2943 | 1917 |

TABLE 2f (i)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

| PERCENTAGE DISTRIBUTION OF SEPARATIONS | | | | | | | | | | | | | |
|--|-------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|--------|
| | Nfld. | P. E. I. | N. S. | N. B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B. C. | YUKON | N. W. T. | CANADA |
| MALES | | | | | | | | | | | | | |
| Newborn | -- | 18.3 | 20.2 | 18.4 | 18.7 | -- | 14.8 | 13.0 | 15.3 | 14.7 | 15.1 | 13.3 | 11.6 |
| Under 1 | 14.8) | 15.6 | 5.9) | 15.6 | 5.5) | 17.5 | 6.1 | 6.5 | 5.5 | 4.7 | 9.1 | 16.9) | 16.0 |
| 1 - 4 | 13.0) | | 8.2) | | 8.7) | | 9.2 | 10.4 | 9.9 | 10.2 | 13.4 | 19.1) | |
| 5 - 9 | 9.5 | 6.3 | 7.0 | 8.0 | 8.4 | 10.1 | 7.2 | 7.9 | 8.2 | 8.8 | 5.4 | 8.3 | 8.7 |
| 10 - 14 | 7.3 | 4.3 | 5.2 | 5.7 | 5.1 | 5.4 | 4.7 | 5.1 | 5.0 | 4.7 | 3.4 | 5.6 | 5.1 |
| 15 - 19 | 6.0 | 4.3 | 3.9 | 4.9 | 4.6 | 4.3 | 3.9 | 4.1 | 4.1 | 3.4 | 2.7 | 3.8 | 4.3 |
| 20 - 24 | 5.3 | 3.1 | 2.8 | 3.7 | 4.5 | 4.0 | 3.4 | 2.8 | 3.7 | 2.9 | 5.6 | 4.2 | 3.9 |
| 25 - 29 | 4.8 | 2.2 | 2.3 | 2.7 | 4.0 | 4.0 | 2.9 | 2.5 | 3.5 | 2.9 | 6.1 | 3.0 | 3.6 |
| 30 - 34 | 4.0 | 2.5 | 2.5 | 3.0 | 4.4 | 4.7 | 3.1 | 2.8 | 3.6 | 3.3 | 6.0 | 4.0 | 4.0 |
| 35 - 39 | 4.4 | 2.6 | 3.1 | 3.4 | 4.6 | 5.1 | 3.5 | 3.0 | 3.8 | 3.5 | 4.5 | 3.2 | 4.3 |
| 40 - 44 | 5.1 | 3.5 | 3.6 | 4.3 | 4.6 | 5.1 | 3.8 | 3.4 | 3.8 | 3.6 | 4.5 | 3.1 | 4.4 |
| 45 - 49 | 4.5 | 4.5 | 4.1 | 4.0 | 4.6 | 5.4 | 4.2 | 3.8 | 3.9 | 4.1 | 3.7 | 2.5 | 4.6 |
| 50 - 54 | 4.5 | 4.2 | 4.8 | 4.3 | 4.7 | 5.8 | 4.4 | 4.2 | 4.0 | 4.4 | 4.6 | 3.2 | 4.8 |
| 55 - 59 | 3.3 | 4.2 | 4.5 | 3.8 | 4.4 | 5.8 | 4.5 | 4.3 | 4.2 | 4.6 | 3.5 | 2.4 | 4.8 |
| 60 - 64 | 3.3 | 4.6 | 4.5 | 3.8 | 3.9 | 5.8 | 4.7 | 4.3 | 4.2 | 4.5 | 2.7 | 2.4 | 4.6 |
| 65 - 69 | 3.3 | 5.5 | 4.7 | 4.0 | 3.2 | 5.2 | 4.8 | 4.9 | 4.2 | 4.4 | 1.8 | 1.6 | 4.3 |
| 70 - 74 | 2.7 | 4.7 | 4.4 | 3.9 | 2.7 | 4.6 | 5.3 | 5.9 | 4.7 | 5.3 | 1.2 | 1.2 | 4.2 |
| 75 - 79 | 2.1 | 4.2 | 4.1 | 3.2 | 1.8 | 3.6 | 4.6 | 5.6 | 4.1 | 5.0 | 1.9 | 0.9 | 3.5 |
| 80 - 84 | 1.3 | 2.9 | 2.5 | 2.0 | 1.0 | 2.2 | 3.2 | 3.7 | 2.6 | 3.1 | 1.1 | 0.7 | 2.1 |
| 85+ | 0.6 | 2.4 | 1.7 | 1.3 | 0.5 | 1.4 | 1.8 | 2.0 | 1.7 | 1.8 | 1.7 | 0.4 | 1.3 |
| Unknown | 0.1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0.2 | -- | 0.0 |
| All Ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TABLE 2f (ii)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

[illegible]

TABLe 2g (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962
(1) See notes on page 43 for details

| PERCENTAGE DISTRIBUTION OF PATIENT-DAYS | | | | | | | | | | | | | |
|---|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|
| | Nfld. | P.E.I. | N.S. | N.B. | QUE. | ONT. | MAN. | SASK. | ALTA. | B.C. | YUKON | N.W.T. | CANADA |
| FEMALES | | | | | | | | | | | | | |
| Newborn | -- | 8.0 | 9.0 | 7.2 | 7.4 | -- | 7.3 | 6.9 | 7.4 | 7.9 | 10.2 | 7.2 | 4.5 |
| Under 1 | 10.4) | 8.6 | 3.5) | 7.3 | 3.6) | 4.4 | 3.3 | 3.9 | 2.6 | 2.9 | 5.7 | 13.0) | 6.5 |
| 1 - 4 | 7.7) | 2.5 | 3.2) | 3.6 | 2.8 | 2.0 | 3.7 | 4.8 | 3.6 | 4.4 | 9.2 | 11.6) | 2.5 |
| 5 - 9 | 5.6 | 3.1 | 2.1 | 2.7 | 2.2 | 1.5 | 2.1 | 3.0 | 2.6 | 3.1 | 3.6 | 5.5 | 2.0 |
| 10 - 14 | 7.2 | 3.7 | 5.1 | 4.6 | 4.1 | 3.3 | 3.8 | 4.2 | 4.0 | 2.0 | 2.3 | 5.8 | 3.9 |
| 15 - 19 | 9.8 | 7.9 | 8.6 | 8.3 | 8.1 | 7.0 | 7.1 | 7.2 | 7.3 | 7.9 | 4.8 | 7.2 | 7.6 |
| 20 - 24 | 8.0 | 6.6 | 7.2 | 7.2 | 8.4 | 7.1 | 6.4 | 6.8 | 6.8 | 7.4 | 12.0 | 8.3 | 7.4 |
| 25 - 29 | 7.5 | 5.4 | 6.2 | 6.6 | 8.2 | 6.5 | 6.1 | 6.0 | 5.4 | 6.6 | 12.5 | 8.9 | 6.9 |
| 30 - 34 | 6.4 | 5.5 | 5.9 | 6.1 | 7.2 | 5.9 | 5.6 | 5.5 | 4.7 | 6.0 | 7.5 | 7.0 | 6.1 |
| 35 - 39 | 6.1 | 5.4 | 5.3 | 5.5 | 5.7 | 5.1 | 4.6 | 4.9 | 4.1 | 5.4 | 4.3 | 3.8 | 5.2 |
| 40 - 44 | 4.0 | 4.0 | 5.0 | 6.1 | 5.1 | 4.9 | 4.7 | 5.0 | 4.2 | 5.2 | 4.3 | 4.5 | 4.9 |
| 45 - 49 | 3.8 | 4.6 | 4.6 | 4.6 | 4.9 | 4.8 | 4.6 | 4.7 | 3.4 | 4.9 | 2.7 | 2.1 | 4.6 |
| 50 - 54 | 3.6 | 3.5 | 4.5 | 4.7 | 4.9 | 4.7 | 4.5 | 4.4 | 3.4 | 4.3 | 1.4 | 1.7 | 4.6 |
| 55 - 59 | 3.6 | 4.8 | 4.6 | 5.0 | 4.9 | 5.4 | 4.6 | 4.8 | 5.0 | 4.7 | 1.8 | 2.4 | 5.0 |
| 60 - 64 | 3.6 | 5.2 | 5.4 | 4.7 | 4.9 | 6.0 | 6.1 | 5.8 | 4.6 | 4.9 | 1.3 | 0.8 | 5.4 |
| 65 - 69 | 2.8 | 6.9 | 5.6 | 5.2 | 4.7 | 7.5 | 6.7 | 6.1 | 6.6 | 5.9 | 1.6 | 1.1 | 6.2 |
| 70 - 74 | 2.1 | 6.5 | 5.4 | 4.6 | 4.1 | 8.0 | 7.1 | 5.9 | 7.4 | 5.9 | 1.5 | 0.3 | 6.3 |
| 75 - 79 | 1.5 | 3.9 | 3.4 | 3.5 | 2.8 | 7.6 | 5.4 | 4.8 | 7.0 | 4.2 | 1.2 | 0.5 | 5.3 |
| 80 - 84 | 0.5 | 3.9 | 2.9 | 2.4 | 2.1 | 8.2 | 4.4 | 3.0 | 7.7 | 2.5 | 0.3 | 0.7 | 5.0 |
| 85+ | 0.1 | -- | -- | -- | -- | 0.0 | -- | -- | -- | -- | 0.5 | 0.2 | 0.0 |
| Unknown | | | | | | | | | | | | | |
| All Ages | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TABLE 28 (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See notes on page 43 for details

[illegible]

NOTES:- TABLE 2

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:-

- a. Newfoundland:- Includes separations and days not the responsibility of the Provincial Plan.
- b. Prince Edward Island:- Out-of-province separations were 440 and patient-days 7,496. Of these an estimated 322 separations and 5,485 patient-days were included in Table 2. In addition, Table 2 includes separations who were the responsibility of the Department of Veterans Affairs and Workmen's Compensation Boards. Includes uninsured residents but excludes non-residents.
- c. Nova Scotia:-Excludes out-of-province hospitalization.
- d. New Brunswick:- Includes separations and days not the responsibility of the Provincial Plan, but excludes non-residents.
- e. Quebec:- Includes separations and days not the responsibility of the Provincial Plan. Includes all separations and days that were a Federal responsibility, rather than Department of Veterans Affairs only. Includes non-residents.
- f. Ontario:- Includes separations and days not the responsibility of the Provincial Plan.
- g. Manitoba:- Includes separations and days not the responsibility of the Provincial Plan. Excludes non-residents.
- h. Saskatchewan:- Excludes Provincial Plan separations from geriatric hospitals at Regina, Saskatoon and Melfort.
- i. Alberta:- Includes separations and days not the responsibility of the Provincial Plan. Excludes non-residents. Includes separations and days which were the responsibility of other departments of the Federal Government, as well as the Department of Veterans Affairs.
- j. British Columbia:- Excludes out-of-province separations and days which were the responsibility of the Provincial Plan.
- k. Yukon:- Excludes out-of-province separations and days which were the responsibility of the Yukon Hospital Insurance Service. Includes separations and days which were not the responsibility of the Territorial Plan. Includes all separations and days which were the responsibility of the Federal Government. Includes non-residents.
- l. Northwest Territories:- Includes only Territorial Plan separations and days.

TABLE 5a (i) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2) BY PROVINCE, 1962

| Length of Stay (in days) | | Number of separations, both sexes | | | | | | | | | | Total (3) |
|-----------------------------|--|-----------------------------------|--------|--------|---------|---------|---------|---------|---------|---------|--------|-----------|
| | | Nfld. | P.E.I. | N.B. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | N.W.T. | |
| 1 | | 4,078 | 1,134 | 6,976 | 71,136 | 99,293 | 12,307 | 14,552 | 22,937 | 16,321 | 451 | 249,185 |
| 2 | | 5,017 | 1,414 | 9,363 | 51,298 | 91,847 | 21,301 | 22,398 | 32,830 | 38,137 | 606 | 274,211 |
| 3 | | 6,591 | 1,674 | 8,446 | 47,563 | 70,179 | 14,215 | 17,003 | 24,463 | 24,000 | 560 | 214,694 |
| 4 | | 6,305 | 1,370 | 9,133 | 61,848 | 73,493 | 14,151 | 16,212 | 22,890 | 20,427 | 584 | 226,413 |
| 5 | | 5,388 | 1,979 | 9,784 | 76,567 | 93,969 | 16,924 | 18,287 | 24,934 | 23,505 | 666 | 272,003 |
| 6 | | 3,894 | 1,922 | 8,722 | 62,253 | 83,789 | 14,713 | 17,218 | 23,418 | 23,982 | 542 | 240,453 |
| 7 | | 3,082 | 1,423 | 7,205 | 50,854 | 66,401 | 10,637 | 13,620 | 20,739 | 20,656 | 491 | 195,108 |
| 8 | | 2,418 | 1,108 | 5,544 | 38,689 | 47,649 | 7,710 | 9,852 | 14,857 | 15,159 | 379 | 143,365 |
| 9 | | 2,063 | 815 | 4,408 | 32,220 | 37,585 | 6,011 | 7,749 | 10,839 | 11,679 | 289 | 113,658 |
| 10 | | 1,757 | 677 | 3,552 | 27,545 | 31,480 | 5,171 | 6,394 | 8,397 | 9,589 | 238 | 94,800 |
| 11 - 14 | | 4,780 | 1,784 | 9,783 | 81,327 | 86,943 | 13,679 | 17,162 | 20,978 | 24,602 | 596 | 261,634 |
| 15 - 19 | | 3,424 | 1,094 | 6,215 | 57,408 | 57,985 | 8,693 | 10,690 | 12,969 | 15,700 | 360 | 174,538 |
| 20 - 29 | | 3,252 | 918 | 5,501 | 53,983 | 57,873 | 8,582 | 9,863 | 11,177 | 15,015 | 284 | 166,448 |
| 30 - 59 | | 2,663 | 693 | 3,786 | 33,919 | 47,699 | 6,698 | 7,330 | 8,450 | 11,764 | 214 | 123,216 |
| 60+ | | 1,028 | 251 | 1,132 | 10,967 | 19,739 | 2,634 | 2,384 | 4,431 | 3,848 | 92 | 46,506 |
| Total | | 55,740 | 18,256 | 99,550 | 757,577 | 965,924 | 163,426 | 190,714 | 264,309 | 274,384 | 6,352 | 2,796,232 |

(1) Excludes newborns and "age unspecified".

(2) Prince Edward Island, New Brunswick, Manitoba and Alberta also include non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients.

(3) Excludes Nova Scotia and Yukon Territory.

TABLE 5a (ii) PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES (1) PROVINCIAL PLAN IN-PATIENTS (2) BY PROVINCE, 1962

| Length of Stay (in days) | Percentage Distribution of Separations, Both Sexes | | | | | | | | | | (3) |
|-----------------------------|--|--------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| | Nfld. | P.E.I. | N.B. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | N.W.T. | Total |
| 1 | 7.3 | 6.2 | 7.0 | 9.4 | 10.3 | 7.5 | 7.6 | 8.7 | 5.9 | 7.1 | 8.7 |
| 2 | 9.0 | 7.7 | 9.4 | 6.8 | 9.5 | 13.0 | 11.7 | 12.4 | 13.9 | 9.5 | 9.8 |
| 3 | 11.8 | 9.2 | 8.5 | 6.3 | 7.3 | 8.7 | 8.9 | 9.3 | 8.7 | 8.8 | 7.7 |
| 4 | 11.3 | 7.5 | 9.2 | 8.2 | 7.6 | 8.7 | 8.5 | 8.7 | 7.4 | 9.2 | 8.1 |
| 5 | 9.7 | 10.8 | 9.8 | 10.1 | 9.7 | 10.4 | 9.6 | 9.4 | 8.0 | 10.5 | 9.7 |
| 6 | 7.0 | 10.5 | 8.8 | 8.2 | 8.7 | 9.0 | 9.0 | 8.9 | 8.7 | 8.5 | 8.0 |
| 7 | 5.5 | 7.8 | 7.2 | 6.7 | 6.9 | 6.5 | 7.1 | 7.8 | 7.5 | 7.7 | 7.0 |
| 8 | 4.3 | 6.1 | 5.6 | 5.1 | 4.9 | 4.7 | 5.2 | 5.6 | 5.5 | 6.0 | 5.1 |
| 9 | 3.7 | 4.5 | 4.4 | 4.3 | 3.9 | 3.7 | 4.1 | 4.1 | 4.3 | 4.5 | 4.1 |
| 10 | 3.2 | 3.7 | 3.6 | 3.6 | 3.3 | 3.2 | 3.4 | 3.2 | 3.5 | 3.7 | 3.4 |
| 11 - 14 | 8.6 | 9.8 | 9.8 | 10.7 | 9.0 | 8.4 | 9.0 | 7.9 | 9.0 | 9.4 | 9.4 |
| 15 - 19 | 6.1 | 6.0 | 6.2 | 7.6 | 6.0 | 5.3 | 5.6 | 4.9 | 5.7 | 5.7 | 6.2 |
| 20 - 29 | 5.8 | 5.0 | 5.5 | 7.1 | 6.0 | 5.3 | 5.2 | 4.2 | 5.5 | 4.5 | 6.0 |
| 30 - 59 | 4.8 | 3.8 | 3.8 | 4.5 | 4.9 | 4.1 | 3.8 | 3.2 | 4.3 | 3.4 | 4.4 |
| 60+ | 1.8 | 1.4 | 1.1 | 1.4 | 2.0 | 1.6 | 1.2 | 1.7 | 1.4 | 1.4 | 1.7 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

(1) Excludes newborns, and age unspecified.

(2) Prince Edward Island, New Brunswick, Manitoba and Alberta also include non-insured residents of the Province, Quebec and Ontario include both resident and non-resident non-insured in-patients.

(3) Excludes Nova Scotia and Yukon Territory.

TABLE 5a (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) NEWFOUNDLAND, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|------------------------|-----------------------------|--------|---------|-------|-------|-------|-------|-------|-------|------------------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ Unknown |
| 1 | | 1,746 | 243 | 248 | 314 | 238 | 376 | 217 | 64 | 42 |
| 2 | | 1,557 | 155 | 262 | 413 | 201 | 264 | 158 | 53 | 50 |
| 3 | | 1,603 | 216 | 246 | 397 | 225 | 285 | 140 | 44 | 49 |
| 4 | | 1,394 | 223 | 253 | 265 | 186 | 239 | 152 | 41 | 35 |
| 5 | | 1,185 | 200 | 187 | 225 | 156 | 210 | 132 | 39 | 36 |
| 6 | | 1,170 | 210 | 176 | 220 | 135 | 188 | 147 | 60 | 33 |
| 7 | | 1,186 | 176 | 174 | 209 | 145 | 236 | 159 | 63 | 24 |
| 8 | | 1,001 | 158 | 121 | 176 | 128 | 189 | 155 | 51 | 23 |
| 9 | | 886 | 144 | 129 | 127 | 104 | 156 | 156 | 34 | 36 |
| 10 | | 759 | 110 | 89 | 104 | 89 | 150 | 138 | 50 | 29 |
| 11 - 14 | | 2,120 | 322 | 225 | 265 | 226 | 397 | 409 | 180 | 95 |
| 15 - 19 | | 1,575 | 201 | 129 | 183 | 151 | 316 | 322 | 153 | 118 |
| 20 - 29 | | 1,623 | 250 | 147 | 158 | 113 | 343 | 372 | 161 | 79 |
| 30 - 59 | | 1,412 | 239 | 113 | 181 | 87 | 215 | 315 | 154 | 108 |
| 60 - 89 | | 309 | 50 | 34 | 55 | 21 | 45 | 52 | 30 | 22 |
| 90+ | | 229 | 21 | 43 | 44 | 25 | 25 | 39 | 14 | 17 |
| Total | | 19,755 | 2,918 | 2,576 | 3,336 | 2,230 | 3,634 | 3,063 | 1,191 | 796 |
| | | | | | | | | | | 11 |

(1) Includes out-of-province hospitalization, and in-patients not the responsibility of the Provincial Plan.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) NEWFOUNDLAND, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|------------------------|-------------------------------|--------|------------|-------|-------|-------|--------|-------|-------|----------------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ Unknown |
| 1 | | 2,337 | 133 | 154 | 243 | 709 | 835 | 179 | 50 | 1 |
| 2 | | 3,462 | 139 | 165 | 390 | 984 | 1,518 | 187 | 47 | 1 |
| 3 | | 4,990 | 155 | 201 | 412 | 1,648 | 2,279 | 215 | 51 | 1 |
| 4 | | 4,912 | 188 | 165 | 309 | 1,685 | 2,274 | 216 | 46 | 1 |
| 5 | | 4,204 | 167 | 149 | 189 | 1,493 | 1,961 | 169 | 48 | 1 |
| 6 | | 2,726 | 165 | 138 | 180 | 886 | 1,105 | 168 | 56 | 1 |
| 7 | | 1,898 | 159 | 146 | 168 | 483 | 692 | 183 | 38 | 2 |
| 8 | | 1,417 | 113 | 124 | 137 | 334 | 497 | 144 | 53 | - |
| 9 | | 1,179 | 105 | 86 | 106 | 237 | 428 | 143 | 43 | 2 |
| 10 | | 998 | 88 | 60 | 84 | 174 | 369 | 147 | 52 | - |
| 11 - 14 | | 2,663 | 256 | 181 | 232 | 390 | 841 | 518 | 160 | 2 |
| 15 - 19 | | 1,854 | 164 | 118 | 162 | 224 | 492 | 446 | 144 | 3 |
| 20 - 29 | | 1,631 | 208 | 102 | 140 | 170 | 383 | 398 | 172 | 2 |
| 30 - 59 | | 1,251 | 222 | 109 | 142 | 94 | 227 | 271 | 108 | - |
| 60 - 89 | | 246 | 37 | 25 | 42 | 15 | 40 | 39 | 26 | - |
| 90+ | | 245 | 30 | 33 | 57 | 18 | 24 | 36 | 25 | - |
| Total | | 36,013 | 2,329 | 1,956 | 2,993 | 9,544 | 13,965 | 3,459 | 1,119 | 631 |
| | | | | | | | | | | 17 |

(1) Includes out-of province hospitalization, and in-patients not the responsibility of the Provincial Plan.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, PRINCE EDWARD ISLAND, 1962

| Length of stay in days | Number of separations, male | | | | | | | | |
|------------------------|-----------------------------|-------|--------|-------|-------|-------|-------|-----|---------|
| | Newborn | Total | 1 - 14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ | Unknown |
| 1 | | 510 | 176 | 108 | 77 | 86 | 27 | 31 | 5 |
| 2 | | 573 | 232 | 59 | 85 | 106 | 59 | 27 | 5 |
| 3 | | 658 | 313 | 79 | 78 | 109 | 41 | 31 | 7 |
| 4 | | 502 | 165 | 57 | 81 | 102 | 40 | 53 | 4 |
| 5 | | 512 | 186 | 51 | 70 | 108 | 45 | 47 | 5 |
| 6 | | 500 | 171 | 53 | 80 | 91 | 57 | 43 | 5 |
| 7 | | 482 | 175 | 54 | 64 | 101 | 43 | 43 | 2 |
| 8 | | 478 | 191 | 34 | 59 | 94 | 52 | 45 | 3 |
| 9 | | 361 | 106 | 30 | 49 | 81 | 45 | 48 | 2 |
| 10 | | 303 | 97 | 14 | 46 | 55 | 57 | 34 | - |
| 11 | 14 | 819 | 242 | 42 | 111 | 199 | 124 | 99 | 2 |
| 15 | 19 | 527 | 113 | 25 | 59 | 139 | 94 | 93 | 4 |
| 20 | 29 | 468 | 65 | 22 | 48 | 131 | 105 | 93 | 4 |
| 30 | 59 | 383 | 48 | 13 | 32 | 118 | 79 | 91 | 2 |
| 60 | 89 | 64 | 6 | 3 | 5 | 17 | 20 | 12 | 1 |
| 90+ | | 86 | 19 | 3 | 10 | 8 | 13 | 12 | 21 |
| Total | | 7,226 | 2,305 | 647 | 954 | 1,545 | 901 | 802 | 72 |

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS⁽¹⁾, PRINCE EDWARD ISLAND, 1962

| Length of stay in days | Number of separations, female | | | | | | | | |
|------------------------|-------------------------------|--------|--------|-------|-------|-------|-------|-----|---------|
| | Newborn | Total | 1 - 14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ | Unknown |
| 1 | | 634 | 127 | 147 | 256 | 41 | 33 | 25 | 5 |
| 2 | | 850 | 174 | 198 | 309 | 102 | 29 | 34 | 4 |
| 3 | | 1,029 | 296 | 184 | 327 | 141 | 42 | 33 | 6 |
| 4 | | 1,876 | 446 | 197 | 329 | 105 | 55 | 40 | 4 |
| 5 | | 1,477 | 133 | 457 | 713 | 99 | 37 | 33 | 5 |
| 6 | | 1,432 | 144 | 431 | 688 | 94 | 34 | 36 | 5 |
| 7 | | 945 | 145 | 256 | 345 | 87 | 46 | 64 | 2 |
| 8 | | 635 | 136 | 133 | 184 | 85 | 40 | 55 | 2 |
| 9 | | 457 | 104 | 54 | 121 | 89 | 48 | 40 | 1 |
| 10 | | 374 | 69 | 40 | 106 | 89 | 37 | 33 | - |
| 11 - 14 | | 969 | 160 | 76 | 221 | 251 | 136 | 123 | 2 |
| 15 - 19 | | 575 | 74 | 32 | 96 | 148 | 108 | 113 | 4 |
| 20 - 29 | | 457 | 59 | 21 | 71 | 110 | 89 | 104 | 3 |
| 30 - 59 | | 314 | 31 | 9 | 33 | 94 | 67 | 78 | 2 |
| 60 - 89 | | 61 | 10 | 2 | 7 | 8 | 17 | 16 | 1 |
| 90+ | | 83 | 12 | 1 | 4 | 9 | 18 | 19 | 20 |
| Total | | 11,168 | 1,820 | 2,238 | 3,810 | 1,552 | 836 | 846 | 60 |

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), QUEBEC, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|---------------------------|-----------------------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | | 34,756 | 1,391 | 7,428 | 11,774 | 4,171 | 5,260 | 3,325 | 909 | 498 |
| 2 | | 23,166 | 782 | 3,882 | 7,801 | 3,371 | 4,018 | 2,403 | 576 | 333 |
| 3 | | 17,789 | 883 | 2,108 | 3,696 | 2,879 | 4,326 | 2,877 | 664 | 356 |
| 4 | | 17,009 | 924 | 1,754 | 2,922 | 2,718 | 4,505 | 3,098 | 717 | 371 |
| 5 | | 16,909 | 965 | 1,600 | 2,745 | 2,562 | 4,609 | 3,261 | 750 | 417 |
| 6 | | 15,737 | 971 | 1,492 | 2,526 | 2,223 | 4,173 | 3,117 | 791 | 444 |
| 7 | | 16,700 | 1,166 | 1,477 | 2,707 | 2,333 | 4,240 | 3,389 | 880 | 508 |
| 8 | | 15,414 | 1,088 | 1,466 | 2,284 | 1,945 | 3,872 | 3,322 | 901 | 536 |
| 9 | | 13,509 | 1,072 | 1,234 | 1,769 | 1,478 | 3,321 | 3,225 | 942 | 468 |
| 10 | | 11,781 | 915 | 1,135 | 1,457 | 1,172 | 2,774 | 2,976 | 913 | 439 |
| 11 - 14 | | 34,557 | 2,934 | 3,030 | 3,583 | 3,016 | 7,891 | 9,348 | 3,064 | 1,691 |
| 15 - 19 | | 25,043 | 2,310 | 1,802 | 2,151 | 1,839 | 5,304 | 7,410 | 2,778 | 1,449 |
| 20 - 29 | | 25,118 | 2,349 | 1,518 | 1,571 | 1,536 | 4,802 | 8,210 | 3,363 | 1,769 |
| 30 - 59 | | 15,941 | 1,485 | 871 | 933 | 929 | 2,660 | 5,039 | 2,478 | 1,546 |
| 60 - 89 | | 2,816 | 238 | 123 | 169 | 210 | 459 | 814 | 458 | 345 |
| 90+ | | 2,358 | 107 | 132 | 118 | 129 | 267 | 580 | 453 | 572 |
| Total | | 288,603 | 19,580 | 31,052 | 48,206 | 32,511 | 62,481 | 62,394 | 20,637 | 11,742 |

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes separations from chronic hospitals.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), QUEBEC, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|---------|---------|--------|--------|--------|---------|--------|--------|--------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | | 36,380 | 724 | 5,636 | 10,757 | 6,311 | 9,211 | 2,431 | 859 | 448 |
| 2 | | 28,132 | 453 | 2,827 | 7,192 | 6,251 | 8,819 | 1,870 | 446 | 274 |
| 3 | | 29,774 | 567 | 1,348 | 2,735 | 8,303 | 13,366 | 2,579 | 537 | 339 |
| 4 | | 44,839 | 654 | 1,213 | 2,311 | 13,829 | 23,067 | 2,789 | 591 | 385 |
| 5 | | 59,658 | 720 | 1,179 | 2,206 | 18,490 | 32,972 | 2,962 | 720 | 409 |
| 6 | | 46,516 | 805 | 1,033 | 2,048 | 13,332 | 25,302 | 2,875 | 691 | 430 |
| 7 | | 34,154 | 816 | 1,149 | 2,196 | 8,514 | 16,933 | 3,236 | 859 | 451 |
| 8 | | 23,275 | 805 | 1,076 | 1,900 | 5,000 | 10,263 | 2,922 | 822 | 487 |
| 9 | | 18,711 | 803 | 1,018 | 1,516 | 3,420 | 7,673 | 2,990 | 850 | 441 |
| 10 | | 15,764 | 685 | 927 | 1,165 | 2,461 | 6,239 | 2,988 | 839 | 460 |
| 11 - 14 | | 46,770 | 2,175 | 2,316 | 3,006 | 5,861 | 16,986 | 11,249 | 3,431 | 1,746 |
| 15 - 19 | | 32,365 | 1,530 | 1,453 | 1,768 | 2,977 | 10,306 | 9,529 | 3,175 | 1,627 |
| 20 - 29 | | 28,865 | 1,661 | 1,267 | 1,246 | 2,117 | 7,725 | 9,042 | 3,722 | 2,085 |
| 30 - 59 | | 17,978 | 1,041 | 763 | 740 | 1,078 | 4,090 | 5,697 | 2,773 | 1,796 |
| 60 - 89 | | 3,013 | 173 | 133 | 137 | 201 | 559 | 879 | 509 | 422 |
| 90+ | | 2,780 | 87 | 83 | 92 | 101 | 297 | 612 | 598 | 907 |
| Total | | 468,974 | 13,699 | 23,421 | 41,015 | 98,252 | 193,808 | 64,650 | 21,422 | 12,707 |

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes separations from chronic hospitals.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1962.

| Length of stay in days | Newborn | (1) both sexes and all ages | | |
|---------------------------|---------|---|--|---|
| | | Total separations, and children from active, convalescent, and chronic hospitals | Separations, adults and children, from active and convalescent hospitals | Separations, adults and children from chronic hospitals |
| 1 | 2,708 | 99,293 | 99,212 | 81 |
| 2 | 1,062 | 91,847 | 91,775 | 72 |
| 3 | 3,628 | 70,179 | 70,120 | 59 |
| 4 | 19,379 | 73,493 | 73,403 | 90 |
| 5 | 48,189 | 93,969 | 93,891 | 78 |
| 6 | 36,160 | 83,789 | 83,714 | 75 |
| 7 | 19,378 | 66,401 | 66,315 | 86 |
| 8 | 7,961 | 47,649 | 47,572 | 77 |
| 9 | 4,769 | 37,585 | 37,508 | 77 |
| 10 | 3,371 | 31,480 | 31,402 | 78 |
| 11 - 14 | 4,225 | 86,943 | 86,631 | 312 |
| 15 - 19 | 2,320 | 57,985 | 57,677 | 308 |
| 20 - 29 | 2,444 | 57,873 | 57,330 | 543 |
| 30 - 59 | 1,643 | 47,699 | 46,570 | 1,129 |
| 60 - 99 | 227 | 11,242 | 10,281 | 961 |
| 100+ | 15 | 8,497 | 4,651 | 3,846 |
| Total | 157,979 | 965,924 | 958,052 | 7,872 |

(1) Includes all separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Department of Veterans Affairs hospitals, and all insured separations from Federal Indian hospitals.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, MANITOBA, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|---------------------------|-----------------------------|--------|---------|-------|--------|---------|---------|---------|---------|-------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 200 | 5,806 | 271 | 804 | 1,283 | 836 | 994 | 854 | 416 | 348 |
| 2 | 72 | 9,465 | 361 | 1,707 | 3,051 | 1,096 | 1,410 | 1,153 | 394 | 293 |
| 3 | 238 | 5,869 | 420 | 808 | 1,081 | 703 | 1,162 | 997 | 390 | 308 |
| 4 | 1,494 | 5,323 | 495 | 758 | 815 | 557 | 960 | 963 | 408 | 367 |
| 5 | 4,070 | 4,553 | 466 | 562 | 638 | 475 | 766 | 867 | 388 | 391 |
| 6 | 2,870 | 3,940 | 434 | 487 | 479 | 349 | 676 | 836 | 352 | 327 |
| 7 | 1,231 | 3,574 | 359 | 405 | 397 | 308 | 607 | 748 | 396 | 354 |
| 8 | 334 | 3,206 | 294 | 301 | 296 | 244 | 566 | 774 | 399 | 332 |
| 9 | 211 | 2,531 | 239 | 244 | 198 | 139 | 409 | 693 | 324 | 285 |
| 10 | 120 | 2,164 | 183 | 168 | 140 | 118 | 341 | 565 | 346 | 303 |
| 11 - 14 | 219 | 6,141 | 510 | 391 | 357 | 334 | 883 | 1,608 | 1,059 | 999 |
| 15 - 19 | 161 | 4,343 | 287 | 214 | 202 | 188 | 606 | 1,269 | 803 | 773 |
| 20 - 29 | 157 | 4,448 | 225 | 178 | 163 | 155 | 537 | 1,282 | 1,002 | 906 |
| 30 - 59 | 144 | 3,563 | 142 | 91 | 104 | 115 | 362 | 983 | 853 | 913 |
| 60 - 89 | 17 | 702 | 26 | 21 | 13 | 21 | 59 | 167 | 160 | 235 |
| 90+ | 6 | 694 | 14 | 7 | 22 | 18 | 48 | 137 | 166 | 282 |
| Total | 11,544 | 66,321 | 4,726 | 7,116 | 9,239 | 5,656 | 10,386 | 13,896 | 7,856 | 7,416 |

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5a (xi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, MANITOBA, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|--------|---------|-------|--------|---------|---------|---------|---------|-------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | Total |
| 1 | 137 | 6,501 | 197 | 603 | 1,037 | 1,464 | 2,002 | 709 | 225 | 264 |
| 2 | 73 | 11,836 | 254 | 1,267 | 2,850 | 2,142 | 3,336 | 1,444 | 282 | 231 |
| 3 | 303 | 8,346 | 359 | 665 | 948 | 1,505 | 2,852 | 1,357 | 372 | 288 |
| 4 | 1,742 | 8,828 | 391 | 536 | 756 | 1,990 | 3,329 | 1,129 | 412 | 285 |
| 5 | 4,076 | 12,371 | 388 | 498 | 594 | 3,679 | 5,543 | 960 | 380 | 329 |
| 6 | 2,547 | 10,773 | 289 | 429 | 454 | 3,237 | 4,794 | 867 | 380 | 323 |
| 7 | 964 | 7,063 | 291 | 303 | 411 | 1,772 | 2,795 | 828 | 356 | 306 |
| 8 | 279 | 4,504 | 186 | 272 | 276 | 885 | 1,520 | 720 | 329 | 316 |
| 9 | 174 | 3,480 | 169 | 188 | 174 | 533 | 1,148 | 698 | 331 | 339 |
| 10 | 147 | 3,007 | 156 | 153 | 126 | 330 | 947 | 706 | 303 | 286 |
| 11 - 14 | 201 | 7,538 | 344 | 336 | 320 | 636 | 1,932 | 2,055 | 1,034 | 881 |
| 15 - 19 | 135 | 4,350 | 198 | 173 | 147 | 250 | 894 | 1,275 | 704 | 709 |
| 20 - 29 | 144 | 4,134 | 183 | 140 | 121 | 200 | 674 | 1,212 | 798 | 806 |
| 30 - 59 | 162 | 3,135 | 106 | 78 | 92 | 124 | 449 | 765 | 706 | 815 |
| 60 - 89 | 15 | 607 | 20 | 17 | 15 | 21 | 54 | 128 | 143 | 109 |
| 90+ | 7 | 631 | 9 | 11 | 10 | 12 | 41 | 114 | 132 | 302 |
| Total | 11,106 | 97,104 | 3,540 | 5,669 | 8,361 | 18,780 | 32,311 | 14,967 | 6,887 | 6,589 |

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as out-of-province hospitalization of Manitoba residents.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), SASKATCHEWAN, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|---------------------------|-----------------------------|--------|---------|-------|--------|---------|---------|---------|---------|--------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | Total |
| 1 | 224 | 6,911 | 362 | 849 | 1,467 | 977 | 1,195 | 1,061 | 507 | 493 |
| 2 | 84 | 9,906 | 366 | 1,942 | 3,320 | 952 | 1,237 | 1,144 | 497 | 448 |
| 3 | 199 | 7,127 | 513 | 1,051 | 1,486 | 801 | 1,084 | 1,145 | 551 | 496 |
| 4 | 1,198 | 6,528 | 569 | 909 | 1,110 | 608 | 1,010 | 1,139 | 555 | 628 |
| 5 | 3,490 | 5,641 | 587 | 832 | 807 | 447 | 811 | 1,057 | 542 | 558 |
| 6 | 3,484 | 4,952 | 496 | 739 | 691 | 408 | 691 | 943 | 498 | 486 |
| 7 | 1,541 | 4,705 | 482 | 579 | 606 | 391 | 641 | 865 | 572 | 569 |
| 8 | 464 | 3,883 | 365 | 486 | 455 | 305 | 557 | 763 | 461 | 491 |
| 9 | 267 | 3,301 | 338 | 329 | 330 | 227 | 440 | 706 | 465 | 466 |
| 10 | 206 | 2,826 | 256 | 295 | 235 | 156 | 381 | 641 | 437 | 425 |
| 11 - 14 | 263 | 7,706 | 671 | 643 | 497 | 436 | 990 | 1,776 | 1,303 | 1,390 |
| 15 - 19 | 131 | 5,008 | 330 | 315 | 298 | 198 | 574 | 1,294 | 975 | 1,024 |
| 20 - 29 | 135 | 5,051 | 291 | 275 | 225 | 191 | 480 | 1,302 | 1,163 | 1,124 |
| 30 - 59 | 125 | 4,028 | 183 | 181 | 168 | 130 | 336 | 957 | 925 | 1,148 |
| 60 - 89 | 14 | 796 | 38 | 30 | 26 | 30 | 62 | 156 | 157 | 297 |
| 90+ | 4 | 517 | 10 | 25 | 16 | 25 | 34 | 84 | 121 | 202 |
| Total | 11,829 | 78,886 | 5,857 | 9,480 | 11,737 | 6,282 | 10,523 | 15,033 | 9,729 | 10,245 |

(1) Excludes separations from geriatric hospitals in Regina, Saskatoon and Melfort.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) SASKATCHEWAN, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|---------|---------|-------|--------|---------|---------|---------|---------|-------|
| | Newborn | Total | Under 2 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | Total |
| 1 | 164 | 7,641 | 221 | 666 | 1,110 | 1,631 | 2,464 | 976 | 302 | 271 |
| 2 | 86 | 12,492 | 295 | 1,381 | 3,201 | 2,178 | 3,388 | 1,425 | 361 | 263 |
| 3 | 253 | 9,876 | 432 | 829 | 1,455 | 1,778 | 3,071 | 1,504 | 427 | 381 |
| 4 | 1,324 | 9,684 | 413 | 760 | 1,031 | 1,967 | 3,223 | 1,426 | 477 | 387 |
| 5 | 3,744 | 12,646 | 451 | 695 | 770 | 3,373 | 5,169 | 1,289 | 481 | 418 |
| 6 | 3,144 | 12,266 | 392 | 532 | 667 | 3,405 | 5,246 | 1,095 | 483 | 396 |
| 7 | 1,211 | 8,915 | 343 | 446 | 612 | 2,171 | 3,394 | 1,062 | 501 | 386 |
| 8 | 361 | 5,969 | 263 | 381 | 409 | 1,219 | 1,959 | 906 | 444 | 388 |
| 9 | 208 | 4,448 | 245 | 273 | 275 | 705 | 1,375 | 789 | 407 | 384 |
| 10 | 197 | 3,568 | 193 | 225 | 210 | 479 | 1,042 | 710 | 383 | 336 |
| 11 - 14 | 213 | 9,456 | 404 | 500 | 467 | 855 | 2,497 | 2,287 | 1,199 | 1,167 |
| 15 - 19 | 114 | 5,682 | 238 | 249 | 216 | 340 | 1,249 | 1,643 | 914 | 833 |
| 20 - 29 | 137 | 4,812 | 215 | 197 | 156 | 228 | 821 | 1,349 | 956 | 890 |
| 30 - 59 | 121 | 3,302 | 138 | 124 | 117 | 124 | 406 | 892 | 699 | 802 |
| 60 - 89 | 19 | 626 | 22 | 29 | 22 | 21 | 63 | 155 | 116 | 198 |
| 90+ | 5 | 445 | 18 | 17 | 12 | 9 | 32 | 82 | 93 | 182 |
| Total | 11,301 | 111,828 | 4,347 | 7,354 | 10,730 | 20,483 | 35,399 | 17,590 | 8,243 | 7,682 |

(1) Excludes separations from geriatric hospitals in Regina, Saskatoon and Melfort.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) ALBERTA, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | | |
|---------------------------|-----------------------------|---------|---------|--------|--------|---------|---------|---------|---------|--------|--|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ | |
| 1 | 308 | 10,762 | 420 | 1,269 | 2,136 | 1,724 | 2,504 | 1,080 | 552 | 477 | |
| 2 | 89 | 14,444 | 461 | 2,663 | 4,898 | 1,503 | 2,151 | 1,727 | 582 | 459 | |
| 3 | 241 | 10,388 | 637 | 1,490 | 2,208 | 1,233 | 1,988 | 1,684 | 663 | 485 | |
| 4 | 2,133 | 8,764 | 678 | 1,184 | 1,485 | 1,057 | 1,649 | 1,505 | 678 | 528 | |
| 5 | 4,284 | 7,759 | 683 | 1,111 | 1,200 | 814 | 1,436 | 1,352 | 631 | 532 | |
| 6 | 4,789 | 6,672 | 666 | 879 | 948 | 649 | 1,253 | 1,213 | 551 | 513 | |
| 7 | 3,672 | 6,216 | 615 | 770 | 808 | 526 | 1,137 | 1,195 | 619 | 546 | |
| 8 | 1,354 | 5,398 | 532 | 611 | 584 | 438 | 1,019 | 1,100 | 628 | 486 | |
| 9 | 629 | 4,351 | 397 | 474 | 367 | 326 | 772 | 987 | 529 | 499 | |
| 10 | 405 | 3,501 | 337 | 298 | 298 | 229 | 630 | 827 | 445 | 437 | |
| 11 - 14 | 566 | 9,257 | 710 | 785 | 660 | 508 | 1,419 | 2,269 | 1,471 | 1,435 | |
| 15 - 19 | 318 | 6,328 | 365 | 421 | 373 | 347 | 967 | 1,622 | 1,082 | 1,151 | |
| 20 - 29 | 272 | 5,857 | 273 | 296 | 309 | 231 | 844 | 1,557 | 1,175 | 1,172 | |
| 30 - 59 | 180 | 4,615 | 160 | 179 | 239 | 192 | 588 | 1,209 | 1,003 | 1,045 | |
| 60 - 89 | 27 | 1,059 | 25 | 29 | 65 | 48 | 95 | 237 | 248 | 312 | |
| 90+ | 18 | 1,330 | 16 | 30 | 51 | 53 | 73 | 232 | 283 | 592 | |
| Total | 19,285 | 106,701 | 6,975 | 12,489 | 16,629 | 9,878 | 18,525 | 20,396 | 11,140 | 10,069 | |

(1) Includes separations from out-of-province hospitals general hospitals, auxiliary hospitals and contract nursing homes of Alberta resident in-patients. Includes separations not the responsibility of the Provincial Plan, but excludes non-residents.

TABLE 5a (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) ALBERTA, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|---------|---------|--------|--------|---------|---------|---------|---------|-------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 236 | 12,175 | 230 | 1,047 | 1,564 | 2,353 | 4,280 | 1,487 | 369 | 295 |
| 2 | 64 | 13,386 | 367 | 2,123 | 4,569 | 3,222 | 5,319 | 2,024 | 453 | 284 |
| 3 | 290 | 14,075 | 494 | 1,166 | 2,051 | 2,829 | 4,562 | 2,068 | 535 | 370 |
| 4 | 2,139 | 14,126 | 561 | 1,005 | 1,320 | 3,474 | 4,986 | 1,784 | 612 | 381 |
| 5 | 4,361 | 17,175 | 523 | 367 | 1,074 | 5,159 | 6,943 | 1,580 | 565 | 426 |
| 6 | 4,545 | 16,740 | 471 | 727 | 373 | 5,362 | 7,094 | 1,315 | 497 | 407 |
| 7 | 3,258 | 14,523 | 474 | 658 | 787 | 4,457 | 5,909 | 1,273 | 542 | 423 |
| 8 | 1,292 | 9,459 | 413 | 499 | 560 | 2,398 | 3,675 | 1,076 | 451 | 387 |
| 9 | 594 | 6,488 | 321 | 334 | 392 | 1,247 | 2,375 | 1,036 | 403 | 380 |
| 10 | 385 | 4,896 | 245 | 252 | 262 | 733 | 1,743 | 915 | 371 | 375 |
| 11 - 14 | 580 | 11,721 | 512 | 621 | 576 | 1,253 | 3,633 | 2,806 | 1,218 | 1,102 |
| 15 - 19 | 322 | 6,041 | 274 | 304 | 307 | 492 | 1,636 | 1,840 | 936 | 852 |
| 20 - 29 | 315 | 5,320 | 204 | 216 | 268 | 301 | 1,119 | 1,453 | 843 | 916 |
| 30 - 59 | 168 | 3,835 | 132 | 153 | 179 | 198 | 615 | 996 | 742 | 820 |
| 60 - 89 | 26 | 854 | 23 | 20 | 48 | 35 | 92 | 189 | 161 | 286 |
| 90+ | 19 | 1,188 | 11 | 24 | 47 | 37 | 55 | 184 | 265 | 565 |
| Total | 13,644 | 157,608 | 5,358 | 10,021 | 14,877 | 34,050 | 54,036 | 22,032 | 3,963 | 3,271 |

(1) Includes separations from out-of-province hospitals, general hospitals, auxiliary hospitals and contract nursing homes, of Alberta resident in-patients. Includes separations not the responsibility of the Provincial Plan, but excludes non-residents.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS ⁽¹⁾, BRITISH COLUMBIA, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|---------------------------|-----------------------------|---------|---------|--------|--------|-------|--------|--------|--------|--------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | 224 | 7,525 | 251 | 1,044 | 1,786 | 983 | 1,339 | 1,129 | 489 | 504 |
| 2 | 77 | 16,652 | 361 | 3,754 | 6,299 | 1,297 | 2,132 | 1,756 | 584 | 469 |
| 3 | 205 | 9,551 | 459 | 1,304 | 2,060 | 1,112 | 2,064 | 1,588 | 502 | 462 |
| 4 | 1,396 | 8,078 | 475 | 1,068 | 1,326 | 859 | 1,737 | 1,565 | 540 | 508 |
| 5 | 4,340 | 7,395 | 556 | 981 | 1,128 | 695 | 1,410 | 1,526 | 579 | 520 |
| 6 | 5,300 | 6,526 | 556 | 859 | 871 | 575 | 1,178 | 1,416 | 574 | 497 |
| 7 | 3,385 | 6,316 | 533 | 787 | 763 | 492 | 1,157 | 1,399 | 603 | 582 |
| 8 | 1,364 | 5,405 | 424 | 621 | 569 | 361 | 996 | 1,246 | 556 | 632 |
| 9 | 724 | 4,461 | 348 | 485 | 423 | 274 | 708 | 1,138 | 551 | 534 |
| 10 | 515 | 3,816 | 310 | 408 | 299 | 210 | 593 | 941 | 527 | 528 |
| 11 - 14 | 581 | 10,591 | 799 | 818 | 702 | 486 | 1,515 | 2,827 | 1,693 | 1,751 |
| 15 - 19 | 284 | 7,578 | 436 | 472 | 405 | 255 | 955 | 2,102 | 1,498 | 1,455 |
| 20 - 29 | 333 | 7,830 | 334 | 363 | 366 | 231 | 746 | 2,136 | 1,797 | 1,857 |
| 30 - 59 | 228 | 6,339 | 211 | 216 | 257 | 170 | 499 | 1,589 | 1,575 | 1,822 |
| 60 - 89 | 34 | 1,260 | 41 | 31 | 73 | 30 | 81 | 267 | 322 | 415 |
| 90+ | 13 | 789 | 27 | 20 | 46 | 46 | 92 | 166 | 168 | 224 |
| Total | 19,003 | 110,112 | 6,121 | 13,231 | 17,373 | 8,076 | 17,202 | 22,791 | 12,558 | 12,760 |

(1) Excludes out-of-province hospitalization.

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), BRITISH COLUMBIA, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | 193 | 8,796 | 169 | 862 | 1,266 | 1,984 | 2,854 | 925 | 331 | 405 |
| 2 | 69 | 21,485 | 230 | 2,895 | 5,979 | 3,159 | 5,916 | 2,446 | 487 | 373 |
| 3 | 285 | 14,449 | 333 | 1,064 | 1,807 | 2,747 | 5,146 | 2,407 | 548 | 397 |
| 4 | 1,643 | 12,349 | 376 | 858 | 1,113 | 2,786 | 4,617 | 1,750 | 458 | 391 |
| 5 | 4,608 | 16,110 | 403 | 763 | 864 | 4,660 | 6,903 | 1,576 | 515 | 426 |
| 6 | 4,920 | 17,456 | 416 | 680 | 742 | 5,436 | 7,804 | 1,438 | 524 | 416 |
| 7 | 2,862 | 14,340 | 392 | 574 | 646 | 4,114 | 6,191 | 1,374 | 538 | 511 |
| 8 | 1,133 | 9,754 | 331 | 495 | 453 | 2,197 | 4,004 | 1,325 | 493 | 456 |
| 9 | 656 | 7,218 | 266 | 372 | 320 | 1,229 | 2,860 | 1,241 | 528 | 402 |
| 10 | 428 | 5,773 | 235 | 290 | 275 | 737 | 2,138 | 1,216 | 467 | 415 |
| 11 - 14 | 523 | 14,011 | 567 | 715 | 595 | 1,302 | 4,273 | 3,591 | 1,546 | 1,422 |
| 15 - 19 | 272 | 8,122 | 325 | 384 | 348 | 534 | 1,932 | 2,273 | 1,202 | 1,124 |
| 20 - 29 | 329 | 7,185 | 236 | 307 | 274 | 296 | 1,319 | 2,076 | 1,278 | 1,399 |
| 30 - 59 | 232 | 5,425 | 173 | 184 | 199 | 187 | 742 | 1,442 | 1,108 | 1,390 |
| 60 - 89 | 36 | 1,069 | 24 | 36 | 46 | 34 | 125 | 253 | 200 | 351 |
| 90+ | 7 | 730 | 21 | 22 | 36 | 30 | 66 | 174 | 135 | 240 |
| Total | 18,201 | 164,272 | 4,497 | 10,501 | 14,963 | 31,432 | 56,890 | 25,507 | 10,358 | 10,124 |

(1) Excludes out-of-province hospitalization.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1962

| Length of stay in days | Number of separations, male | | | | | | | | | |
|---------------------------|-----------------------------|-------|---------|-------|--------|---------|---------|---------|---------|-----|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 13 | 190 | 39 | 35 | 37 | 17 | 36 | 21 | 4 | 1 |
| 2 | 7 | 239 | 36 | 55 | 71 | 23 | 36 | 14 | 3 | 1 |
| 3 | 28 | 249 | 42 | 53 | 64 | 21 | 34 | 26 | 1 | 8 |
| 4 | 54 | 244 | 42 | 59 | 29 | 28 | 39 | 35 | 6 | 6 |
| 5 | 130 | 215 | 45 | 56 | 28 | 23 | 38 | 21 | 2 | 2 |
| 6 | 67 | 191 | 39 | 29 | 28 | 24 | 36 | 27 | 6 | 2 |
| 7 | 57 | 184 | 38 | 45 | 24 | 26 | 22 | 18 | 7 | 4 |
| 8 | 17 | 163 | 45 | 32 | 25 | 15 | 21 | 15 | 8 | 2 |
| 9 | 10 | 141 | 34 | 44 | - | 13 | 20 | 20 | 4 | 6 |
| 10 | 11 | 109 | 27 | 20 | 14 | 9 | 18 | 14 | 5 | 2 |
| 11 - 14 | 12 | 276 | 58 | 67 | 32 | 20 | 44 | 40 | 7 | 8 |
| 15 - 19 | 4 | 201 | 33 | 47 | 40 | 16 | 25 | 21 | 13 | 6 |
| 20 - 29 | 4 | 148 | 39 | 28 | 16 | 7 | 22 | 23 | 6 | 7 |
| 30 - 59 | 3 | 115 | 12 | 18 | 17 | 7 | 21 | 20 | 15 | 5 |
| 60 - 89 | - | 28 | 2 | 5 | 2 | 3 | 6 | 9 | - | 1 |
| 90+ | - | 23 | - | 4 | 9 | 1 | 2 | 4 | 1 | 2 |
| Total | 417 | 2,716 | 531 | 597 | 436 | 253 | 420 | 328 | 88 | 63 |

(1) Includes out-of-territory hospitalization.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1962

| Length of stay in days | Number of separations, female | | | | | | | | | |
|---------------------------|-------------------------------|-------|---------|-------|--------|---------|---------|---------|---------|-----|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 9 | 261 | 22 | 35 | 30 | 60 | 87 | 22 | 3 | 2 |
| 2 | 13 | 367 | 31 | 50 | 56 | 75 | 126 | 23 | 3 | 3 |
| 3 | 29 | 311 | 22 | 39 | 49 | 65 | 112 | 20 | 2 | 2 |
| 4 | 50 | 340 | 38 | 30 | 50 | 67 | 124 | 27 | 2 | 2 |
| 5 | 122 | 451 | 37 | 35 | 27 | 132 | 189 | 20 | 7 | 4 |
| 6 | 57 | 351 | 43 | 29 | 24 | 89 | 145 | 15 | 5 | 1 |
| 7 | 48 | 307 | 36 | 43 | 31 | 58 | 110 | 20 | 5 | 4 |
| 8 | 20 | 216 | 20 | 34 | 20 | 48 | 70 | 18 | 4 | 2 |
| 9 | 12 | 148 | 18 | 25 | 21 | 25 | 34 | 18 | 3 | 4 |
| 10 | 5 | 129 | 22 | 21 | 14 | 16 | 39 | 13 | 1 | 3 |
| 11 - 14 | 15 | 320 | 52 | 50 | 27 | 45 | 109 | 27 | 4 | 6 |
| 15 - 19 | 9 | 159 | 27 | 34 | 21 | 20 | 32 | 13 | 5 | 7 |
| 20 - 29 | 7 | 136 | 33 | 22 | 11 | 17 | 32 | 14 | 3 | 4 |
| 30 - 59 | 5 | 99 | 21 | 14 | 13 | 7 | 20 | 12 | 6 | 6 |
| 60 - 89 | - | 21 | 4 | 3 | 5 | 3 | 5 | 1 | - | - |
| 90+ | - | 20 | 1 | - | 4 | 4 | 5 | 6 | - | - |
| Total | 401 | 3636 | 427 | 464 | 403 | 731 | 1239 | 269 | 53 | 50 |

(1) Includes out-of-territory hospitalization.

TABLE 5b (i) PATIENT DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2)
BY PROVINCE, 1962

| Length of Stay (in days) | Patient-days of separations, both sexes | | | | | | | | | | Total (3) |
|-----------------------------|---|---------|---------|-----------|------------|-----------|-----------|-----------|-----------|--------|------------|
| | Nfld. | P.E.I. | N.B. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | N.W.T. | |
| 1 | 4,076 | 1,134 | 6,976 | 71,136 | 99,295 | 12,307 | 14,552 | 22,937 | 16,321 | 451 | 249,167 |
| 2 | 10,034 | 2,826 | 16,726 | 102,596 | 163,695 | 42,602 | 44,796 | 65,660 | 76,260 | 1,212 | 546,429 |
| 3 | 19,773 | 5,055 | 25,338 | 142,689 | 210,542 | 42,645 | 51,009 | 73,389 | 71,973 | 1,680 | 644,093 |
| 4 | 25,220 | 5,430 | 36,532 | 247,392 | 293,972 | 56,604 | 64,846 | 91,500 | 61,083 | 2,336 | 905,627 |
| 5 | 26,940 | 9,895 | 48,920 | 382,835 | 469,856 | 84,620 | 91,435 | 124,670 | 117,433 | 3,330 | 1,359,934 |
| 6 | 23,364 | 11,532 | 52,332 | 373,518 | 502,734 | 88,278 | 103,308 | 140,503 | 143,811 | 3,252 | 1,442,637 |
| 7 | 21,774 | 9,947 | 50,455 | 355,976 | 464,807 | 74,454 | 95,340 | 143,173 | 144,489 | 3,437 | 1,365,834 |
| 8 | 19,344 | 8,864 | 44,332 | 309,512 | 381,192 | 61,680 | 76,816 | 118,856 | 121,163 | 3,142 | 1,140,921 |
| 9 | 18,567 | 7,335 | 39,672 | 289,980 | 338,274 | 54,099 | 69,741 | 97,331 | 105,054 | 2,601 | 1,022,874 |
| 10 | 17,719 | 6,770 | 35,520 | 275,450 | 314,800 | 51,710 | 63,940 | 83,970 | 95,807 | 2,380 | 946,060 |
| 11 - 14 | 59,074 | 21,801 | 120,520 | 1,004,995 | 1,071,748 | 169,043 | 211,348 | 262,490 | 302,757 | 7,354 | 3,231,060 |
| 15 - 19 | 57,593 | 18,243 | 103,966 | 961,818 | 971,536 | 145,061 | 176,890 | 216,608 | 263,046 | 5,866 | 2,922,971 |
| 20 - 29 | 77,647 | 21,800 | 130,495 | 1,281,223 | 1,378,046 | 203,861 | 233,760 | 265,292 | 356,845 | 6,709 | 3,955,676 |
| 30 - 59 | 106,405 | 27,555 | 151,120 | 1,345,930 | 1,906,198 | 267,655 | 291,959 | 339,052 | 407,519 | 8,682 | 4,912,075 |
| 60 + | 121,447 | 31,356 | 127,576 | 1,045,066 | 3,917,539 | 348,045 | 248,171 | 1,047,235 | 376,792 | 10,597 | 7,675,820 |
| Total | 609,209 | 189,595 | 992,504 | 8,790,118 | 12,504,234 | 1,702,664 | 1,841,913 | 3,094,951 | 2,742,973 | 63,051 | 32,531,212 |

(1) Excludes newborn and "age unspecified".

(2) Prince Edward Island, New Brunswick, Manitoba and Alberta also include non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients.

(3) Excludes Nova Scotia and Yukon Territory.

TABLE 5b (ii) PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2)
BY PROVINCE, 1962

| Length of Stay (in days) | Percentage distribution of patient-days, both sexes | | | | | | | | | |
|-----------------------------|---|--------|-------|-------|-------|-------|-------|-------|--------|-------|
| | Nfld. | P.E.I. | N.B. | Ont. | Man. | Sask. | Alta. | B.C. | N.W.T. | Total |
| 1 | 0.7 | 0.0 | 0.7 | 0.6 | 0.7 | 0.8 | 0.7 | 0.6 | 0.7 | 0.6 |
| 2 | 1.6 | 1.5 | 1.9 | 1.5 | 2.5 | 2.4 | 2.1 | 2.8 | 1.9 | 1.7 |
| 3 | 3.2 | 2.7 | 2.0 | 1.7 | 2.5 | 2.8 | 2.4 | 2.6 | 2.7 | 2.0 |
| 4 | 4.1 | 2.9 | 3.7 | 2.4 | 3.8 | 3.5 | 3.0 | 3.0 | 3.7 | 2.6 |
| 5 | 4.4 | 5.2 | 4.9 | 3.8 | 5.0 | 5.0 | 4.0 | 4.3 | 5.3 | 4.2 |
| 6 | 3.8 | 6.1 | 5.3 | 4.0 | 5.2 | 5.0 | 4.5 | 5.2 | 5.5 | 4.4 |
| 7 | 3.6 | 5.2 | 5.1 | 3.7 | 4.4 | 5.2 | 4.7 | 5.3 | 5.5 | 4.4 |
| 8 | 3.2 | 4.7 | 4.5 | 3.0 | 3.6 | 4.3 | 3.8 | 4.4 | 5.0 | 4.2 |
| 9 | 3.0 | 3.9 | 4.0 | 2.7 | 3.2 | 3.6 | 3.2 | 3.8 | 4.1 | 3.1 |
| 10 | 2.9 | 3.6 | 3.6 | 2.5 | 3.0 | 3.5 | 2.7 | 3.5 | 3.0 | 3.0 |
| 11 - 14 | 9.7 | 11.5 | 12.1 | 8.6 | 9.9 | 11.5 | 8.5 | 11.0 | 11.7 | 9.9 |
| 15 - 19 | 9.5 | 9.6 | 10.5 | 7.6 | 8.5 | 9.7 | 7.0 | 9.0 | 9.3 | 9.0 |
| 20 - 29 | 12.7 | 11.5 | 13.1 | 11.0 | 12.0 | 12.7 | 8.6 | 13.0 | 10.6 | 12.2 |
| 30 - 59 | 17.5 | 14.5 | 15.2 | 15.2 | 15.7 | 15.8 | 11.0 | 17.0 | 13.6 | 15.4 |
| 60+ | 19.9 | 10.5 | 12.9 | 31.3 | 20.4 | 13.5 | 33.8 | 13.8 | 16.6 | 19.6 |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

(1) Excludes Newborns, and "age unspecified".

(2) Excludes Grand Island, New Brunswick, Manitoba and Alberta also include non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients.

(3) Excludes Nova Scotia and Yukon Territory.

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1962

| Length of Stay (in days) | Patient-days of separations, male | | | | | | | | | |
|-----------------------------|-----------------------------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | | 1,746 | 243 | 248 | 314 | 238 | 376 | 217 | 64 | 42 |
| 2 | | 3,114 | 310 | 524 | 826 | 402 | 528 | 316 | 106 | 100 |
| 3 | | 4,809 | 648 | 738 | 1,191 | 675 | 855 | 420 | 132 | 147 |
| 4 | | 5,576 | 892 | 1,012 | 1,060 | 744 | 956 | 608 | 164 | 140 |
| 5 | | 5,925 | 1,000 | 935 | 1,125 | 780 | 1,050 | 660 | 195 | 180 |
| 6 | | 7,020 | 1,260 | 1,056 | 1,320 | 810 | 1,128 | 882 | 360 | 198 |
| 7 | | 8,502 | 1,232 | 1,218 | 1,463 | 1,215 | 1,652 | 1,113 | 441 | 168 |
| 8 | | 8,008 | 1,264 | 968 | 1,408 | 1,024 | 1,512 | 1,240 | 408 | 184 |
| 9 | | 7,974 | 1,296 | 1,161 | 1,143 | 936 | 1,404 | 1,404 | 306 | 324 |
| 10 | | 7,739 | 1,249 | 890 | 1,040 | 890 | 1,500 | 1,380 | 500 | 290 |
| 11 - 14 | | 26,281 | 3,959 | 2,773 | 3,290 | 2,812 | 4,926 | 5,081 | 2,234 | 1,194 |
| 15 - 19 | | 26,844 | 3,648 | 2,161 | 3,085 | 2,344 | 5,348 | 5,483 | 2,541 | 2,188 |
| 20 - 29 | | 33,626 | 5,936 | 3,531 | 3,797 | 2,709 | 8,083 | 8,777 | 3,905 | 1,888 |
| 30 - 59 | | 56,896 | 9,809 | 4,604 | 7,455 | 3,576 | 8,527 | 12,269 | 6,193 | 4,463 |
| 60 - 89 | | 22,164 | 3,596 | 2,360 | 4,040 | 1,350 | 3,282 | 3,726 | 2,232 | 1,578 |
| 90+ | | 30,500 | 2,949 | 7,691 | 5,916 | 4,721 | 3,403 | 7,058 | 2,580 | 4,092 |
| Total | | 269,724 | 39,291 | 31,870 | 38,473 | 25,226 | 44,530 | 50,634 | 22,361 | 17,176 |
| | | | | | | | | | | 163 |

(1) Includes out-of-province hospitalization, and in-patients not the responsibility of the Provincial Plan.

TABLE 5b (iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1962

| Length of Stay (in days) | Patient-days of separations, female | | | | | | | | | | |
|-----------------------------|-------------------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| | Newborn | Total | Under | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ | Unknown |
| 1 | | 2,337 | 133 | 154 | 243 | 709 | 835 | 179 | 50 | 33 | 1 |
| 2 | | 6,924 | 276 | 330 | 780 | 1,968 | 3,036 | 374 | 94 | 62 | 2 |
| 3 | | 14,970 | 465 | 603 | 1,236 | 4,944 | 6,837 | 645 | 153 | 84 | 3 |
| 4 | | 19,648 | 752 | 660 | 1,236 | 6,740 | 9,096 | 864 | 184 | 112 | 4 |
| 5 | | 21,020 | 835 | 745 | 945 | 7,465 | 9,805 | 845 | 240 | 135 | 5 |
| 6 | | 16,356 | 990 | 828 | 1,060 | 5,316 | 6,630 | 1,008 | 336 | 162 | 6 |
| 7 | | 13,286 | 1,113 | 1,022 | 1,176 | 3,381 | 4,844 | 1,281 | 266 | 189 | 14 |
| 8 | | 11,336 | 904 | 992 | 1,096 | 2,672 | 3,976 | 1,152 | 424 | 120 | 18 |
| 9 | | 10,611 | 945 | 774 | 954 | 2,133 | 3,852 | 1,287 | 387 | 261 | - |
| 10 | | 9,980 | 880 | 600 | 840 | 1,740 | 3,690 | 1,470 | 520 | 240 | - |
| 11 | 14 | 32,762 | 3,156 | 2,239 | 2,857 | 4,760 | 10,290 | 6,428 | 1,939 | 1,016 | 27 |
| 15 | 19 | 31,145 | 2,879 | 1,960 | 2,558 | 3,821 | 8,032 | 7,233 | 2,736 | 1,876 | 50 |
| 20 | 29 | 39,097 | 5,009 | 2,447 | 3,361 | 4,041 | 9,122 | 9,369 | 4,216 | 1,450 | 76 |
| 30 | 59 | 49,509 | 8,866 | 4,362 | 5,827 | 3,767 | 8,675 | 10,665 | 4,330 | 3,017 | - |
| 60 | 89 | 17,694 | 2,667 | 1,917 | 3,149 | 1,020 | 2,891 | 3,161 | 1,475 | 1,414 | - |
| 90+ | | 43,179 | 5,487 | 6,425 | 11,051 | 3,571 | 3,630 | 4,740 | 4,391 | 3,834 | - |
| Total | | 339,854 | 35,359 | 26,058 | 38,389 | 58,048 | 95,291 | 50,701 | 21,791 | 14,011 | 206 |

(1) Includes out-of-province hospitalization, and in-patients not the responsibility of the Provincial Plan.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), PRINCE EDWARD ISLAND, 1962

| Length of stay in days | Patients-days of separations, male | | | | | | | | |
|---------------------------|------------------------------------|--------|--------|---------|---------|---------|---------|--------|---------|
| | Newborn | Total | 1 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ | Unknown |
| 1 | | 510 | 176 | 108 | 77 | 86 | 27 | 31 | 5 |
| 2 | | 1,145 | 460 | 118 | 170 | 212 | 122 | 54 | 9 |
| 3 | | 1,982 | 936 | 240 | 234 | 330 | 129 | 93 | 20 |
| 4 | | 2,008 | 656 | 228 | 324 | 408 | 164 | 212 | 15 |
| 5 | | 2,560 | 925 | 255 | 350 | 540 | 230 | 235 | 25 |
| 6 | | 3,000 | 1,026 | 318 | 480 | 546 | 342 | 258 | 30 |
| 7 | | 3,360 | 1,225 | 371 | 448 | 707 | 294 | 301 | 14 |
| 8 | | 3,820 | 1,528 | 272 | 472 | 752 | 416 | 360 | 20 |
| 9 | | 3,245 | 954 | 270 | 441 | 729 | 405 | 432 | 14 |
| 10 | | 3,030 | 970 | 140 | 460 | 550 | 570 | 340 | - |
| 11 - 14 | | 9,999 | 2,940 | 515 | 1,361 | 2,428 | 1,509 | 1,220 | 26 |
| 15 - 19 | | 8,731 | 1,861 | 418 | 980 | 2,324 | 1,562 | 1,569 | 17 |
| 20 - 29 | | 11,130 | 1,570 | 497 | 1,126 | 3,136 | 2,568 | 2,207 | 25 |
| 30 - 59 | | 15,231 | 1,908 | 527 | 1,221 | 4,806 | 3,045 | 3,701 | 23 |
| 60 - 89 | | 4,679 | 444 | 242 | 346 | 1,247 | 1,456 | 914 | 30 |
| 90+ | | 12,531 | 3,082 | 262 | 2,610 | 2,219 | 2,044 | 1,949 | 365 |
| Total | | 86,961 | 20,661 | 4,761 | 11,100 | 21,020 | 14,883 | 13,876 | 640 |

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), PRINCE EDWARD ISLAND, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | |
|---------------------------|-------------------------------------|---------|--------|---------|---------|---------|---------|--------|---------|
| | Newborn | Total | 1 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ | Unknown |
| 1 | | 634 | 127 | 147 | 255 | 41 | 34 | 25 | 5 |
| 2 | | 1,701 | 346 | 396 | 618 | 204 | 60 | 68 | 9 |
| 3 | | 3,112 | 885 | 561 | 990 | 426 | 132 | 99 | 19 |
| 4 | | 3,504 | 584 | 784 | 1,316 | 420 | 224 | 160 | 16 |
| 5 | | 7,385 | 665 | 2,275 | 3,565 | 495 | 195 | 165 | 25 |
| 6 | | 8,592 | 858 | 2,586 | 4,128 | 564 | 210 | 216 | 30 |
| 7 | | 6,615 | 1,015 | 1,792 | 2,415 | 609 | 322 | 448 | 14 |
| 8 | | 5,084 | 1,088 | 1,064 | 1,472 | 680 | 320 | 440 | 20 |
| 9 | | 4,117 | 936 | 486 | 1,089 | 801 | 432 | 360 | 13 |
| 10 | | 3,740 | 690 | 400 | 1,060 | 890 | 370 | 330 | - |
| 11 - 14 | | 11,853 | 1,936 | 920 | 2,698 | 3,046 | 1,683 | 1,545 | 25 |
| 15 - 19 | | 9,546 | 1,214 | 518 | 1,596 | 2,488 | 1,819 | 1,894 | 17 |
| 20 - 29 | | 10,722 | 1,383 | 485 | 1,661 | 2,604 | 2,115 | 2,448 | 26 |
| 30 - 59 | | 12,370 | 1,138 | 345 | 1,257 | 3,862 | 2,673 | 3,072 | 23 |
| 60 - 89 | | 4,372 | 651 | 163 | 551 | 567 | 1,296 | 1,115 | 29 |
| 90+ | | 10,562 | 2,433 | 224 | 1,341 | 1,373 | 1,880 | 2,947 | 364 |
| Total | | 103,909 | 15,949 | 13,146 | 26,012 | 19,070 | 13,765 | 15,332 | 635 |

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), QUEBEC, 1962

| Length of stay in days | Patient-days of separations, male | | | | | | | | | |
|---------------------------|-----------------------------------|-----------|---------|---------|---------|---------|---------|-----------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | | 34,756 | 1,391 | 7,428 | 11,774 | 4,171 | 5,260 | 3,325 | 909 | 498 |
| 2 | | 46,332 | 1,564 | 7,764 | 15,602 | 6,742 | 8,036 | 4,806 | 1,152 | 666 |
| 3 | | 53,367 | 2,649 | 6,324 | 11,088 | 8,637 | 12,978 | 8,631 | 1,992 | 1,068 |
| 4 | | 68,036 | 3,696 | 7,016 | 11,688 | 10,872 | 18,020 | 12,392 | 2,868 | 1,484 |
| 5 | | 84,545 | 4,825 | 8,000 | 13,725 | 12,810 | 23,045 | 16,305 | 3,750 | 2,085 |
| 6 | | 94,422 | 5,826 | 8,952 | 15,156 | 13,338 | 25,038 | 18,702 | 4,746 | 2,664 |
| 7 | | 116,900 | 8,162 | 10,339 | 18,949 | 16,331 | 29,680 | 23,723 | 6,160 | 3,556 |
| 8 | | 123,312 | 8,704 | 11,728 | 18,272 | 15,560 | 30,976 | 26,576 | 7,208 | 4,288 |
| 9 | | 121,581 | 9,648 | 11,106 | 15,921 | 13,302 | 29,889 | 29,025 | 8,478 | 4,212 |
| 10 | | 117,810 | 9,150 | 11,350 | 14,570 | 11,720 | 27,740 | 29,760 | 9,130 | 4,390 |
| 11 - 14 | | 426,825 | 36,301 | 37,211 | 43,930 | 37,169 | 97,314 | 115,709 | 38,187 | 21,004 |
| 15 - 19 | | 420,044 | 38,865 | 30,127 | 35,969 | 30,710 | 88,653 | 124,462 | 46,816 | 24,442 |
| 20 - 29 | | 597,140 | 55,990 | 35,780 | 37,126 | 36,414 | 113,974 | 195,306 | 80,207 | 42,343 |
| 30 - 59 | | 633,613 | 58,722 | 34,461 | 37,074 | 37,212 | 105,173 | 198,477 | 99,403 | 63,091 |
| 60 - 89 | | 200,351 | 16,857 | 8,805 | 12,217 | 14,916 | 32,856 | 57,825 | 32,327 | 24,548 |
| 90+ | | 549,390 | 15,365 | 24,846 | 17,136 | 30,428 | 51,688 | 140,524 | 105,982 | 163,421 |
| Total | | 3,688,424 | 277,715 | 261,237 | 330,197 | 300,332 | 700,320 | 1,005,548 | 449,315 | 363,760 |

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), QUEBEC, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | | |
|---------------------------|-------------------------------------|-----------|---------|---------|---------|---------|-----------|-----------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | | 36,380 | 724 | 5,636 | 10,757 | 6,314 | 9,211 | 2,431 | 859 | 448 |
| 2 | | 56,264 | 906 | 5,654 | 14,384 | 12,502 | 17,638 | 3,740 | 892 | 548 |
| 3 | | 89,322 | 1,701 | 4,044 | 8,205 | 24,909 | 40,098 | 7,737 | 1,611 | 1,017 |
| 4 | | 179,356 | 2,616 | 4,852 | 9,244 | 55,316 | 92,268 | 11,156 | 2,364 | 1,540 |
| 5 | | 298,290 | 3,600 | 5,895 | 11,030 | 92,450 | 164,860 | 14,810 | 3,600 | 2,045 |
| 6 | | 279,096 | 4,830 | 6,198 | 12,288 | 79,992 | 151,812 | 17,250 | 4,146 | 2,580 |
| 7 | | 239,078 | 5,712 | 8,043 | 15,372 | 59,598 | 118,531 | 22,652 | 6,013 | 3,157 |
| 8 | | 186,200 | 6,440 | 8,608 | 15,200 | 40,000 | 82,104 | 23,376 | 6,576 | 3,896 |
| 9 | | 168,399 | 7,227 | 9,162 | 13,644 | 30,780 | 69,057 | 26,910 | 7,650 | 3,969 |
| 10 | | 157,640 | 6,850 | 9,270 | 11,650 | 24,610 | 62,390 | 29,880 | 8,390 | 4,600 |
| 11 - 14 | | 578,170 | 26,963 | 28,450 | 36,953 | 71,639 | 209,295 | 140,163 | 42,899 | 21,808 |
| 15 - 19 | | 541,774 | 25,686 | 24,334 | 29,448 | 49,457 | 171,817 | 160,267 | 53,418 | 27,347 |
| 20 - 29 | | 694,083 | 39,337 | 30,171 | 29,305 | 49,783 | 181,955 | 214,393 | 89,199 | 49,940 |
| 30 - 59 | | 712,317 | 41,897 | 30,133 | 29,287 | 42,438 | 160,669 | 225,029 | 109,993 | 72,871 |
| 60 - 89 | | 213,931 | 12,185 | 9,544 | 9,778 | 14,211 | 39,137 | 62,404 | 36,448 | 30,224 |
| 90+ | | 681,394 | 11,410 | 22,166 | 15,433 | 17,828 | 58,437 | 126,405 | 155,277 | 274,438 |
| Total | | 5,101,694 | 198,084 | 212,160 | 271,978 | 671,827 | 1,629,279 | 1,088,603 | 529,335 | 500,428 |

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (ix) PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1962

| Length of stay in days | Patient-days of separations, (1) both sexes and all ages | | | |
|---------------------------|--|---|--|---|
| | Newborn | Total patient-days, adults and children from active convale- scent, and chronic hospitals | Patient-days, adults and children from active and convalescent hospitals | Patient days, adults and children, from chronic hospitals |
| 1 | 2,709 | 99,295 | 99,214 | 81 |
| 2 | 2,124 | 183,695 | 183,551 | 144 |
| 3 | 10,884 | 210,542 | 210,360 | 182 |
| 4 | 77,516 | 293,972 | 293,612 | 360 |
| 5 | 240,945 | 469,856 | 469,455 | 401 |
| 6 | 216,960 | 502,734 | 502,284 | 450 |
| 7 | 139,145 | 464,807 | 464,205 | 602 |
| 8 | 63,688 | 381,192 | 380,576 | 616 |
| 9 | 42,921 | 338,274 | 337,572 | 702 |
| 10 | 33,710 | 314,800 | 314,020 | 780 |
| 11 - 14 | 51,210 | 1,071,748 | 1,067,822 | 3,926 |
| 15 - 19 | 39,069 | 971,536 | 966,348 | 5,188 |
| 20 - 29 | 58,027 | 1,378,046 | 1,364,878 | 13,168 |
| 30 - 59 | 65,139 | 1,906,198 | 1,857,585 | 48,613 |
| 60 - 99 | 16,313 | 839,576 | 765,029 | 74,547 |
| 100+ | 1,732 | 3,077,963 | 755,784 | 2,322,179 |
| Total | 1,062,092 | 12,504,234 | 10,032,295 | 2,471,939 |

(1) Includes all separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Department of Veteran's Affairs hospitals, and from Federal Indian hospitals.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1962

| Length of Stay (in days) | Patient-days of separations, male | | | | | | | | | |
|-----------------------------|-----------------------------------|---------|---------|--------|--------|--------|--------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | 200 | 5,806 | 271 | 804 | 1,283 | 836 | 994 | 854 | 416 | 348 |
| 2 | 144 | 18,930 | 722 | 3,414 | 6,102 | 2,192 | 2,820 | 2,306 | 783 | 566 |
| 3 | 714 | 17,007 | 1,260 | 2,424 | 3,243 | 2,109 | 3,486 | 2,991 | 1,170 | 921 |
| 4 | 5,976 | 21,292 | 1,900 | 3,032 | 3,260 | 2,228 | 3,840 | 3,852 | 1,632 | 1,461 |
| 5 | 20,350 | 22,763 | 2,330 | 2,810 | 3,190 | 2,373 | 3,830 | 4,335 | 1,940 | 1,955 |
| 6 | 17,220 | 23,640 | 2,404 | 2,922 | 2,874 | 2,094 | 4,056 | 5,016 | 2,112 | 1,962 |
| 7 | 8,617 | 25,018 | 2,513 | 2,835 | 2,779 | 2,150 | 4,249 | 5,236 | 2,772 | 2,471 |
| 8 | 2,672 | 25,648 | 2,352 | 2,408 | 2,368 | 1,952 | 4,528 | 6,192 | 3,192 | 2,650 |
| 9 | 1,899 | 22,779 | 2,151 | 2,196 | 1,782 | 1,251 | 3,681 | 6,237 | 2,916 | 2,565 |
| 10 | 1,200 | 21,640 | 1,830 | 1,680 | 1,400 | 1,180 | 3,410 | 5,650 | 3,400 | 3,030 |
| 11 | 2,672 | 76,070 | 6,272 | 1,750 | 4,366 | 4,086 | 10,837 | 19,962 | 12,197 | 10,500 |
| 15 | 2,717 | 72,630 | 4,777 | 3,559 | 3,412 | 3,139 | 10,159 | 21,173 | 13,475 | 11,121 |
| 20 | 3,780 | 105,969 | 5,314 | 4,258 | 3,764 | 3,658 | 12,749 | 30,580 | 23,922 | 21,761 |
| 25 | 5,745 | 142,013 | 5,760 | 3,621 | 4,115 | 4,675 | 11,579 | 33,653 | 33,571 | 32,011 |
| 30 | 1,252 | 50,130 | 1,351 | 1,561 | 925 | 1,426 | 4,152 | 11,957 | 12,322 | 11,012 |
| 35+ | 67 | 124,643 | 1,650 | 1,636 | 2,787 | 4,424 | 11,332 | 23,151 | 20,261 | 17,111 |
| Total | 76,025 | 750,509 | 43,337 | 43,956 | 47,590 | 39,779 | 95,352 | 166,195 | 146,102 | 120,120 |

(1) Includes patient days of separations of all Manitoba resident in-patients from active treatment and extended treatment hospitals in Manitoba, as well as out-of-province hospitalization of Manitoba residents.

TABLE 5b (xi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1962

| Length of Stay (in days) | Patient-days of separations, female | | | | | | | | | |
|-----------------------------|-------------------------------------|---------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1-4 | 5-14 | 15-24 | 25-44 | 45-64 | 65-74 | 75+ |
| 1 | 137 | 6,501 | 197 | 603 | 1,037 | 1,464 | 2,002 | 709 | 225 | 264 |
| 2 | 116 | 23,672 | 508 | 2,534 | 5,760 | 4,284 | 6,672 | 2,888 | 564 | 462 |
| 3 | 909 | 25,038 | 1,077 | 1,995 | 2,844 | 4,515 | 8,556 | 4,071 | 1,116 | 864 |
| 4 | 6,968 | 35,312 | 1,564 | 2,144 | 3,024 | 7,960 | 13,316 | 4,516 | 1,648 | 1,140 |
| 5 | 20,380 | 61,857 | 1,940 | 2,490 | 2,970 | 18,397 | 27,715 | 4,800 | 1,900 | 1,645 |
| 6 | 15,282 | 64,638 | 1,734 | 2,574 | 2,724 | 19,422 | 28,764 | 5,202 | 2,280 | 1,938 |
| 7 | 6,743 | 49,436 | 2,037 | 2,121 | 2,872 | 12,404 | 19,572 | 5,796 | 2,492 | 2,112 |
| 8 | 2,232 | 36,032 | 1,488 | 2,176 | 2,208 | 7,080 | 12,160 | 5,760 | 2,632 | 2,528 |
| 9 | 1,566 | 31,320 | 1,521 | 1,692 | 1,560 | 4,797 | 10,332 | 6,282 | 2,979 | 2,151 |
| 10 | 1,470 | 30,070 | 1,560 | 1,530 | 1,200 | 3,300 | 9,470 | 7,060 | 3,030 | 2,860 |
| 11 - 14 | 2,478 | 92,967 | 4,181 | 4,162 | 3,953 | 7,765 | 23,638 | 25,390 | 12,829 | 11,049 |
| 15 - 19 | 2,237 | 72,431 | 3,268 | 2,890 | 2,467 | 4,160 | 14,831 | 21,241 | 11,761 | 11,813 |
| 20 - 29 | 3,404 | 97,892 | 4,314 | 3,283 | 2,367 | 4,679 | 15,746 | 23,757 | 13,963 | 19,263 |
| 30 - 59 | 6,400 | 125,637 | 4,216 | 3,034 | 3,815 | 4,927 | 17,509 | 30,508 | 23,508 | 33,120 |
| 60 - 89 | 1,927 | 43,212 | 1,453 | 1,222 | 1,086 | 1,510 | 3,720 | 9,135 | 10,084 | 14,997 |
| 90+ | 1,022 | 126,060 | 1,728 | 2,144 | 1,123 | 1,925 | 10,561 | 20,525 | 26,267 | 61,747 |
| Total | 72,456 | 922,075 | 32,791 | 36,594 | 41,576 | 103,589 | 224,564 | 162,640 | 127,296 | 166,003 |

(1) Includes patient-days of separations of all Manitoba resident in-patients from active treatment and extended treatment hospitals in Manitoba as well as out-of-province hospitalization of Manitoba residents.

TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), SASKATCHEWAN, 1962

| Length of stay in days | Patient-days of separations, male | | | | | | | | | |
|---------------------------|-----------------------------------|---------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 224 | 6,911 | 362 | 849 | 1,467 | 977 | 1,195 | 1,061 | 507 | 493 |
| 2 | 168 | 19,812 | 732 | 3,884 | 6,640 | 1,904 | 2,474 | 2,288 | 994 | 896 |
| 3 | 597 | 21,381 | 1,539 | 3,153 | 4,458 | 2,403 | 3,252 | 3,435 | 1,653 | 1,488 |
| 4 | 4,792 | 26,112 | 2,276 | 3,636 | 4,440 | 2,432 | 4,040 | 4,556 | 2,220 | 2,512 |
| 5 | 17,450 | 28,205 | 2,935 | 4,160 | 4,035 | 2,235 | 4,055 | 5,285 | 2,710 | 2,790 |
| 6 | 20,904 | 29,712 | 2,976 | 4,434 | 4,116 | 2,448 | 4,146 | 5,658 | 2,988 | 2,916 |
| 7 | 10,787 | 32,935 | 3,374 | 4,053 | 4,242 | 2,737 | 4,487 | 6,055 | 4,004 | 3,983 |
| 8 | 3,712 | 31,064 | 2,920 | 3,888 | 3,640 | 2,440 | 4,456 | 6,104 | 3,688 | 3,928 |
| 9 | 2,403 | 29,709 | 3,042 | 2,961 | 2,970 | 2,043 | 3,960 | 6,354 | 4,185 | 4,194 |
| 10 | 2,060 | 23,260 | 2,560 | 2,950 | 2,350 | 1,560 | 3,810 | 6,410 | 4,370 | 4,250 |
| 11 - 14 | 3,199 | 54,965 | 8,198 | 7,892 | 6,053 | 5,340 | 12,180 | 21,974 | 16,100 | 17,228 |
| 15 - 19 | 2,182 | 83,924 | 5,564 | 5,265 | 4,977 | 3,274 | 9,571 | 21,637 | 16,457 | 17,179 |
| 20 - 29 | 3,199 | 120,122 | 6,989 | 6,480 | 5,303 | 4,457 | 11,317 | 30,804 | 27,836 | 26,936 |
| 30 - 59 | 5,032 | 160,302 | 7,352 | 7,103 | 6,647 | 5,225 | 13,249 | 37,521 | 36,537 | 46,618 |
| 60 - 89 | 964 | 56,887 | 2,722 | 2,178 | 1,834 | 2,134 | 4,526 | 11,154 | 11,174 | 21,165 |
| 90+ | 599 | 77,725 | 1,128 | 4,018 | 2,189 | 3,888 | 4,804 | 13,030 | 17,300 | 31,363 |
| Total | 78,272 | 848,026 | 54,669 | 66,904 | 65,391 | 45,497 | 91,522 | 183,326 | 152,773 | 187,944 |

(1) Excludes patient-days of separations from geriatric hospitals at Regina, Saskatoon and Melfort.

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), SASKATCHEWAN, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | | |
|---------------------------|-------------------------------------|---------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 164 | 7,641 | 221 | 666 | 1,110 | 1,631 | 2,464 | 976 | 302 | 271 |
| 2 | 172 | 24,984 | 590 | 2,762 | 6,402 | 4,356 | 6,776 | 2,850 | 722 | 526 |
| 3 | 759 | 29,628 | 1,293 | 2,487 | 4,365 | 5,334 | 9,213 | 4,512 | 1,281 | 1,143 |
| 4 | 5,296 | 38,736 | 1,652 | 3,040 | 4,124 | 7,868 | 12,892 | 5,704 | 1,908 | 1,548 |
| 5 | 18,720 | 63,230 | 2,255 | 3,475 | 3,850 | 16,865 | 25,845 | 6,445 | 2,405 | 2,090 |
| 6 | 18,864 | 73,596 | 2,352 | 3,492 | 4,002 | 20,430 | 31,476 | 6,570 | 2,898 | 2,376 |
| 7 | 8,477 | 62,405 | 2,401 | 3,122 | 4,284 | 15,197 | 23,758 | 7,434 | 3,507 | 2,702 |
| 8 | 2,888 | 47,752 | 2,104 | 3,048 | 3,272 | 9,752 | 15,672 | 7,248 | 3,552 | 3,104 |
| 9 | 1,872 | 40,032 | 2,160 | 2,457 | 2,475 | 6,345 | 12,375 | 7,101 | 3,663 | 3,456 |
| 10 | 1,970 | 35,630 | 1,830 | 2,250 | 2,100 | 4,790 | 10,420 | 7,100 | 3,830 | 3,360 |
| 11 - 14 | 2,578 | 116,383 | 5,925 | 6,117 | 5,716 | 10,393 | 30,589 | 28,275 | 14,805 | 14,563 |
| 15 - 19 | 1,901 | 94,966 | 3,966 | 4,137 | 3,550 | 5,680 | 20,858 | 27,465 | 15,348 | 13,962 |
| 20 - 29 | 3,245 | 113,638 | 5,069 | 4,587 | 3,722 | 5,244 | 19,189 | 31,722 | 22,815 | 21,290 |
| 30 - 59 | 4,795 | 131,657 | 5,574 | 4,902 | 4,631 | 4,934 | 15,936 | 35,337 | 28,036 | 32,307 |
| 60 - 89 | 1,383 | 44,602 | 1,575 | 2,054 | 1,577 | 1,499 | 4,543 | 11,051 | 8,191 | 14,112 |
| 90+ | 623 | 68,957 | 2,345 | 2,948 | 1,621 | 1,221 | 5,407 | 11,868 | 14,435 | 29,112 |
| Total | 73,707 | 993,887 | 41,312 | 51,544 | 56,801 | 121,539 | 247,413 | 201,658 | 127,698 | 145,922 |

(1) Excludes patient-days of separations from geriatric hospitals at Regina, Saskatoon and Melfort.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), ALBERTA, 1962

| Length of stay in days | Patient-days of separations, male | | | | | | | | | |
|---------------------------|-----------------------------------|-----------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 308 | 10,762 | 420 | 1,269 | 2,136 | 1,724 | 2,504 | 1,680 | 552 | 477 |
| 2 | 178 | 28,888 | 922 | 5,326 | 9,796 | 3,006 | 4,302 | 3,454 | 1,164 | 918 |
| 3 | 723 | 31,164 | 1,911 | 4,470 | 6,624 | 3,699 | 5,964 | 5,052 | 1,989 | 1,455 |
| 4 | 8,532 | 35,056 | 2,712 | 4,736 | 5,940 | 4,228 | 6,596 | 6,020 | 2,712 | 2,112 |
| 5 | 21,420 | 38,795 | 3,415 | 5,555 | 6,000 | 4,070 | 7,180 | 6,760 | 3,155 | 2,660 |
| 6 | 28,734 | 40,032 | 3,996 | 5,274 | 5,688 | 3,894 | 7,518 | 7,278 | 3,306 | 3,078 |
| 7 | 25,704 | 43,512 | 4,305 | 5,390 | 5,656 | 3,682 | 7,959 | 8,365 | 4,333 | 3,822 |
| 8 | 10,832 | 43,184 | 4,256 | 4,888 | 4,672 | 3,504 | 8,152 | 8,800 | 5,024 | 3,868 |
| 9 | 5,661 | 39,159 | 3,573 | 4,266 | 3,303 | 2,934 | 6,948 | 8,883 | 4,761 | 4,491 |
| 10 | 4,050 | 35,010 | 3,370 | 2,980 | 2,980 | 2,290 | 6,300 | 8,270 | 4,450 | 4,370 |
| 11 - 14 | 6,749 | 117,064 | 8,742 | 9,706 | 8,077 | 7,274 | 19,223 | 27,968 | 18,309 | 17,765 |
| 15 - 19 | 5,505 | 105,590 | 6,004 | 6,986 | 6,232 | 5,775 | 16,099 | 27,095 | 18,086 | 19,313 |
| 20 - 29 | 7,099 | 139,115 | 6,369 | 6,966 | 7,327 | 5,440 | 20,025 | 37,048 | 27,882 | 28,058 |
| 30 - 59 | 8,013 | 185,434 | 6,291 | 7,144 | 10,428 | 7,734 | 23,156 | 48,001 | 40,438 | 42,242 |
| 60 - 89 | 1,808 | 78,438 | 1,497 | 2,071 | 4,590 | 3,538 | 6,864 | 16,967 | 17,340 | 25,571 |
| 90+ | 2,076 | 449,409 | 2,809 | 5,242 | 9,778 | 11,880 | 20,521 | 81,124 | 89,303 | 228,752 |
| Total | 137,392 | 1,420,612 | 60,592 | 82,269 | 99,227 | 74,672 | 169,311 | 302,765 | 242,804 | 388,972 |

(1) Includes patient-days of separations from out-of-province hospitals, general hospitals, auxiliary hospitals and contrast nursing homes, of Alberta resident in-patients. Includes days which are not the responsibility of the Provincial Plan, but excludes patient-days of non-residents.

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), ALBERTA, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | | |
|---------------------------|-------------------------------------|-----------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 236 | 12,175 | 280 | 1,047 | 1,564 | 2,853 | 4,280 | 1,487 | 369 | 295 |
| 2 | 128 | 36,772 | 774 | 4,256 | 9,138 | 6,444 | 10,638 | 4,048 | 906 | 568 |
| 3 | 870 | 42,225 | 1,482 | 3,498 | 6,153 | 8,487 | 13,686 | 6,204 | 1,605 | 1,110 |
| 4 | 8,756 | 56,504 | 2,256 | 4,020 | 5,280 | 13,896 | 19,944 | 7,136 | 2,448 | 1,524 |
| 5 | 21,805 | 85,875 | 2,765 | 4,335 | 5,370 | 25,795 | 34,715 | 7,930 | 2,825 | 2,140 |
| 6 | 27,270 | 100,476 | 2,826 | 4,362 | 5,238 | 32,172 | 42,564 | 7,890 | 2,982 | 2,142 |
| 7 | 22,806 | 101,661 | 3,318 | 4,606 | 5,509 | 31,199 | 41,363 | 8,911 | 3,794 | 2,961 |
| 8 | 10,336 | 75,672 | 3,304 | 3,992 | 4,480 | 19,184 | 29,400 | 8,608 | 3,603 | 3,096 |
| 9 | 5,346 | 58,392 | 2,889 | 3,006 | 3,528 | 11,223 | 21,375 | 9,324 | 3,627 | 3,420 |
| 10 | 3,850 | 48,960 | 2,450 | 2,520 | 2,620 | 7,330 | 17,430 | 9,150 | 3,710 | 3,750 |
| 11 - 14 | 6,977 | 145,426 | 6,797 | 7,761 | 7,054 | 15,145 | 45,278 | 34,655 | 15,050 | 13,666 |
| 15 - 19 | 5,455 | 111,018 | 4,745 | 5,051 | 5,076 | 8,173 | 27,205 | 30,791 | 15,613 | 14,334 |
| 20 - 29 | 7,723 | 126,177 | 5,203 | 5,114 | 6,291 | 7,134 | 26,172 | 34,470 | 20,020 | 21,763 |
| 30 - 59 | 7,563 | 153,618 | 5,405 | 6,127 | 7,270 | 7,780 | 24,227 | 39,490 | 29,865 | 33,453 |
| 60 - 89 | 1,942 | 65,726 | 1,701 | 1,442 | 3,466 | 2,563 | 6,573 | 13,638 | 11,563 | 24,730 |
| 90+ | 2,232 | 453,662 | 1,479 | 4,627 | 8,572 | 4,960 | 14,278 | 65,933 | 83,229 | 270,584 |
| Total | 133,295 | 1,674,339 | 47,679 | 65,764 | 86,609 | 204,338 | 379,128 | 289,665 | 201,245 | 399,911 |

(1) Includes patient-days of separations from out-of-province hospitals, general hospitals, auxiliary hospitals and contract nursing homes, of Alberta residents in-patients. Includes days which are not the responsibility of the Provincial Plan, but excludes patient-days of non-residents.

TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) BRITISH COLUMBIA, 1962

| Length of stay in days | Patient-days of separations, male | | | | | | | | | |
|---------------------------|-----------------------------------|-----------|---------|--------|---------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 224 | 7,525 | 251 | 1,044 | 1,786 | 983 | 1,339 | 1,129 | 489 | 504 |
| 2 | 154 | 33,294 | 723 | 7,508 | 12,599 | 2,593 | 4,259 | 3,506 | 1,168 | 938 |
| 3 | 615 | 28,626 | 1,377 | 3,911 | 6,177 | 3,335 | 6,186 | 4,753 | 1,501 | 1,386 |
| 4 | 5,583 | 32,297 | 1,900 | 4,270 | 5,301 | 3,436 | 6,941 | 6,257 | 2,160 | 2,032 |
| 5 | 21,690 | 36,903 | 2,780 | 4,905 | 5,637 | 3,473 | 7,035 | 7,592 | 2,885 | 2,596 |
| 6 | 31,791 | 39,092 | 3,336 | 5,154 | 5,226 | 3,448 | 7,043 | 8,463 | 3,440 | 2,982 |
| 7 | 23,675 | 44,139 | 3,731 | 5,507 | 5,339 | 3,444 | 8,081 | 9,742 | 4,221 | 4,074 |
| 8 | 10,855 | 43,184 | 3,392 | 4,968 | 4,540 | 2,888 | 7,951 | 9,949 | 4,440 | 5,056 |
| 9 | 6,218 | 40,106 | 3,132 | 4,359 | 3,807 | 2,465 | 6,355 | 10,222 | 4,959 | 4,806 |
| 10 | 4,709 | 38,111 | 3,100 | 4,076 | 2,990 | 2,098 | 5,910 | 9,387 | 5,270 | 5,280 |
| 11 - 14 | 6,390 | 130,959 | 9,785 | 10,043 | 8,608 | 5,980 | 18,710 | 34,904 | 21,044 | 21,885 |
| 15 - 19 | 4,414 | 127,158 | 7,290 | 7,880 | 6,737 | 4,262 | 15,989 | 35,177 | 25,233 | 24,590 |
| 20 - 29 | 7,289 | 186,576 | 7,895 | 8,540 | 8,667 | 5,406 | 17,663 | 50,829 | 43,138 | 44,433 |
| 30 - 59 | 8,552 | 252,841 | 8,295 | 8,865 | 10,477 | 6,734 | 19,287 | 62,800 | 63,175 | 73,208 |
| 60 - 89 | 2,238 | 88,347 | 2,911 | 2,161 | 5,075 | 2,138 | 5,668 | 18,809 | 22,576 | 29,009 |
| 90+ | 2,743 | 113,673 | 3,656 | 2,988 | 9,361 | 6,509 | 14,327 | 23,147 | 23,547 | 30,138 |
| Total | 137,140 | 1,242,831 | 63,554 | 86,179 | 102,327 | 59,193 | 152,744 | 296,666 | 229,246 | 252,922 |

(1) Excludes out-of-province hospitalization.

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), BRITISH COLUMBIA, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | | |
|---------------------------|-------------------------------------|-----------|---------|--------|--------|---------|---------|---------|---------|---------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 198 | 8,796 | 169 | 862 | 1,266 | 1,984 | 2,854 | 925 | 331 | 405 |
| 2 | 138 | 42,986 | 460 | 5,790 | 11,957 | 6,326 | 11,843 | 4,890 | 974 | 746 |
| 3 | 855 | 43,347 | 999 | 3,192 | 5,423 | 8,241 | 15,435 | 7,220 | 1,646 | 1,191 |
| 4 | 6,571 | 49,386 | 1,504 | 3,432 | 4,449 | 11,144 | 18,466 | 6,995 | 1,832 | 1,564 |
| 5 | 23,038 | 80,530 | 2,016 | 3,815 | 4,320 | 23,298 | 34,510 | 7,866 | 2,575 | 2,130 |
| 6 | 29,519 | 104,719 | 2,499 | 4,090 | 4,452 | 32,615 | 46,811 | 8,622 | 3,144 | 2,496 |
| 7 | 20,011 | 100,350 | 2,744 | 4,016 | 4,522 | 28,787 | 43,332 | 9,609 | 3,763 | 3,577 |
| 8 | 9,013 | 77,979 | 2,648 | 3,960 | 3,612 | 17,565 | 32,010 | 10,600 | 3,936 | 3,648 |
| 9 | 5,675 | 64,948 | 2,394 | 3,348 | 2,880 | 11,061 | 25,735 | 11,161 | 4,751 | 3,618 |
| 10 | 3,841 | 57,696 | 2,350 | 2,894 | 2,750 | 7,369 | 21,365 | 12,160 | 4,670 | 4,133 |
| 11 - 14 | 5,585 | 171,798 | 6,914 | 8,768 | 7,303 | 15,749 | 51,940 | 44,268 | 19,296 | 17,660 |
| 15 - 19 | 4,268 | 135,888 | 5,412 | 6,368 | 5,818 | 8,914 | 32,122 | 38,059 | 20,249 | 18,546 |
| 20 - 29 | 7,034 | 170,269 | 5,533 | 7,162 | 6,502 | 6,923 | 30,937 | 49,335 | 30,379 | 33,498 |
| 30 - 59 | 8,999 | 214,678 | 6,809 | 7,288 | 7,963 | 7,305 | 28,638 | 56,583 | 44,347 | 55,745 |
| 60 - 89 | 2,636 | 75,740 | 1,697 | 2,499 | 3,294 | 2,362 | 8,823 | 18,095 | 14,331 | 24,639 |
| 90+ | 1,113 | 101,032 | 3,028 | 3,414 | 6,542 | 4,276 | 9,347 | 24,612 | 18,559 | 31,254 |
| Total | 128,499 | 1,500,142 | 47,176 | 70,888 | 83,053 | 193,919 | 414,068 | 311,000 | 174,783 | 205,255 |

(1) Excludes out-of-province hospitalization.

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1962

| Length of stay in days | Patient-days of separations, male | | | | | | | | | |
|---------------------------|-----------------------------------|--------|---------|-------|--------|---------|---------|---------|---------|-------|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 13 | 190 | 39 | 35 | 37 | 17 | 36 | 21 | 4 | 1 |
| 2 | 14 | 478 | 72 | 110 | 142 | 46 | 72 | 28 | 6 | 2 |
| 3 | 84 | 747 | 126 | 159 | 192 | 63 | 102 | 78 | 3 | 24 |
| 4 | 216 | 976 | 168 | 236 | 116 | 112 | 156 | 140 | 24 | 24 |
| 5 | 650 | 1,075 | 225 | 280 | 140 | 115 | 190 | 105 | 10 | 10 |
| 6 | 402 | 1,146 | 234 | 174 | 168 | 144 | 216 | 162 | 36 | 12 |
| 7 | 399 | 1,288 | 266 | 315 | 168 | 182 | 154 | 126 | 49 | 28 |
| 8 | 136 | 1,414 | 360 | 256 | 310 | 120 | 168 | 120 | 64 | 16 |
| 9 | 90 | 1,269 | 306 | 396 | - | 117 | 180 | 180 | 36 | 54 |
| 10 | 110 | 1,090 | 270 | 200 | 140 | 90 | 180 | 140 | 50 | 20 |
| 11 - 14 | 146 | 3,424 | 704 | 835 | 402 | 254 | 531 | 504 | 86 | 103 |
| 15 - 19 | 67 | 3,227 | 548 | 782 | 539 | 269 | 420 | 351 | 218 | 100 |
| 20 - 29 | 104 | 3,505 | 932 | 642 | 379 | 176 | 539 | 538 | 140 | 159 |
| 30 - 59 | 91 | 4,671 | 511 | 772 | 727 | 319 | 851 | 760 | 509 | 222 |
| 60 - 89 | - | 1,995 | 151 | 361 | 139 | 227 | 416 | 639 | - | 62 |
| 90+ | - | 3,223 | - | 468 | 1,216 | 190 | 250 | 601 | 139 | 359 |
| Total | 2,522 | 29,718 | 4,912 | 6,021 | 4,815 | 2,441 | 4,461 | 4,493 | 1,374 | 1,201 |

(1) Includes out-of-territory hospitalization.

TABLE 5b (xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1962

| Length of stay in days | Patient-days of separations, female | | | | | | | | | |
|---------------------------|-------------------------------------|--------|---------|-------|--------|---------|---------|---------|---------|-----|
| | Newborn | Total | Under 1 | 1 - 4 | 5 - 14 | 15 - 24 | 25 - 44 | 45 - 64 | 65 - 74 | 75+ |
| 1 | 9 | 261 | 22 | 35 | 30 | 60 | 87 | 22 | 3 | 2 |
| 2 | 26 | 734 | 62 | 100 | 112 | 150 | 252 | 46 | 6 | 6 |
| 3 | 87 | 933 | 66 | 117 | 147 | 195 | 336 | 60 | 6 | 6 |
| 4 | 200 | 1,360 | 152 | 120 | 200 | 268 | 496 | 108 | 8 | 8 |
| 5 | 610 | 2,255 | 185 | 175 | 135 | 660 | 945 | 100 | 35 | 20 |
| 6 | 342 | 2,106 | 258 | 174 | 144 | 534 | 870 | 90 | 30 | 6 |
| 7 | 336 | 2,149 | 252 | 301 | 217 | 406 | 770 | 140 | 35 | 28 |
| 8 | 160 | 1,728 | 160 | 272 | 160 | 384 | 560 | 144 | 32 | 16 |
| 9 | 108 | 1,332 | 162 | 225 | 189 | 225 | 306 | 162 | 27 | 36 |
| 10 | 50 | 1,290 | 220 | 210 | 140 | 160 | 390 | 130 | 10 | 30 |
| 11 - 14 | 182 | 3,930 | 635 | 625 | 326 | 544 | 1,343 | 338 | 49 | 70 |
| 15 - 19 | 155 | 2,661 | 448 | 571 | 352 | 332 | 537 | 222 | 81 | 118 |
| 20 - 29 | 172 | 3,204 | 768 | 522 | 270 | 399 | 759 | 318 | 70 | 98 |
| 30 - 59 | 159 | 4,011 | 873 | 532 | 536 | 258 | 811 | 478 | 290 | 233 |
| 60 - 89 | - | 1,467 | 262 | 209 | 366 | 198 | 356 | 76 | - | - |
| 90+ | - | 3,912 | 172 | - | 732 | 793 | 768 | 1,447 | - | - |
| Total | 2,596 | 33,333 | 4,697 | 4,188 | 4,056 | 5,566 | 9,586 | 3,881 | 682 | 677 |

(1) Includes out-of-territory hospitalization.

TABLE 6(a) SEPARATIONS, BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA⁽²⁾, 1962

(1) See notes on page 198
(2) Excludes Newfoundland, Nova Scotia, and New Brunswick.

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|-------------|--------------|--------------|------------|------------|------------|------------|------------|------------|------------|
| 1. | Tuberculosis, all forms | M. F. | 28 29 | 83 71 | 67 51 | 63 61 | 83 93 | 112 115 | 98 136 | 140 173 | 137 114 | 165 116 |
| 2. | Poliovirulitis and encephalitis | M. F. | 47 26 | 201 154 | 263 205 | 379 291 | 113 107 | 36 76 | 70 55 | 59 54 | 41 55 | 25 34 |
| 3. | Infectious hepatitis | M. F. | 39 18 | 181 141 | 680 683 | 707 670 | 445 603 | 379 455 | 341 364 | 331 340 | 240 213 | 145 111 |
| 4. | Other diseases attri- butable to viruses | M. F. | 790 719 | 2214 1985 | 1404 1286 | 478 383 | 503 576 | 378 344 | 217 179 | 176 161 | 152 118 | 93 85 |
| 5. | Other infective bacterial, spiro- chaetal, rickettsial or parasitic diseases | M. F. | 1175 995 | 1369 1512 | 1061 1111 | 660 648 | 389 554 | 338 380 | 308 311 | 286 320 | 305 232 | 255 273 |
| 6. | Malignant neoplasms of buccal cavity & pharynx | M. F. | 1 -- | 2 -- | 3 5 | 1 4 | 11 11 | 12 9 | 10 17 | 40 19 | 41 23 | 72 35 |
| 7. | Malignant neoplasm of stomach | M. F. | -- -- | -- 1 | 1 -- | -- -- | 2 2 | 2 1 | 8 2 | 22 24 | 26 37 | 66 37 |
| 8. | Malignant neoplasm of large intestine except rectum | M. F. | -- -- | 1 -- | 1 2 | 3 2 | 4 4 | 10 4 | 9 21 | 23 39 | 50 76 | 66 133 |

TABLE 6(a) (Cont'd)

| Can list No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|--|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|--------------|
| 1. Tuberculosis, all forms | M. F. | 117 111 | 139 73 | 139 96 | 109 70 | 123 73 | 103 50 | 70 55 | 52 35 | 20 12 | -- -- | 1350 1535 |
| 2. Poliomyelitis and encephalitis | M. F. | 28 28 | 24 19 | 23 18 | 12 20 | 8 9 | 3 5 | -- 4 | -- 3 | -- -- | -- -- | 1332 1163 |
| 3. Infectious Hepatitis | M. F. | 110 104 | 97 74 | 64 71 | 38 42 | 43 40 | 25 24 | 27 24 | 15 13 | 10 3 | -- -- | 3937 4026 |
| 4. Other diseases attri- butable to viruses | M. F. | 85 87 | 74 113 | 97 114 | 67 130 | 103 110 | 92 138 | 78 127 | 59 79 | 29 48 | -- -- | 7095 6783 |
| 5. Other infective bacterial, spiro- chaetal, rickettsial or parasitic diseases | M. F. | 221 228 | 206 228 | 183 186 | 166 154 | 152 106 | 132 100 | 89 79 | 48 36 | 28 16 | -- -- | 7526 7519 |
| 6. Malignant neoplasms of buccal cavity & pharynx | M. F. | 106 50 | 153 54 | 198 60 | 196 70 | 213 34 | 224 66 | 187 60 | 126 34 | 70 20 | -- -- | 1655 571 |
| 7. Malignant neoplasm of stomach | M. F. | 128 62 | 209 69 | 301 106 | 357 136 | 405 185 | 497 242 | 423 203 | 251 150 | 115 50 | -- -- | 2813 1307 |
| 8. Malignant neoplasm of large intestine except rectum | M. F. | 123 202 | 169 268 | 280 337 | 326 386 | 359 396 | 498 457 | 349 404 | 225 224 | 126 155 | -- -- | 2622 3110 |

TABLE 6(a) (Cont'd)

| Can. Dist No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------|------------|------------|----------|----------|----------|-----------|-----------|-----------|-----------|
| 9. | Malignant neoplasm of rectum | M. F. | -- -- | 4 -- | -- -- | 1 -- | 1 -- | 2 4 | 7 3 | 9 15 | 36 27 | 123 53 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. F. | -- -- | 4 -- | -- 2 | 1 2 | 1 2 | 9 4 | 3 5 | 16 19 | 57 13 | 120 52 |
| 11. | Malignant neoplasm of breast | M. F. | -- -- | 1 1 | -- 1 | -- 3 | 1 5 | -- 12 | -- 81 | 1 224 | -- 551 | 6 920 |
| 12. | Malignant neoplasm of cervix uteri | M. F. | -- -- | -- -- | -- 1 | -- 2 | -- -- | -- 53 | -- 160 | -- 412 | -- 790 | -- 931 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. F. | -- -- | -- -- | -- -- | -- 5 | -- 3 | -- 7 | -- 23 | -- 37 | -- 68 | -- 132 |
| 14. | Malignant neoplasm of ovary, fallopian tube, & broad ligament | M. F. | -- -- | -- 1 | -- 3 | -- 3 | -- 10 | -- 16 | -- 15 | -- 24 | -- 91 | -- 155 |
| 15. | Malignant neoplasm of prostate | M. F. | 1 -- | -- -- | -- -- | -- -- | 1 -- | -- -- | 1 -- | 1 -- | 3 -- | 7 -- |
| 16. | Malignant neoplasm of kidney, bladder and other urinary organs | M. F. | 5 1 | 28 26 | 21 21 | 5 8 | 2 1 | 6 1 | 4 9 | 13 11 | 52 32 | 90 56 |
| 17. | Leukaemia and aleukaemia | M. F. | 15 9 | 195 116 | 151 127 | 94 53 | 54 34 | 30 21 | 32 26 | 28 29 | 56 62 | 75 68 |

Table 4(a) (Cont'd)

| Jan. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|----------|------------|------------|------------|------------|------------|------------|------------|-----------|----------|---------------------------------------|
| 9. | Malignant neoplasm of rectum | M. F. | 145 131 | 215 151 | 231 194 | 283 178 | 323 183 | 299 154 | 156 85 | 76 69 | -- -- | 1910 1350 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. F. | 490 115 | 676 130 | 857 113 | 820 127 | 691 130 | 403 77 | 159 45 | 64 16 | 1 -- | 4601 950 |
| 11. | Malignant neoplasm of breast | M. F. | 9 1178 | 17 941 | 12 909 | 17 339 | 25 758 | 23 491 | 15 308 | 6 149 | -- -- | 142 3507 |
| 12. | Malignant neoplasm of cervix uteri | M. F. | -- 768 | -- 521 | -- 440 | -- 327 | -- 217 | -- 141 | -- 88 | -- 26 | -- -- | -- 5317 ¹ ₉₅ |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. F. | -- 218 | -- 336 | -- 333 | -- 290 | -- 260 | -- 138 | -- 76 | -- 26 | -- -- | -- 2255 |
| 14. | Malignant neoplasm of ovary fallopian tube & broad ligament | M. F. | -- 190 | -- 191 | -- 213 | -- 148 | -- 141 | -- 99 | -- 33 | -- 14 | -- -- | -- 1592 |
| 15. | Malignant neoplasm of prostate | M. F. | 25 -- | 219 -- | 409 -- | 684 -- | 1084 -- | 1153 -- | 939 -- | 467 -- | -- -- | 4972 -- |
| 16. | Malignant neoplasm of kidney; bladder and other urinary organs | M. F. | 138 53 | 412 123 | 520 145 | 600 219 | 510 247 | 575 208 | 364 133 | 154 66 | 1 -- | 3894 1470 |
| 17. | Leukaemia and aleukaemia | M. F. | 89 70 | 168 96 | 133 105 | 213 114 | 217 104 | 186 93 | 89 53 | 50 26 | -- -- | 1924 1308 |

TABLE 6(a) (Cont'd)

| Jan. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|------------|-------------|------------|------------|--------------|--------------|--------------|--------------|-------------|--------------|
| 18. | Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue | M. F. | 44 24 | 185 143 | 184 129 | 183 123 | 246 173 | 191 135 | 264 211 | 312 235 | 468 398 | 184 535 |
| 19. | Benign neoplasm of uterus | M. F. | -- 2 | -- 3 | -- 5 | -- 8 | -- 72 | -- 403 | -- 882 | -- 1907 | -- 3634 | -- 5098 |
| 20. | Benign neoplasm of ovary | M. F. | -- 3 | -- 3 | -- 16 | -- 140 | -- 800 | -- 1381 | -- 1444 | -- 1365 | -- 1122 | -- 779 |
| 21. | Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature | M. F. | 437 498 | 766 730 | 671 648 | 697 712 | 1030 1713 | 1244 1967 | 1089 1741 | 1009 1920 | 934 2099 | 1020 2104 |
| 22. | Asthma | M. F. | 431 227 | 1331 710 | 863 528 | 481 352 | 233 279 | 138 290 | 177 306 | 235 397 | 309 472 | 297 530 |
| 23. | Other allergic disorders (excluding asthma) | M. F. | 315 198 | 511 369 | 303 253 | 228 224 | 132 238 | 153 226 | 160 191 | 186 214 | 130 185 | 142 175 |
| 24. | Diseases of thyroid gland | M. F. | 26 31 | 36 36 | 30 60 | 61 181 | 68 415 | 108 547 | 108 742 | 127 919 | 180 1082 | 185 1091 |
| 25. | Diabetes mellitus | M. F. | 10 4 | 124 103 | 243 215 | 383 466 | 340 378 | 256 327 | 282 350 | 380 379 | 477 513 | 609 656 |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total | |
|---------------------|---|----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|------------|----------|----------------|
| 18. | Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue | M. F. | 506 736 | 880 837 | 1097 915 | 1282 964 | 1208 1100 | 1228 1039 | 951 825 | 563 454 | 307 236 | 1 -- | 1945 5215 |
| 19. | Benign neoplasm of uterus | M. F. | -- 5012 | -- 2486 | -- 820 | -- 395 | -- 300 | -- 186 | -- 78 | -- 29 | -- 14 | -- -- | -- 21334 |
| 20. | Benign neoplasm of ovary | M. F. | -- 449 | -- 219 | -- 156 | -- 121 | -- 67 | -- 71 | -- 40 | -- 21 | -- 8 | -- -- | -- 2135 |
| 21. | Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature | M. F. | 1034 1867 | 992 1430 | 982 995 | 857 839 | 650 700 | 607 507 | 424 355 | 183 130 | 80 78 | -- 3 | 1433 2103 |
| 22. | Asthma | M. F. | 429 623 | 497 562 | 660 463 | 712 470 | 636 376 | 564 320 | 374 201 | 165 104 | 50 24 | -- -- | 1332 7234 |
| 23. | Other allergic dis- orders (excluding asthma) | M. F. | 129 153 | 102 118 | 73 117 | 51 68 | 53 62 | 48 53 | 28 33 | 17 13 | 5 10 | -- -- | 2745 2901 |
| 24. | Diseases of thyroid gland | M. F. | 159 964 | 196 825 | 125 641 | 122 443 | 78 364 | 47 221 | 32 133 | 8 39 | 1 13 | -- 1 | 1707 5735 |
| 25. | Diabetes mellitus | M. F. | 869 855 | 1103 1358 | 1154 1767 | 1219 2063 | 1237 2201 | 1204 2127 | 1007 1518 | 524 721 | 209 263 | -- -- | 11630 19945 |

TABLE 5(a) (Cont'd)

| TABLE 5(a) (Cont'd) | | | | | | | | | | | | |
|---------------------|--|---------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|
| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
| 26. | Diseases of other endocrine glands | M. | 46 | 80 | 72 | 77 | 68 | 46 | 44 | 50 | 53 | 60 |
| | | F. | 38 | 75 | 58 | 79 | 150 | 225 | 205 | 178 | 195 | 178 |
| 27. | Avitaminoses and other metabolic diseases | M. | 339 | 439 | 145 | 110 | 64 | 72 | 72 | 138 | 163 | 159 |
| | | F. | 256 | 392 | 142 | 171 | 176 | 142 | 144 | 197 | 235 | 230 |
| 28. | Diseases of the blood and blood- forming organs | M. | 637 | 1054 | 760 | 389 | 244 | 133 | 98 | 104 | 114 | 155 |
| | | F. | 386 | 647 | 359 | 252 | 300 | 313 | 344 | 372 | 483 | 511 |
| 29. | Psychoses | M. | -- | 6 | 33 | 39 | 232 | 386 | 398 | 546 | 614 | 561 |
| | | F. | -- | 9 | 17 | 64 | 338 | 582 | 773 | 902 | 919 | 856 |
| 30. | Psychoneurotic disorders | M. | 15 | 64 | 189 | 291 | 516 | 822 | 957 | 1290 | 1414 | 1370 |
| | | F. | 13 | 68 | 209 | 529 | 1857 | 2337 | 2854 | 3196 | 3300 | 2788 |
| 31. | Disorders of character, behaviour and intelligence | M. | 109 | 361 | 346 | 248 | 278 | 234 | 398 | 764 | 960 | 1073 |
| | | F. | 69 | 271 | 189 | 190 | 316 | 254 | 243 | 329 | 338 | 287 |
| 32. | Vascular lesions affecting central nervous system | M. | 73 | 131 | 128 | 89 | 85 | 77 | 71 | 114 | 178 | 269 |
| | | F. | 60 | 131 | 90 | 72 | 63 | 66 | 79 | 115 | 151 | 202 |
| 33. | Inflammatory and other diseases of central nervous system | M. | 636 | 1128 | 938 | 715 | 513 | 515 | 516 | 550 | 616 | 665 |
| | | F. | 468 | 973 | 737 | 649 | 663 | 565 | 621 | 730 | 742 | 736 |
| 34. | Diseases of nerves & peripheral ganglia | M. | 20 | 51 | 56 | 57 | 124 | 175 | 242 | 355 | 450 | 424 |
| | | F. | 9 | 33 | 51 | 90 | 193 | 252 | 304 | 403 | 438 | 445 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|----------|--------------|--------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------|
| 26. | Diseases of other endocrine glands | M. F. | 55 135 | 50 97 | 53 82 | 30 53 | 19 46 | 20 37 | 24 19 | 4 12 | 3 1 | 855 1834 |
| 27. | Avitaminoses and other metabolic diseases | M. F. | 185 248 | 206 193 | 182 191 | 151 153 | 127 120 | 115 91 | 95 62 | 63 45 | 34 29 | 2860 3219 |
| 28. | Diseases of the blood and blood- forming organs | M. F. | 168 486 | 203 379 | 269 334 | 342 376 | 362 464 | 504 509 | 400 469 | 259 327 | 183 171 | 6388 7484 |
| 29. | Psychoses | M. F. | 510 851 | 477 811 | 385 528 | 373 456 | 280 394 | 177 287 | 166 190 | 116 108 | 74 72 | 5373 8157 |
| 30. | Psychoneurotic disorders | M. F. | 1273 2362 | 1019 2011 | 786 1413 | 561 1051 | 355 790 | 202 550 | 130 265 | 56 91 | 14 20 | 11334 25704 |
| 31. | Disorders of character, behaviour and intelligence | M. F. | 1038 325 | 982 237 | 711 114 | 456 81 | 265 50 | 148 24 | 74 14 | 24 8 | 7 3 | 8487 3357 |
| 32. | Vascular lesions affecting central nervous system | M. F. | 443 387 | 787 588 | 1169 778 | 1573 1160 | 1910 1723 | 2580 2304 | 2640 2519 | 1822 2056 | 1166 1424 | 15308 13969 |
| 33. | Inflammatory and other diseases of central nervous system | M. F. | 636 731 | 691 604 | 677 558 | 640 529 | 623 534 | 623 489 | 477 394 | 258 249 | 129 137 | 11555 11116 |
| 34. | Diseases of nerves & peripheral ganglia | M. F. | 435 497 | 440 472 | 363 369 | 295 281 | 276 268 | 220 219 | 157 159 | 81 109 | 33 49 | 4255 4641 |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|--------------|--------------|--------------|--------------|------------|------------|------------|-------------|-------------|-------------|
| 35. | Diseases and conditions of the eye | M. F. | 504 449 | 2319 2276 | 2306 2154 | 887 870 | 617 615 | 444 432 | 457 352 | 486 406 | 522 443 | 475 520 |
| 36. | Diseases of ear and mastoid process | M. F. | 2556 1917 | 3690 2778 | 2394 1837 | 1129 1017 | 504 630 | 347 498 | 445 535 | 522 693 | 517 808 | 492 795 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M. F. | 1 9 | 160 120 | 627 629 | 661 676 | 300 474 | 179 305 | 172 344 | 259 394 | 272 525 | 276 524 |
| 38. | Arteriosclerotic and degenerative heart disease | M. F. | 21 17 | 64 55 | 61 59 | 48 45 | 61 62 | 86 61 | 144 82 | 444 197 | 1097 385 | 2316 770 |
| 39. | Other diseases of the heart | M. F. | 50 35 | 44 37 | 91 88 | 105 66 | 100 99 | 96 126 | 114 169 | 182 216 | 250 248 | 332 335 |
| 40. | Hypertensive heart disease and other hypertensive disease | M. F. | 3 4 | 8 10 | 17 13 | 28 38 | 80 64 | 106 80 | 124 139 | 237 211 | 321 400 | 438 559 |
| 41. | Diseases of arteries | M. F. | 14 4 | 19 27 | 24 21 | 13 20 | 45 42 | 55 52 | 61 64 | 84 91 | 146 116 | 270 139 |
| 42. | Varicose veins of lower extremities | M. F. | 2 1 | 3 5 | 2 6 | 6 9 | 27 62 | 76 344 | 141 973 | 248 1583 | 363 1946 | 378 1860 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------|----------------|
| 35. | Diseases and conditions of the eye | M. F. | 687 559 | 776 762 | 914 935 | 1040 1075 | 1145 1325 | 1247 1622 | 1104 1350 | 592 823 | 263 331 | 1 -- | 16784 17301 |
| 36. | Diseases of ear and mastoid process | M. F. | 454 765 | 402 622 | 376 532 | 264 383 | 158 282 | 116 176 | 82 98 | 42 49 | 18 23 | -- 1 | 14506 14439 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M. F. | 276 524 | 335 544 | 276 376 | 182 305 | 133 215 | 93 150 | 58 100 | 24 45 | 20 22 | -- -- | 4304 5281 |
| 38. | Arteriosclerotic and degenerative heart disease | M. F. | 3923 1429 | 5221 2204 | 6096 2873 | 6546 3884 | 6470 4640 | 6507 5482 | 5633 4965 | 3436 3347 | 2046 2099 | 4 3 | 50200 32111 |
| 39. | Other diseases of the heart | M. F. | 442 437 | 659 516 | 861 584 | 1063 787 | 1179 1090 | 1460 1375 | 1496 1356 | 1136 1026 | 751 710 | -- 2 | 10411 9303 |
| 40. | Hypertensive heart disease and other hypertensive disease | M. F. | 657 934 | 744 1241 | 789 1473 | 870 1554 | 859 1686 | 850 1763 | 632 1390 | 397 864 | 175 418 | -- 1 | 7335 12842 |
| 41. | Diseases of arteries | M. F. | 366 179 | 619 221 | 739 271 | 923 394 | 954 442 | 1029 626 | 918 717 | 746 589 | 559 559 | -- -- | 7634 4576 |
| 42. | Varicose veins of lower extremities | M. F. | 462 1567 | 501 1296 | 439 1024 | 408 758 | 254 582 | 220 422 | 152 295 | 77 153 | 44 63 | -- -- | 3804 12949 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|---------------|----------------|----------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 43. | Haemorrhoids | M. F. | 4 1 | 16 10 | 7 4 | 9 11 | 83 125 | 305 447 | 610 702 | 954 1050 | 1308 1251 | 1340 1268 |
| 44. | Phlebitis and thrombophlebitis | M. F. | 2 -- | 1 4 | 3 5 | 14 14 | 27 65 | 36 102 | 59 176 | 100 254 | 134 289 | 160 338 |
| 45. | Other diseases of the circulatory system | M. F. | 174 131 | 923 754 | 1614 1564 | 1182 1097 | 447 597 | 242 272 | 184 222 | 183 270 | 175 225 | 213 220 |
| 46. | Acute upper respira- tory infections | M. F. | 4976 3891 | 9418 7092 | 3009 2708 | 1068 1231 | 761 1284 | 659 879 | 455 559 | 409 440 | 340 399 | 262 362 |
| 47. | Influenza | M. F. | 721 635 | 1206 1109 | 885 883 | 632 722 | 495 791 | 362 658 | 336 517 | 343 447 | 352 434 | 318 396 |
| 48. | Pneumonia | M. F. | 10247 7534 | 11358 9388 | 3494 3162 | 1410 1184 | 1132 836 | 754 820 | 699 1066 | 930 1195 | 1000 1175 | 1112 1074 |
| 49. | Bronchitis | M. F. | 6539 4631 | 7412 5183 | 1885 1487 | 642 634 | 434 612 | 324 614 | 318 604 | 354 676 | 508 723 | 567 834 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. | 327 189 | 29290 23461 | 37519 37147 | 8641 11634 | 2794 6639 | 2390 3606 | 1886 2178 | 1439 1519 | 911 879 | 433 511 |
| 51. | Other diseases of respiratory system | M. F. | 785 591 | 1321 862 | 1143 826 | 1079 849 | 1910 1431 | 1944 1377 | 1857 1317 | 1825 1383 | 1701 1317 | 1616 1177 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|----------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|----------|----------------|
| 43. | Haemorrhoids | M. F. | 1141 1132 | 809 583 | 548 434 | 371 281 | 252 189 | 129 111 | 50 51 | 29 22 | 1 -- | 8922 9510 |
| 44. | Phlebitis and thrombophlebitis | M. F. | 197 387 | 246 313 | 231 373 | 224 369 | 186 304 | 130 205 | 57 93 | 28 37 | -- -- | 2072 3593 |
| 45. | Other diseases of the circulatory system | M. F. | 206 199 | 218 180 | 239 151 | 223 154 | 184 139 | 146 142 | 98 71 | 52 42 | -- 1 | 6964 6620 |
| 46. | Acute upper respir- atory infections | M. F. | 236 301 | 172 259 | 170 191 | 148 143 | 124 165 | 110 120 | 79 75 | 37 52 | -- 1 | 22648 20446 |
| 47. | Influenza | M. F. | 319 384 | 290 405 | 306 377 | 285 372 | 283 376 | 302 354 | 211 230 | 144 158 | -- 1 | 8133 9644 |
| 48. | Pneumonia | M. F. | 1295 1105 | 1478 1140 | 1664 1134 | 1635 1188 | 1800 1298 | 1769 1239 | 1358 980 | 1014 822 | 3 4 | 45540 37466 |
| 49. | Bronchitis | M. F. | 779 810 | 1245 767 | 1377 744 | 1392 674 | 1250 604 | 1063 543 | 614 349 | 297 193 | 1 -- | 27906 21478 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. | 216 292 | 64 149 | 40 71 | 25 26 | 7 18 | 8 8 | 2 5 | 1 1 | -- -- | 86138 98555 |
| 51. | Other diseases of respiratory system | M. F. | 1568 1141 | 1559 888 | 1650 735 | 1347 721 | 1232 671 | 854 496 | 441 299 | 243 178 | -- 1 | 25683 17273 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 52. | Diseases of teeth and supporting structure | -- 1 | 68 64 | 1073 1048 | 1780 2059 | 726 1020 | 1535 2512 | 1453 2106 | 948 1660 | 780 1416 | 740 1218 | 606 1014 |
| 53. | Ulcer of stomach, duodenum & jejunum | -- 1 | 18 3 | 34 23 | 79 74 | 158 126 | 375 275 | 978 410 | 1669 592 | 2343 811 | 3029 1174 | 3173 1344 |
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum | -- 1 | 318 249 | 295 316 | 340 340 | 281 282 | 330 660 | 592 788 | 828 759 | 1033 848 | 1110 954 | 1145 996 |
| 55. | Appendicitis | 1 2 | 17 17 | 623 492 | 3883 3631 | 5695 5494 | 4409 5798 | 2643 3070 | 1982 1685 | 1660 1184 | 1301 904 | 1046 617 |
| 56. | Hernia of abdominal cavity | 6 1 | 2752 826 | 4721 1244 | 2635 640 | 946 150 | 1105 222 | 1587 351 | 1507 644 | 1952 953 | 2247 1108 | 2535 1230 |
| 57. | Intestinal obstruction without mention of hernia | 3 -- | 252 147 | 283 165 | 248 143 | 175 116 | 105 133 | 86 155 | 96 173 | 136 250 | 140 321 | 194 335 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | 3 1 | 8141 6463 | 5697 4697 | 1369 1290 | 905 859 | 476 811 | 439 386 | 397 625 | 393 588 | 365 555 | 340 569 |
| 59. | Chronic enteritis and ulcerative colitis | 1 -- | 28 15 | 52 27 | 28 21 | 42 58 | 102 116 | 135 138 | 129 155 | 166 249 | 169 286 | 245 277 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|----------|--------------|--------------|-------------|-------------|-------------|-------------|------------|------------|----------|----------------|
| 52. | Diseases of teeth and supporting structure | M. F. | 444 566 | 358 371 | 248 250 | 142 122 | 114 70 | 45 44 | 16 21 | 14 12 | -- -- | 11657 16365 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. F. | 3327 1511 | 2953 1085 | 2446 872 | 1851 731 | 1482 631 | 1074 482 | 505 261 | 213 118 | 3 3 | 29071 11930 |
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum | M. F. | 1058 871 | 852 659 | 719 585 | 518 474 | 489 406 | 299 308 | 188 163 | 117 91 | -- -- | 11483 10492 |
| 55. | Appendicitis | M. F. | 755 430 | 453 250 | 329 225 | 261 171 | 179 134 | 118 104 | 69 54 | 27 25 | 1 2 | 25740 24642 |
| 56. | Hernia of abdominal cavity | M. F. | 2896 1234 | 3379 1061 | 3085 955 | 2497 830 | 2121 695 | 1440 529 | 740 270 | 363 156 | 5 -- | 41530 14227 |
| 57. | Intestinal obstruction without mention of hernia | M. F. | 189 389 | 265 266 | 270 309 | 299 327 | 346 336 | 296 367 | 228 287 | 162 181 | -- -- | 4059 4754 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | M. F. | 383 549 | 345 474 | 330 432 | 276 404 | 281 404 | 242 347 | 190 271 | 112 171 | 1 1 | 21127 20921 |
| 59. | Chronic enteritis and ulcerative colitis | M. F. | 285 356 | 365 485 | 401 573 | 460 676 | 428 743 | 415 627 | 241 382 | 120 210 | -- -- | 4127 5805 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|-----------|------------|-------------|------------|-------------|-------------|--------------|--------------|--------------|
| 60. | Cirrhosis and other diseases of liver | M. F. | 34 17 | 51 34 | 150 149 | 162 169 | 160 201 | 82 183 | 228 208 | 270 266 | 341 303 |
| 61. | Diseases of gall-bladder & pancreas | M. F. | 1 3 | 84 58 | 53 36 | 40 164 | 104 917 | 191 2589 | 801 3712 | 1041 4081 | 1259 3916 |
| 62. | Other diseases of digestive system | M. F. | -- 1 | 788 501 | 777 697 | 534 534 | 487 836 | 611 936 | 1113 1105 | 1241 1274 | 1190 1292 |
| 63. | Nephritis and nephrosis | M. F. | -- -- | 39 27 | 619 495 | 357 297 | 250 189 | 146 181 | 168 167 | 168 165 | 159 145 |
| 64. | Infections of kidney | M. F. | -- -- | 103 185 | 335 1504 | 346 764 | 206 1147 | 204 1219 | 280 930 | 286 851 | 273 765 |
| 65. | Calculi of kidney, ureter and other parts of urinary system | M. F. | 2 -- | -- 2 | 21 27 | 37 43 | 142 154 | 386 354 | 1077 404 | 1178 440 | 1266 393 |
| 66. | Other diseases of urinary system | M. F. | 1 1 | 203 138 | 853 1485 | 553 616 | 375 711 | 455 962 | 606 1124 | 618 1246 | 647 1288 |
| 67. | Hyperplasia of prostate | M. F. | -- -- | -- -- | 7 -- | 2 -- | 6 -- | 21 -- | 51 -- | 63 -- | 117 -- |
| 68. | Redundant prepuce and phimosis | M. F. | 231 -- | 2245 -- | 1656 -- | 749 -- | 348 -- | 630 -- | 294 -- | 167 -- | 123 -- |

Table 6(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|----------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|------------|----------|----------------|
| 60. | Cirrhosis and other diseases of liver | M. F. | 410 289 | 506 310 | 452 268 | 345 202 | 264 171 | 234 139 | 117 75 | 25 24 | 1 -- | 392 320 |
| 61. | Diseases of gall-bladder | M. F. | 1501 4146 | 1642 4075 | 1544 3750 | 1325 3137 | 1255 2665 | 1164 2165 | 774 1161 | 209 359 | 4 3 | 13942 21361 |
| 62. | Other diseases of digestive system | M. F. | 1103 1206 | 1064 1079 | 903 845 | 801 786 | 666 669 | 621 572 | 529 514 | 196 182 | 2 4 | 14133 15313 |
| 63. | Hepatitis and nephrosis | M. F. | 169 156 | 145 136 | 137 123 | 139 104 | 110 100 | 103 77 | 61 66 | 31 36 | -- | 210 302 |
| 64. | Infections of kidney | M. F. | 282 622 | 304 634 | 288 514 | 261 420 | 253 377 | 266 347 | 247 267 | 115 86 | -- | 211 276 |
| 65. | Calculi of kidney, ureter and other parts of urinary system | M. F. | 1256 380 | 1226 377 | 991 350 | 741 296 | 524 223 | 404 155 | 210 128 | 53 22 | 1 -- | 1410 211 |
| 66. | Other diseases of urinary system | M. F. | 706 1203 | 742 1137 | 854 1016 | 309 931 | 926 722 | 960 708 | 791 466 | 368 165 | -- | 14127 16107 |
| 67. | Hyperplasia of prostate | M. F. | 264 -- | 655 -- | 1304 -- | 1978 -- | 2491 -- | 3086 -- | 2691 -- | 871 -- | 20 -- | 15843 -- |
| 68. | Redundant prepuce and phimosis | M. F. | 108 -- | 90 -- | 87 -- | 77 -- | 69 -- | 78 -- | 53 -- | 11 -- | -- | 1410 -- |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|-----------|-----------|-----------|------------|-------------|--------------|--------------|-------------|-------------|-------------|
| 69. | Diseases of ovary, Fallopian tube & para- metrium, & infective disease of uterus, vagina & vulva | M. F. | -- 13 | -- 151 | -- 206 | -- 296 | -- 2068 | -- 4633 | -- 5286 | -- 5139 | -- 4564 | -- 3428 |
| 70. | Uterovaginal prolapse | M. F. | -- -- | -- 4 | -- 2 | -- -- | -- 15 | -- 168 | -- 495 | -- 1113 | -- 1800 | -- 2135 |
| 71. | Disorders of menstruation | M. F. | -- 2* | -- 3* | -- 10 | -- 409 | -- 1952 | -- 3588 | -- 3901 | -- 4376 | -- 4473 | -- 4242 |
| 72. | Other diseases of genital organs | M. F. | 404 62 | 869 58 | 542 92 | 467 129 | 541 783 | 505 2742 | 579 3659 | 607 3669 | 644 3826 | 692 3995 |
| 73. | Complications of pregnancy | M. F. | -- -- | -- -- | -- -- | -- 49 | -- 7337 | -- 21130 | -- 18077 | -- 13107 | -- 3041 | -- 2758 |
| 74. | Abortion | M. F. | -- -- | -- -- | -- -- | -- 22 | -- 3085 | -- 12336 | -- 13060 | -- 11068 | -- 8496 | -- 4133 |
| 75. | Delivery without mention of compli- cations | M. F. | -- -- | -- -- | -- -- | -- 185 | -- 33292 | -- 119919 | -- 106885 | -- 73111 | -- 39618 | -- 11955 |
| 76. | Delivery with specified complications | M. F. | -- -- | -- -- | -- -- | -- 20 | -- 2192 | -- 8304 | -- 8615 | -- 6965 | -- 4536 | -- 1577 |

* probably miscoded.

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 77. | Complications of the puerperium | M. F. | -- -- | -- -- | -- -- | -- 4 | -- 396 | -- 1214 | -- 1014 | -- 797 | -- 508 | -- 217 |
| 78. | Infection of skin & subcutaneous tissue | M. F. | 913 825 | 2505 2326 | 2000 1594 | 1662 1229 | 1478 1092 | 1033 727 | 904 617 | 856 661 | 871 663 | 801 607 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. | 1162 819 | 1279 949 | 750 805 | 1695 1400 | 1678 1538 | 866 1114 | 613 921 | 758 951 | 646 982 | 630 938 |
| 80. | Arthritis & rheumatism, except rheumatic fever | M. F. | 43 25 | 190 177 | 300 325 | 385 378 | 394 481 | 441 502 | 568 622 | 916 926 | 1093 1161 | 1226 1350 |
| 81. | Displacement of intervertebral disc | M. F. | -- -- | 4 3 | 2 3 | 7 11 | 139 123 | 381 315 | 783 554 | 1433 848 | 1699 1152 | 1517 1053 |
| 82. | Other diseases of bones & organs of movement | M. F. | 410 228 | 1107 701 | 1416 909 | 1428 1502 | 1477 1431 | 1204 1010 | 1215 923 | 1291 1076 | 1416 1215 | 1265 1357 |
| 83. | Congenital malformations | M. F. | 3370 2595 | 2514 2303 | 2386 1281 | 1554 813 | 708 746 | 422 660 | 319 501 | 275 421 | 300 382 | 255 242 |
| 84. | Certain diseases of early infancy | M. F. | 5983 4836 | 132 121 | 10 12 | 12 12 | 3 5 | 2 2 | -- 1 | 2 6 | 1 3 | 1 2 |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. | 1299 1102 | 2735 2384 | 2585 2384 | 2028 2065 | 1348 2264 | 1242 2144 | 1350 1897 | 1521 1907 | 1706 1839 | 1675 1770 |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|--------------------------|--------------|--------------|--------------|--------------|--------------|-------------|------------|------------|----------|----------------|
| 77. | Complications of the puerperium | M. F. -- 28 | -- 1 | -- 1 | -- 1 | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- 1181 |
| 78. | Infection of skin & subcutaneous tissue | M. F. 712 480 | 607 494 | 500 394 | 395 329 | 331 276 | 260 238 | 223 168 | 138 110 | 87 57 | -- -- | 16233 12639 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. 676 983 | 587 912 | 548 745 | 540 613 | 537 562 | 429 491 | 350 311 | 204 229 | 147 112 | 2 -- | 14100 15377 |
| 80. | Arthritis & rheumatism, except rheumatic fever | M. F. 1447 1651 | 1529 1867 | 1529 1747 | 1404 1722 | 1261 1647 | 1069 1584 | 914 1326 | 517 782 | 269 445 | 2 2 | 15498 18691 |
| 81. | Displacement of intervertebral disc | M. F. 1369 979 | 1037 713 | 768 511 | 484 318 | 242 201 | 145 127 | 69 69 | 27 27 | 14 19 | 1 -- | 10121 7026 |
| 82. | Other diseases of bones & organs of movement | M. F. 1326 1436 | 1136 1501 | 1010 1275 | 773 997 | 536 824 | 422 709 | 261 465 | 142 266 | 83 156 | -- -- | 17933 17988 |
| 83. | Congenital malformations | M. F. 226 247 | 156 207 | 139 128 | 107 103 | 85 73 | 74 66 | 41 51 | 15 21 | 6 5 | -- -- | 13186 11114 |
| 84. | Certain diseases of early infancy | M. F. -- 1 | 1 2 | -- -- | -- -- | -- 1 | 1 1 | -- -- | 1 -- | -- -- | -- -- | 5616 6888 |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. 1685 1636 | 1645 1491 | 1566 1309 | 1339 1118 | 1297 1023 | 1162 968 | 923 786 | 791 595 | 563 448 | 5 -- | 28527 29168 |

TABLE 5(a) (Cont'd)

| Jan. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|----------|--------------|--------------|--------------|--------------|-------------|-------------|-------------|--------------|-------------|
| 86. | Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp | M. F. | 1 1 | 2177 1588 | 2735 1140 | 2330 869 | 2957 1106 | 2603 726 | 1705 496 | 1391 451 | 1190 1149 | 988 1119 |
| 87. | Fracture of spine and trunk | M. F. | -- -- | 54 32 | 130 67 | 212 1145 | 539 338 | 609 244 | 528 225 | 565 204 | 597 270 | 627 297 |
| 88. | Fracture of upper limb | M. F. | -- 1 | 1008 802 | 3549 2023 | 3763 1615 | 1905 431 | 1052 317 | 802 250 | 720 322 | 730 401 | 711 1149 |
| 89. | Fracture of femur | M. F. | 2 -- | 510 260 | 548 221 | 351 125 | 275 80 | 210 52 | 137 42 | 1144 50 | 1140 71 | 118 103 |
| 90. | Other fractures of lower limbs (excluding femur) | M. F. | -- -- | 400 253 | 835 501 | 1390 703 | 1510 1148 | 1246 358 | 1108 372 | 1158 483 | 1069 505 | 1024 552 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. F. | -- -- | 158 106 | 356 192 | 762 504 | 1662 812 | 1675 517 | 1599 474 | 1616 546 | 1538 577 | 1312 510 |
| 92. | Internal injury of chest, abdomen and pelvis | M. F. | 1 1 | 69 27 | 204 66 | 168 52 | 242 58 | 250 55 | 172 54 | 163 38 | 1143 42 | 104 38 |
| 93. | Burns | M. F. | -- -- | 1589 1159 | 517 338 | 419 204 | 407 195 | 436 163 | 389 154 | 419 156 | 306 1149 | 305 110 |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|-------------------------|------------|------------|------------|------------|------------|-------------|-------------|-------------|----------|----------------|
| 86. | Fracture of or involv- ing skull or face bones, and head injury except open wound, contusion and haema- toma of scalp | M. F. 772 382 | 670 309 | 586 224 | 432 211 | 321 179 | 279 185 | 169 128 | 97 88 | 69 73 | 6 2 | 21879 9655 |
| 87. | Fracture of spine and trunk | M. F. 619 348 | 578 369 | 590 302 | 516 322 | 373 377 | 352 397 | 287 401 | 187 318 | 150 273 | -- 1 | 7516 4925 |
| 88. | Fracture of upper limb | M. F. 609 593 | 566 863 | 474 930 | 387 979 | 316 921 | 256 906 | 220 675 | 120 434 | 98 308 | 1 1 | 17338 13270 |
| 89. | Fracture of femur | M. F. 163 147 | 176 261 | 194 328 | 185 464 | 245 681 | 369 997 | 390 1353 | 382 1374 | 421 1392 | 1 3 | 5042 8090 |
| 90. | Other fractures of lower limbs (exclu- ding femur) | M. F. 928 553 | 819 574 | 669 585 | 518 496 | 397 452 | 283 463 | 173 328 | 96 190 | 46 133 | 1 2 | 13654 7973 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. F. 1052 494 | 863 449 | 643 375 | 429 303 | 278 274 | 178 257 | 140 179 | 83 125 | 38 95 | 3 -- | 14406 6841 |
| 92. | Internal injury of chest, abdomen and pelvis | M. F. 104 44 | 107 33 | 108 20 | 62 18 | 41 27 | 32 17 | 20 12 | 18 5 | 6 2 | 1 -- | 2020 613 |
| 93. | Burns | M. F. 240 105 | 185 100 | 148 87 | 121 70 | 61 60 | 72 66 | 65 52 | 34 26 | 29 22 | -- -- | 5978 3393 |

Table 6(a) (Cont'd)

| Can. List | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|--------------|---|----------|----------------|-----------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| 24. | Other and unspecified effects of accidents, poisonings and violence | M. F. | 644 424 | 7427 5332 | 4907 2962 | 4394 2017 | 5723 2692 | 5598 2093 | 4125 1723 | 3816 1810 | 3454 1902 | 2916 1551 |
| 25. | Medical or special examination (without sickness) | M. F. | 22 17 | 19 17 | 25 11 | 9 14 | 19 60 | 16 100 | 9 38 | 22 47 | 23 32 | 36 23 |
| 26. | Mature newborn | M. F. | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- |
| 27. | Immature newborn | M. F. | -- -- | -- --- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- |
| 28. | Other special admissions, examinations, etc. | M. F. | 331 317 | 258 257 | 279 178 | 283 221 | 319 394 | 324 606 | 263 562 | 305 425 | 340 425 | 330 305 |
| Grand Total | | M. F. | 62646 44793 | 121119 72505 | 102603 88010 | 59021 52244 | 49219 104653 | 45023 222264 | 42199 207443 | 47333 171323 | 50288 133234 | 50921 92601 |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|---------|
| 94. Other and unspecified effects of accidents, poisonings and violence | M. | 2599 | 2286 | 1814 | 1482 | 1040 | 833 | 627 | 412 | 220 | 4 | 54328 |
| | F. | 1462 | 1310 | 1037 | 861 | 777 | 692 | 630 | 459 | 342 | 2 | 29981 |
| 95. Medical or special examination (without sickness) | M. | 40 | 31 | 35 | 13 | 24 | 18 | 9 | 2 | -- | 1 | 498 |
| | F. | 23 | 19 | 14 | 10 | 9 | 5 | 6 | 4 | -- | -- | 582 |
| 96. Mature newborn | M. | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 118664 |
| | F. | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 112509 |
| 97. Immature newborn | M. | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 6597 |
| | F. | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 7317 |
| 98. Other special admissions, examinations, etc. | M. | 317 | 384 | 373 | 404 | 371 | 369 | 294 | 141 | 62 | 1 | 5810 |
| | F. | 337 | 360 | 375 | 424 | 446 | 526 | 401 | 271 | 162 | 2 | 7034 |
| Grand Total | M. | 53605 | 56430 | 56315 | 54252 | 50171 | 49158 | 40418 | 24994 | 14662 | 84 | 1159161 |
| | F. | 72243 | 61949 | 51961 | 48289 | 46510 | 45258 | 36983 | 24089 | 14942 | 86 | 1733778 |

TABLE 6(b) PATIENT-DAYS, BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP FOR PROVINCIAL-PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA(2) 1962

(1) See notes on page 198
(2) Excludes Newfoundland, Nova Scotia and New Brunswick.

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|------------|------------------|------------------|----------------|----------------|----------------|-----------------|----------------|----------------|----------------|
| 1. | Tuberculosis, all forms | M. F. | 530 440 | 2,188 2,093 | 1,164 777 | 703 1,108 | 7,933 1,334 | 1,944 2,200 | 10,854 2,157 | 2,677 2,936 | 2,378 2,199 | 1,960 1,624 |
| 2. | Polymyelitis and encephalitis | M. F. | -- -- | 5,845 6,759 | 4,433 3,667 | 9,793 7,479 | 5,947 3,275 | 1,461 1,830 | 3,611 1,489 | 3,333 2,995 | 3,243 4,308 | 1,759 3,307 |
| 3. | Infectious hepatitis | M. F. | -- -- | 2,183 1,663 | 7,890 8,232 | 8,436 7,784 | 5,775 7,449 | 5,056 6,201 | 4,539 5,636 | 4,092 5,323 | 3,510 3,493 | 2,502 2,222 |
| 4. | Other diseases attributable to viruses | M. F. | 1 -- | 20,598 17,978 | 10,608 9,712 | 3,519 2,732 | 4,606 5,518 | 3,460 3,151 | 1,773 1,546 | 1,343 1,324 | 1,235 1,022 | 563 516 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or para- sitic diseases | M. F. | 948 916 | 20,233 20,765 | 10,604 12,268 | 6,069 5,689 | 3,188 4,583 | 2,824 2,808 | 2,610 2,545 | 2,560 2,542 | 3,364 3,543 | 2,797 3,007 |
| 6. | Malignant neoplasms of buccal cavity & pharynx | M. F. | -- -- | 11 -- | 84 62 | 36 59 | 107 87 | 136 68 | 79 165 | 360 159 | 811 164 | 801 419 |
| 7. | Malignant neoplasm of stomach | M. F. | -- -- | -- 32 | 6 -- | -- -- | 96 157 | 40 10 | 185 55 | 557 594 | 676 995 | 1,751 934 |
| 8. | Malignant neoplasm of large intestine except rectum | M. F. | -- -- | 44 -- | 2 30 | 23 15 | 80 40 | 243 105 | 328 611 | 427 751 | 1,074 1,992 | 2,157 4,190 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|----------------------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|----------------|----------------|----------|--------------------|
| 1. | Tuberculosis, all forms | M. 1,807 F. 1,980 | 2,640 1,494 | 2,693 1,458 | 2,204 1,564 | 1,871 2,180 | 2,579 1,584 | 1,422 9,256 | 697 795 | 3,236 495 | -- -- | 51,557 37,677 |
| 2. | Poliomyelitis and encephalitis | M. 1,540 F. 2,590 | 1,858 457 | 891 799 | 310 18,012 | 397 961 | 47 65 | -- 76 | -- 118 | -- -- | -- -- | 45,835 58,868 |
| 3. | Infectious hepatitis | M. 1,733 F. 1,791 | 1,489 1,432 | 1,486 1,356 | 949 790 | 872 846 | 442 590 | 555 450 | 358 269 | 136 61 | -- -- | 53,441 56,146 |
| 4. | Other diseases attributable to viruses | M. 695 F. 1,061 | 790 1,178 | 1,099 1,467 | 782 1,719 | 1,375 1,318 | 1,352 2,276 | 1,229 2,387 | 1,134 1,510 | 597 1,448 | -- -- | 64,365 65,041 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or para- sitic diseases | M. 2,580 F. 2,963 | 12,271 2,792 | 5,782 2,425 | 3,223 7,219 | 2,957 5,556 | 3,227 2,206 | 4,037 2,396 | 3,591 928 | 419 663 | -- -- | 111,369 102,619 |
| 6. | Malignant neoplasms of buccal cavity & pharynx | M. 1,798 F. 711 | 2,883 932 | 4,330 1,130 | 5,298 1,516 | 6,464 935 | 5,115 1,681 | 4,329 1,236 | 2,512 918 | 2,523 1,247 | -- -- | 37,695 11,489 |
| 7. | Malignant neoplasm of stomach | M. 2,973 F. 2,283 | 5,240 1,890 | 7,576 2,769 | 9,882 3,885 | 13,365 6,536 | 12,686 5,961 | 12,415 6,318 | 6,736 4,575 | 4,317 2,757 | -- -- | 78,501 39,771 |
| 8. | Malignant neoplasm of large intestine except rectum | M. 2,972 F. 5,552 | 4,734 7,457 | 7,545 10,300 | 9,370 12,696 | 12,213 13,974 | 15,026 17,912 | 10,986 15,658 | 7,601 9,469 | 9,356 6,001 | -- -- | 84,821 106,753 |

| Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|--|----------|------------|----------------|----------------|--------------|--------------|------------|-------------|-------------|--------------|----------------|
| 9. Malignant neoplasm of rectum | M. F. | -- -- | 66 -- | -- -- | 3 -- | 9 -- | 50 118 | 304 100 | 320 411 | 929 724 | 1,140 1,759 |
| 10. Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. F. | -- -- | 39 -- | -- 13 | 12 55 | 4 31 | 168 70 | 33 117 | 480 500 | 1,407 498 | 2,995 1,500 |
| 11. Malignant neoplasm of breast | M. F. | -- -- | 5 1 | -- 10 | -- 50 | 7 121 | -- 131 | -- 1,442 | 20 3,891 | -- 11,501 | 70 20,343 |
| 12. Malignant neoplasm of cervix uteri | M. F. | -- -- | -- -- | -- 14 | -- 16 | -- -- | -- 714 | -- 1,791 | -- 6,009 | -- 12,126 | -- 12,765 |
| 13. Malignant neoplasm of uterus other than cervix uteri | M. F. | -- -- | -- -- | -- -- | -- 94 | -- 12 | -- 123 | -- 438 | -- 410 | -- 1,171 | -- 2,468 |
| 14. Malignant neoplasm of ovary fallopian tube & broad ligament | M. F. | -- -- | -- 3 | -- 13 | -- 56 | -- 157 | -- 223 | -- 354 | -- 434 | -- 1,781 | -- 3,530 |
| 15. Malignant neoplasm of prostate | M. F. | 114 -- | -- -- | -- -- | -- -- | 322 -- | -- -- | 24 -- | 9 -- | 39 -- | 79 -- |
| 16. Malignant neoplasm of kidney, bladder and other urinary organs | M. F. | 111 10 | 704 689 | 394 305 | 113 290 | 29 6 | 79 20 | 193 273 | 108 291 | 661 740 | 1,389 1,209 |
| 17. Leukaemia and aleukaemia | M. F. | 444 282 | 2,942 2,422 | 2,346 1,550 | 1,391 761 | 1,167 495 | 573 500 | 521 426 | 498 627 | 799 1,287 | 1,508 1,406 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|----------|-------------------|
| 9. | Malignant neoplasm of rectum | M. 3,006 F. 3,615 | 5,249 4,156 | 5,795 6,175 | 8,081 7,059 | 10,307 6,998 | 10,591 6,356 | 11,833 6,201 | 7,127 4,839 | 5,237 2,460 | -- -- | 70,047 50,971 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. 5,506 F. 2,308 | 13,122 3,078 | 19,965 3,495 | 22,102 3,142 | 22,991 4,099 | 18,891 3,691 | 10,808 2,479 | 5,173 1,384 | 2,031 598 | 41 -- | 125,768 27,058 |
| 11. | Malignant neoplasm of breast | M. 167 F. 27,887 | 342 28,506 | 365 25,551 | 246 27,249 | 498 24,764 | 654 26,847 | 1,119 17,497 | 720 11,502 | 213 7,535 | -- -- | 4,426 237,828 |
| 12. | Malignant neoplasm of cervix uteri | M. -- F. 12,880 | -- 11,141 | -- 11,402 | -- 8,336 | -- 8,411 | -- 6,623 | -- 3,440 | -- 3,552 | -- 1,078 | -- -- | -- 100,296 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. -- F. 3,152 | -- 4,470 | -- 6,288 | -- 6,715 | -- 6,918 | -- 5,167 | -- 3,005 | -- 1,819 | -- 4,076 | -- -- | -- 46,326 |
| 14. | Malignant neoplasm of ovary fallopian tube & broad liga- ment | M. -- F. 4,481 | -- 5,907 | -- 5,143 | -- 6,002 | -- 4,923 | -- 4,362 | -- 3,253 | -- 1,156 | -- 1,172 | -- -- | -- 42,950 |
| 15. | Malignant neoplasm of prostate | M. 439 F. -- | 3,110 -- | 5,399 -- | 10,320 -- | 18,257 -- | 33,695 -- | 36,291 -- | 29,031 -- | 18,315 -- | -- -- | 155,958 -- |
| 16. | Malignant neoplasm of kidney, bladder and other urinary organs | M. 2,649 F. 1,226 | 5,871 2,774 | 8,473 2,421 | 11,481 3,432 | 16,804 5,655 | 16,492 5,996 | 13,682 5,349 | 9,708 4,242 | 6,870 1,468 | 5 -- | 95,816 36,396 |
| 17. | Leukaemia and aleukaemia | M. 1,524 F. 1,306 | 2,339 1,505 | 3,880 2,101 | 2,911 2,318 | 4,417 2,925 | 5,106 2,173 | 3,255 2,050 | 1,768 1,825 | 1,365 682 | -- -- | 38,814 26,641 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|----------------|-----------------|----------------|----------------|-----------------|------------------|----------------|-----------------|-----------------|------------------|
| 18. | Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue | 7 13 | 830 602 | 3,686 10,891 | 3,817 3,230 | 3,825 2,933 | 5,550 3,408 | 4,231 2,693 | 4,547 3,992 | 6,510 4,548 | 11,463 8,863 | 11,897 12,019 |
| 19. | Benign neoplasm of uterus | -- -- | -- 30 | -- 66 | -- 57 | -- 53 | -- 398 | -- 2,920 | -- 6,895 | -- 17,711 | -- 37,081 | -- 55,602 |
| 20. | Benign neoplasm of ovary | -- -- | -- 38 | -- 40 | -- 151 | -- 1,142 | -- 7,148 | -- 12,747 | -- 14,031 | -- 14,486 | -- 12,544 | -- 9,433 |
| 21. | Benign neoplasm (excluding uterus & ovary) and neoplasm of unspecified nature | 49 22 | 4,162 4,596 | 5,787 5,445 | 4,264 4,317 | 4,484 4,894 | 9,491 11,553 | 11,248 11,315 | 9,200 9,967 | 7,335 11,894 | 8,681 13,903 | 7,724 16,138 |
| 22. | Asthma | -- -- | 4,298 2,225 | 10,129 4,666 | 5,254 3,762 | 3,689 2,149 | 1,538 2,127 | 1,007 2,331 | 1,391 2,378 | 1,826 3,629 | 3,338 4,699 | 2,711 5,751 |
| 23. | Other allergic dis- orders (excluding asthma) | -- 9 | 4,370 2,492 | 5,807 3,741 | 1,877 1,886 | 1,625 1,797 | 915 2,036 | 978 1,842 | 900 1,308 | 1,202 1,572 | 922 1,514 | 1,010 1,326 |
| 24. | Diseases of thyroid gland | -- 44 | 539 508 | 522 502 | 263 815 | 632 1,878 | 791 4,450 | 1,034 5,398 | 1,317 6,824 | 1,408 8,845 | 1,635 10,640 | 1,945 10,824 |
| 25. | Diabetes mellitus | -- 57 | 178 49 | 1,915 1,773 | 2,906 3,176 | 5,151 6,268 | 3,944 4,345 | 2,386 3,296 | 3,974 4,230 | 5,629 4,217 | 6,486 6,367 | 7,894 8,260 |
| 26. | Diseases of other endocrine glands | 3 -- | 669 479 | 1,031 988 | 823 545 | 792 1,018 | 931 1,882 | 556 2,324 | 627 2,437 | 736 2,555 | 666 2,985 | 980 1,985 |
| 27. | Avitaminoses and other metabolic diseases | 35 39 | 7,505 4,921 | 6,717 6,482 | 2,007 1,919 | 1,144 1,708 | 894 2,010 | 897 1,516 | 525 1,842 | 2,132 2,505 | 1,964 3,087 | 2,040 3,396 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|----------|--------------------|
| 18. | Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue | M. 14,947 F. 17,851 | 21,472 22,165 | 27,918 27,835 | 33,959 26,359 | 30,244 32,147 | 32,047 29,779 | 25,156 31,442 | 18,464 14,085 | 9,562 9,589 | 10 -- | 270,142 264,444 |
| 19. | Benign neoplasm of uterus | M. -- F. 56,907 | -- 27,056 | -- 8,400 | -- 4,239 | -- 3,774 | -- 2,127 | -- 1,013 | -- 338 | -- 115 | -- -- | -- 224,782 |
| 20. | Benign neoplasm of ovary | M. -- F. 5,544 | -- 2,958 | -- 2,363 | -- 1,816 | -- 1,075 | -- 1,386 | -- 863 | -- 389 | -- 101 | -- -- | -- 88,257 |
| 21. | Benign neoplasm (excluding uterus & ovary) and neoplasm of unspecified nature | M. 8,505 F. 15,748 | 9,086 13,885 | 10,805 10,565 | 9,859 10,908 | 8,430 10,551 | 8,430 15,726 | 5,915 7,060 | 3,747 3,162 | 1,207 1,599 | -- 19 | 138,409 183,267 |
| 22. | Asthma | M. 4,452 F. 6,790 | 5,635 7,353 | 8,953 6,201 | 9,533 6,767 | 9,460 5,509 | 7,917 7,174 | 5,608 3,773 | 4,559 2,216 | 3,244 1,608 | -- -- | 94,542 81,108 |
| 23. | Other allergic dis- orders (excluding asthma) | M. 967 F. 1,459 | 800 959 | 664 1,339 | 439 586 | 515 762 | 397 393 | 277 461 | 186 88 | 50 129 | -- -- | 23,901 25,699 |
| 24. | Diseases of thyroid gland | M. 2,301 F. 10,762 | 2,635 9,771 | 1,900 9,376 | 1,634 7,272 | 1,363 6,306 | 983 4,104 | 741 2,727 | 152 2,702 | 13 353 | -- 23 | 21,808 104,124 |
| 25. | Diabetes mellitus | M. 12,413 F. 12,270 | 16,997 20,810 | 19,382 30,934 | 23,721 44,729 | 26,567 54,641 | 28,323 58,585 | 32,560 54,235 | 17,213 29,898 | 9,601 17,061 | -- -- | 227,240 365,201 |
| 26. | Diseases of other endocrine glands | M. 698 F. 2,180 | 605 1,682 | 841 1,243 | 654 2,640 | 363 860 | 557 829 | 302 402 | 15 219 | 72 8 | -- -- | 11,921 27,311 |
| 27. | Avitaminoses and other metabolic diseases | M. 1,899 F. 3,565 | 2,913 2,620 | 3,882 2,724 | 3,148 2,554 | 2,576 2,818 | 1,985 1,853 | 2,218 1,112 | 1,780 1,102 | 1,274 606 | -- -- | 47,535 48,379 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|------------|------------------|------------------|------------------|----------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| 28. | Diseases of the blood and blood- forming organs | 29 14 | 8,346 5,223 | 11,804 8,066 | 6,817 3,501 | 3,990 2,004 | 2,291 3,617 | 1,413 3,244 | 1,245 4,406 | 1,119 4,347 | 1,243 6,483 | 2,002 5,924 |
| 29. | Psychoses | -- -- | -- -- | 100 270 | 698 656 | 1,374 1,293 | 6,471 9,433 | 9,997 16,982 | 24,565 19,714 | 11,095 22,167 | 11,424 22,737 | 9,768 16,516 |
| 30. | Psychoneurotic disorders | -- -- | 236 230 | 544 563 | 1,884 1,761 | 3,104 5,721 | 7,100 22,643 | 11,699 35,062 | 14,425 47,954 | 18,922 55,619 | 21,022 55,213 | 20,568 40,406 |
| 31. | Disorders of character, be- haviour and in- telligence | 101 305 | 2,405 1,213 | 6,895 4,607 | 6,460 2,553 | 9,044 3,348 | 4,182 6,711 | 2,982 4,375 | 5,505 4,229 | 6,489 5,241 | 8,127 4,415 | 8,024 3,572 |
| 32. | Vascular lesions affecting central nervous system | 26 3 | 1,514 1,681 | 2,683 2,821 | 2,075 2,019 | 1,852 1,430 | 1,752 931 | 1,785 1,324 | 1,401 1,918 | 4,794 2,578 | 3,355 2,832 | 5,022 5,546 |
| 33. | Inflammatory and other diseases of central nervous system | 170 110 | 12,536 8,858 | 19,325 15,469 | 16,356 12,990 | 9,352 8,850 | 8,758 9,953 | 8,737 8,071 | 18,740 17,095 | 15,128 20,269 | 22,466 22,238 | 26,692 35,639 |
| 34. | Diseases of nerves & peripheral ganglia | -- -- | 322 200 | 735 633 | 1,149 1,042 | 921 983 | 1,548 2,296 | 1,864 2,626 | 2,563 3,380 | 3,600 4,748 | 5,109 5,697 | 4,716 5,636 |
| 35. | Diseases and condi- tions of the eye | -- 22 | 2,637 2,161 | 9,160 8,361 | 9,867 8,522 | 5,258 4,263 | 4,597 3,344 | 3,302 2,653 | 3,286 2,147 | 3,975 3,005 | 4,798 3,429 | 4,487 4,685 |
| 36. | Diseases of ear & mastoid process | -- -- | 28,137 20,231 | 33,758 25,597 | 17,051 13,113 | 9,006 7,612 | 3,945 4,610 | 2,650 3,627 | 3,347 3,543 | 3,481 4,897 | 3,568 5,589 | 3,384 5,334 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------------------|------------------|------------------|------------------|------------------|--------------------|--------------------|--------------------|-------------------|----------|--------------------|
| 28. | Diseases of the blood and blood- forming organs | M. F. 2,183 6,009 | 2,757 5,199 | 4,954 5,826 | 7,630 8,156 | 6,370 8,839 | 8,986 11,157 | 10,674 13,425 | 8,805 17,090 | 5,326 10,864 | -- -- | 97,984 133,994 |
| 29. | Psychoses | M. F. 9,202 19,914 | 10,908 19,192 | 11,047 13,769 | 10,394 15,643 | 7,493 12,652 | 5,851 20,534 | 9,969 8,038 | 4,071 9,641 | 9,708 11,100 | -- -- | 154,135 242,251 |
| 30. | Psychoneurotic disorders | M. F. 20,128 42,578 | 16,905 33,747 | 14,721 25,517 | 10,575 19,726 | 6,584 15,643 | 3,397 13,999 | 3,197 5,447 | 1,021 1,665 | 191 943 | -- -- | 176,223 430,497 |
| 31. | Disorders of character, be- haviour and in- telligence | M. F. 9,039 3,804 | 7,983 2,896 | 7,438 1,306 | 5,092 2,068 | 3,516 693 | 2,189 450 | 824 187 | 330 155 | 65 252 | 3 -- | 97,293 52,380 |
| 32. | Vascular lesions affecting central nervous system | M. F. 9,871 9,419 | 24,913 16,941 | 40,004 24,824 | 61,011 41,259 | 79,046 76,967 | 117,579 114,591 | 135,829 184,735 | 106,850 171,581 | 72,724 147,332 | 10 -- | 674,096 810,732 |
| 33. | Inflammatory and other diseases of central nervous system | M. F. 20,854 33,964 | 32,743 21,136 | 42,351 33,446 | 53,189 34,655 | 53,134 44,469 | 46,281 49,982 | 46,095 63,018 | 28,258 52,902 | 29,073 33,743 | -- 19 | 510,238 526,876 |
| 34. | Diseases of nerves & peripheral ganglia | M. F. 5,222 6,269 | 5,841 5,731 | 4,792 5,148 | 4,087 4,105 | 4,159 4,504 | 3,801 3,523 | 2,481 2,567 | 1,271 1,970 | 544 642 | 6 -- | 54,731 61,702 |
| 35. | Diseases and condi- tions of the eye | M. F. 14,878 5,387 | 8,719 8,839 | 10,905 11,111 | 14,132 13,749 | 16,148 16,922 | 17,402 22,533 | 15,492 19,052 | 11,423 13,379 | 7,931 6,764 | 4 -- | 168,403 160,328 |
| 36. | Diseases of ear & mastoid process | M. F. 2,873 5,745 | 2,778 4,640 | 3,011 3,944 | 2,202 3,245 | 1,290 2,503 | 1,513 1,841 | 1,905 993 | 500 6,821 | 154 2,620 | -- 5 | 124,553 126,510 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|------------|----------------|------------------|------------------|----------------|----------------|----------------|----------------|-----------------|------------------|
| 37. | Rheumatic fever and chronic rheumatic heart disease | -- | 17 | 2,823 2,361 | 11,872 12,884 | 14,234 14,362 | 5,853 8,800 | 3,441 4,502 | 3,338 6,029 | 4,800 7,294 | 6,006 10,380 | 4,639 10,393 |
| 38. | Arteriosclerotic and degenerative heart disease | 68 43 | 229 258 | 643 792 | 886 921 | 641 443 | 699 1,148 | 1,285 594 | 2,223 984 | 7,237 3,291 | 19,911 7,183 | 42,097 13,275 |
| 39. | Other diseases of the heart | -- | 713 | 645 | 973 | 1,100 | 1,136 | 939 | 1,551 | 1,845 | 3,174 | 4,124 |
| | | 11 | 520 | 502 | 756 | 796 | 951 | 1,279 | 1,732 | 2,340 | 3,100 | 4,213 |
| 40. | Hypertensive heart disease and other hypertensive disease | -- | 26 | 72 | 241 | 437 | 911 | 1,105 | 1,402 | 2,648 | 3,657 | 6,803 |
| | | -- | 59 | 158 | 503 | 413 | 731 | 1,142 | 1,681 | 2,327 | 5,029 | 7,449 |
| 41. | Diseases of arteries | -- | 179 | 274 | 326 | 356 | 971 | 845 | 1,042 | 1,946 | 2,819 | 5,575 |
| | | 14 | 33 | 404 | 208 | 230 | 550 | 941 | 1,192 | 1,432 | 2,420 | 2,310 |
| 42. | Varicose veins of lower extremities | 2 | 9 | 11 | 57 | 39 | 209 | 629 | 1,354 | 2,304 | 3,513 | 4,000 |
| | | -- | 25 | 46 | 59 | 95 | 375 | 2,306 | 7,301 | 12,519 | 10,560 | 10,890 |
| 43. | Haemorrhoids | 7 | 27 | 93 | 34 | 74 | 600 | 2,221 | 4,920 | 7,868 | 11,185 | 11,593 |
| | | 7 | 28 | 43 | 21 | 57 | 904 | 3,228 | 5,632 | 8,740 | 10,978 | 11,794 |
| 44. | Phlebitis and thrombophlebitis | -- | 29 | 5 | 50 | 112 | 224 | 343 | 754 | 1,233 | 1,992 | 2,189 |
| | | 24 | -- | 45 | 22 | 113 | 790 | 1,130 | 2,199 | 3,009 | 4,040 | 4,870 |
| 45. | Other diseases of the circulatory system | 23 | 1,915 | 6,898 | 8,983 | 6,624 | 3,074 | 1,674 | 1,550 | 2,084 | 2,414 | 2,499 |
| | | -- | 1,275 | 6,215 | 8,822 | 6,095 | 3,992 | 2,084 | 1,930 | 2,563 | 2,408 | 2,373 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------------|-------------------|----------|----------------------|
| 37. | Rheumatic fever and chronic rheu- matic heart disease | M. 5,441 F. 11,171 | 6,612 12,459 | 5,071 8,171 | 3,583 7,823 | 2,789 4,684 | 2,030 4,288 | 1,022 5,093 | 435 5,506 | 496 2,928 | -- -- | 84,502 139,293 |
| 38. | Arteriosclerotic and degenerative heart disease | M. 81,753 F. 26,454 | 102,045 43,354 | 122,276 62,756 | 134,261 84,300 | 142,481 107,896 | 161,432 149,571 | 159,785 162,372 | 122,787 136,045 | 93,927 163,012 | 62 35 | 1,196,728 964,732 |
| 39. | Other diseases of the heart | M. 6,679 F. 5,487 | 10,494 7,512 | 15,067 8,809 | 18,071 13,508 | 22,086 19,018 | 26,149 27,620 | 27,075 33,911 | 25,721 31,415 | 25,141 28,437 | -- 25 | 192,083 191,942 |
| 40. | Hypertensive heart disease and other hypertensive dis- ease | M. 8,804 F. 13,143 | 11,130 17,045 | 12,900 21,432 | 14,064 25,672 | 19,020 32,402 | 19,535 47,274 | 13,396 34,025 | 13,820 44,030 | 9,870 29,905 | -- 3 | 139,901 284,423 |
| 41. | Diseases of arteries | M. 8,496 F. 3,678 | 14,953 6,111 | 18,401 6,148 | 24,886 9,224 | 29,006 20,920 | 38,940 32,536 | 43,943 37,661 | 39,367 64,864 | 48,825 119,045 | -- -- | 281,150 309,927 |
| 42. | Varicose veins of lower extremities | M. 5,512 F. 17,245 | 6,054 17,456 | 6,257 15,431 | 7,405 13,737 | 4,708 12,227 | 4,593 11,244 | 8,387 8,634 | 2,336 4,348 | 2,785 1,784 | -- -- | 60,224 158,288 |
| 43. | Haemorrhoids | M. 10,433 F. 11,111 | 9,316 8,460 | 8,410 6,176 | 5,915 4,963 | 4,101 3,265 | 2,947 2,157 | 1,697 1,395 | 713 639 | 449 252 | 5 -- | 82,608 79,856 |
| 44. | Phlebitis and thrombophlebitis | M. 2,723 F. 5,534 | 3,273 5,737 | 4,119 5,059 | 4,115 6,177 | 3,905 6,041 | 3,363 5,640 | 2,266 4,411 | 963 1,901 | 495 853 | -- -- | 32,153 57,595 |
| 45. | Other diseases of the circulatory system | M. 2,760 F. 2,857 | 4,015 3,098 | 3,675 2,580 | 3,986 2,817 | 3,680 3,083 | 3,291 2,934 | 2,580 3,802 | 2,129 1,738 | 988 1,592 | -- 7 | 64,842 62,265 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|-------------------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| 46. | Acute upper respiratory infections | 9 87 | 38,107 28,794 | 55,169 41,518 | 14,061 13,269 | 5,247 5,794 | 3,825 6,012 | 3,137 4,338 | 2,164 2,837 | 2,192 2,654 | 1,869 2,490 | 1,727 2,518 |
| 47. | Influenza | -- -- | 5,645 4,701 | 7,317 6,476 | 4,342 4,502 | 3,230 3,595 | 2,348 3,755 | 1,653 3,422 | 1,664 2,853 | 1,662 2,575 | 1,797 2,027 | 1,873 2,631 |
| 48. | Pneumonia | 1 -- | 122,735 86,837 | 113,696 93,109 | 31,014 29,103 | 12,413 10,476 | 10,473 7,607 | 6,277 7,300 | 6,095 10,048 | 8,708 12,231 | 10,447 12,180 | 11,346 12,709 |
| 49. | Bronchitis | -- -- | 60,791 40,104 | 53,172 38,080 | 12,391 10,532 | 4,350 4,638 | 3,000 4,348 | 2,260 4,499 | 2,341 4,853 | 3,111 6,177 | 4,250 6,341 | 5,550 7,854 |
| 50. | Hypertrophy of tonsils & adenoids | 22 3 | 1,356 752 | 54,749 42,967 | 69,644 69,158 | 18,100 25,026 | 7,875 19,574 | 13,260 11,909 | 6,260 7,369 | 4,825 5,352 | 3,154 8,704 | 1,503 1,910 |
| 51. | Other diseases of respiratory system | 51 49 | 10,222 6,913 | 13,155 8,700 | 8,451 6,480 | 7,129 6,049 | 11,501 8,990 | 12,531 9,335 | 11,511 9,790 | 11,152 10,573 | 11,240 10,478 | 12,448 10,004 |
| 52. | Diseases of teeth and supporting structure | -- 1 | 340 288 | 2,123 1,912 | 3,148 3,517 | 1,566 2,208 | 2,841 5,085 | 2,979 4,374 | 1,936 3,462 | 1,594 2,996 | 1,724 2,717 | 1,447 2,546 |
| 53. | Ulcer of stomach, duodenum & jejunum | -- 15 | 261 52 | 445 256 | 833 735 | 1,443 1,138 | 4,411 2,640 | 10,410 4,636 | 18,085 6,503 | 26,670 9,920 | 36,522 14,892 | 40,119 16,330 |
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum | -- 3 | 3,074 2,458 | 1,663 1,642 | 1,426 1,487 | 1,306 1,517 | 1,821 4,025 | 3,505 5,540 | 5,395 5,662 | 7,374 6,660 | 8,369 7,633 | 8,626 7,839 |
| 55. | Appendicitis | 21 13 | 143 166 | 5,747 4,461 | 28,009 25,563 | 40,658 38,754 | 29,725 41,651 | 18,641 22,744 | 14,635 13,331 | 12,527 9,514 | 10,935 7,901 | 9,245 5,839 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|--------------------|
| 46. | Acute upper respir- atory infections | M. 1,497 F. 2,030 | 1,436 2,336 | 1,268 1,908 | 1,234 1,639 | 2,075 1,316 | 1,130 1,730 | 978 1,153 | 861 1,058 | 352 541 | -- 10 | 138,338 124,038 |
| 47. | Influenza | M. 2,035 F. 2,721 | 2,117 2,831 | 2,274 3,112 | 2,231 2,928 | 2,328 3,550 | 2,583 3,727 | 2,892 3,837 | 2,355 4,211 | 1,864 3,710 | -- 12 | 52,210 67,836 |
| 48. | Pneumonia | M. 14,869 F. 13,519 | 18,328 13,592 | 20,118 15,620 | 25,046 15,899 | 26,421 17,930 | 30,147 22,808 | 31,781 23,981 | 26,821 20,068 | 28,287 21,793 | 25 72 | 555,048 446,882 |
| 49. | Bronchitis | M. 7,905 F. 7,997 | 10,995 8,385 | 17,627 9,902 | 21,610 10,819 | 23,502 8,303 | 25,773 9,035 | 17,075 7,445 | 14,285 5,791 | 8,329 7,035 | 1 -- | 298,318 202,138 |
| 50. | Hypertrophy of tonsils & adenoids | M. 910 F. 1,135 | 566 915 | 250 679 | 233 336 | 184 204 | 102 97 | 96 56 | 41 41 | 1 10 | -- -- | 183,131 196,197 |
| 51. | Other diseases of respiratory system | M. 13,652 F. 11,726 | 17,198 9,864 | 21,409 10,498 | 23,310 10,750 | 23,498 11,171 | 23,588 13,832 | 16,151 9,984 | 14,600 7,400 | 6,092 7,267 | -- 8 | 268,889 179,801 |
| 52. | Diseases of teeth and supporting structure | M. 1,341 F. 1,877 | 1,157 1,531 | 1,007 1,051 | 824 774 | 588 540 | 429 301 | 269 182 | 68 83 | 93 82 | -- -- | 25,474 35,527 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. 45,165 F. 21,198 | 49,667 20,703 | 45,220 16,702 | 40,825 15,283 | 33,800 13,251 | 27,808 12,494 | 21,653 10,130 | 12,124 7,457 | 5,297 3,087 | 38 27 | 420,796 179,449 |
| 54. | Gastritis, duodenitis, and other disorders and diseases of the stomach and duodenum | M. 9,295 F. 7,744 | 8,386 7,162 | 7,966 6,490 | 7,079 6,326 | 5,414 5,427 | 5,227 4,261 | 3,162 3,960 | 2,559 2,196 | 1,887 1,272 | -- -- | 93,534 89,304 |
| 55. | Appendicitis | M. 7,654 F. 4,674 | 6,358 4,266 | 5,686 2,841 | 4,455 2,973 | 3,852 2,457 | 2,628 2,307 | 2,120 1,923 | 1,098 2,934 | 517 599 | 8 17 | 204,662 195,128 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|-----------|------------------|------------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|
| 56. | Hernia of abdominal cavity | 31 34 | 19,672 6,687 | 24,771 6,463 | 14,705 3,537 | 6,186 999 | 8,756 1,811 | 12,035 2,936 | 11,841 5,737 | 14,916 9,091 | 18,464 11,353 | 21,650 13,906 |
| 57. | Intestinal obstruction without mention of hernia | 53 -- | 2,213 1,162 | 1,846 957 | 1,537 928 | 1,111 659 | 867 1,016 | 776 1,273 | 878 1,620 | 1,558 2,840 | 1,496 3,647 | 2,097 4,492 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | 38 31 | 82,698 64,037 | 44,712 33,253 | 6,023 5,877 | 3,688 3,595 | 2,155 3,669 | 1,915 4,389 | 1,879 3,641 | 2,004 3,815 | 2,322 4,036 | 2,178 4,042 |
| 59. | Chronic enteritis & ulcerative colitis | 20 -- | 354 323 | 400 361 | 213 217 | 705 944 | 2,383 2,119 | 2,798 1,978 | 2,271 2,914 | 2,496 4,652 | 2,616 4,837 | 4,186 4,664 |
| 60. | Cirrhosis & other diseases of liver | -- -- | 637 587 | 785 387 | 1,464 1,650 | 1,769 2,026 | 1,894 1,969 | 834 1,679 | 926 2,012 | 3,168 2,646 | 4,019 4,113 | 6,135 5,526 |
| 61. | Diseases of gall-bladder & pancreas | 23 128 | 1,988 1,700 | 1,679 2,151 | 792 482 | 392 1,486 | 889 8,867 | 2,255 27,431 | 4,249 35,805 | 9,239 43,159 | 12,407 49,048 | 16,087 48,576 |
| 62. | Other diseases of digestive system | -- 8 | 8,195 4,446 | 9,890 8,562 | 5,141 4,257 | 3,412 3,783 | 3,880 6,357 | 4,689 7,243 | 6,099 7,863 | 8,352 10,100 | 10,155 12,281 | 10,872 13,381 |
| 63. | Nephritis and nephrosis | -- -- | 953 629 | 9,386 6,471 | 13,584 8,637 | 6,509 4,938 | 4,932 2,714 | 2,222 2,505 | 2,521 2,187 | 3,142 2,264 | 2,738 2,254 | 2,701 2,152 |
| 64. | Infections of kidney | -- -- | 1,934 3,136 | 2,996 9,737 | 3,008 12,308 | 2,764 5,554 | 1,878 12,314 | 1,795 9,700 | 1,966 8,036 | 2,708 8,389 | 2,382 7,993 | 3,007 8,268 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|----------------|----------|--------------------|
| 56. | Hernia of abdominal cavity | M. 25,790 F. 14,853 | 31,515 14,571 | 33,201 14,492 | 32,684 13,543 | 27,767 11,896 | 25,548 11,294 | 19,327 8,514 | 10,070 5,958 | 6,046 3,445 | 42 -- | 365,017 161,125 |
| 57. | Intestinal obstruction without mention of hernia | M. 2,474 F. 5,276 | 4,454 4,544 | 3,383 3,392 | 3,384 6,295 | 3,838 4,867 | 5,229 6,279 | 4,716 5,931 | 3,330 4,280 | 1,618 4,556 | -- -- | 46,358 64,514 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | M. 2,378 F. 4,413 | 2,677 4,935 | 2,292 4,260 | 2,665 3,647 | 1,982 3,595 | 2,299 4,386 | 2,150 3,690 | 1,768 3,289 | 1,340 2,514 | 6 2 | 169,169 165,116 |
| 59. | Chronic enteritis & ulcerative colitis | M. 4,088 F. 5,121 | 4,838 6,303 | 5,444 6,641 | 5,857 8,746 | 7,290 10,618 | 6,127 11,902 | 6,644 16,595 | 3,920 7,382 | 2,709 5,109 | -- -- | 65,359 102,431 |
| 60. | Cirrhosis and other diseases of liver | M. 7,568 F. 5,151 | 9,673 6,641 | 8,518 6,451 | 6,909 4,509 | 6,142 3,843 | 6,177 3,225 | 3,985 2,223 | 2,260 1,145 | 1,646 660 | 13 -- | 74,522 56,443 |
| 61. | Diseases of gall-bladder & pancreas | M. 19,951 F. 54,224 | 23,088 56,261 | 23,803 56,168 | 21,523 50,415 | 21,348 48,082 | 22,230 37,944 | 15,008 28,532 | 9,490 17,970 | 4,304 6,754 | 24 28 | 210,769 575,211 |
| 62. | Other diseases of digestive system | M. 10,984 F. 13,533 | 11,575 12,875 | 10,977 10,794 | 10,281 10,401 | 8,447 9,153 | 8,545 9,672 | 7,551 7,266 | 4,852 7,457 | 3,910 5,136 | 24 15 | 147,831 164,538 |
| 63. | Nephritis and nephrosis | M. 3,036 F. 2,332 | 3,045 2,644 | 2,457 3,258 | 2,929 3,380 | 2,348 2,387 | 3,035 1,622 | 2,270 2,254 | 1,578 1,002 | 2,292 3,512 | -- -- | 71,673 57,142 |
| 64. | Infections of kidney | M. 2,891 F. 7,454 | 3,689 7,422 | 3,600 6,137 | 3,545 5,726 | 5,109 5,862 | 5,168 5,923 | 4,375 5,173 | 3,933 3,653 | 3,490 2,087 | -- 10 | 60,738 134,562 |

| Can. List. No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|----------------------|--|----------|-----------|----------------|-----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 65. | Calculi of kidney, ureter and other parts of urinary system | M. F. | 39 -- | 226 66 | 187 352 | 407 343 | 1,150 1,116 | 3,148 2,612 | 6,054 3,724 | 8,464 3,313 | 9,491 4,177 | 10,556 3,476 |
| 66. | Other diseases of urinary system | M. F. | 10 11 | 6,009 9,229 | 7,947 11,132 | 4,678 4,430 | 3,951 4,973 | 5,022 7,199 | 4,880 7,950 | 5,862 9,031 | 6,505 10,942 | 6,504 12,157 |
| 67. | Hyperplasia of prostate | M. F. | -- -- | 10 -- | 32 -- | 100 -- | 45 -- | 133 -- | 162 -- | 445 -- | 780 -- | 1,318 -- |
| 68. | Redundant prepuce and phimosis | M. F. | 724 -- | 8,356 -- | 4,482 -- | 2,387 -- | 1,268 -- | 2,203 -- | 1,492 -- | 1,055 -- | 716 -- | 523 -- |
| 69. | Diseases of ovary, Fallopian tube & parametrium, & in- fective disease of uterus, vagina & vulva | M. F. | -- -- | -- 1,395 | -- 1,432 | -- 2,243 | -- 13,907 | -- 32,642 | -- 38,652 | -- 39,219 | -- 36,138 | -- 28,235 |
| 70. | Uterovaginal prolapse | M. F. | -- -- | -- 76 | -- 7 | -- -- | -- 87 | -- 1,911 | -- 5,852 | -- 14,593 | -- 24,307 | -- 30,136 |
| 71. | Disorders of menstruation | M. F. | -- 30 | -- 37 | -- 43 | -- 1,932 | -- 9,024 | -- 16,081 | -- 17,625 | -- 20,584 | -- 21,876 | -- 21,440 |
| 72. | Other diseases of genital organs | M. F. | 11 11 | 4,555 242 | 2,920 417 | 2,959 727 | 3,981 4,054 | 3,352 13,771 | 3,994 19,461 | 3,985 21,108 | 4,736 22,424 | 5,405 22,618 |
| 73. | Complications of pregnancy | M. F. | -- -- | -- -- | -- -- | -- 293 | -- 30,743 | -- 90,388 | -- 79,356 | -- 60,923 | -- 40,608 | -- 14,197 |
| 74. | Abortion | M. F. | -- -- | -- -- | -- -- | -- 113 | -- 12,140 | -- 48,519 | -- 52,885 | -- 44,768 | -- 35,813 | -- 17,789 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|-----------------------|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|-----------|--------------------|
| 65. | Calculi of kidney ureter and other parts of urinary system | M. 10,980 F. 3,730 | 11,435 3,794 | 10,130 3,872 | 8,538 3,126 | 6,878 2,834 | 5,796 2,048 | 3,501 1,989 | 1,990 936 | 1,221 212 | 1 -- | 100,192 41,828 |
| 66. | Other diseases of urinary system | M. 7,235 F. 11,330 | 8,214 11,013 | 10,511 10,256 | 10,078 9,857 | 11,023 8,233 | 13,384 8,050 | 10,921 6,574 | 8,579 8,018 | 8,774 4,668 | -- -- | 143,175 157,241 |
| 67. | Hyperplasia of prostate | M. 3,375 F. -- | 8,658 -- | 19,933 -- | 38,442 -- | 49,799 -- | 67,549 -- | 66,068 -- | 42,453 -- | 25,029 -- | 145 -- | 324,476 -- |
| 68. | Redundant prepuce and phimosis | M. 479 F. -- | 423 -- | 377 -- | 606 -- | 456 -- | 511 -- | 522 -- | 351 -- | 65 -- | -- -- | 32,855 -- |
| 69. | Diseases of ovary, Fallopian tube, & parametrium, & in- fective disease of uterus, vagina & vulva | M. -- F. 18,776 | -- 9,575 | -- 4,919 | -- 3,192 | -- 3,347 | -- 1,774 | -- 1,409 | -- 630 | -- 289 | -- -- | -- 237,886 |
| 70. | Uterovaginal pro- lapse | M. -- F. 31,178 | -- 29,816 | -- 25,156 | -- 24,004 | -- 21,819 | -- 16,206 | -- 8,195 | -- 2,910 | -- 2,401 | -- 84 | -- 238,738 |
| 71. | Disorders of menstruation | M. -- F. 19,053 | -- 10,028 | -- 2,532 | -- 1,236 | -- 1,030 | -- 734 | -- 369 | -- 146 | -- 84 | -- 12 | -- 143,910 |
| 72. | Other diseases of genital organs | M. 6,571 F. 24,378 | 7,041 14,336 | 7,545 5,426 | 7,732 3,239 | 8,060 2,691 | 6,976 1,874 | 5,930 1,017 | 2,964 391 | 3,034 502 | -- -- | 94,548 159,200 |
| 73. | Complications of pregnancy | M. -- F. 1,660 | -- 340 | -- 76 | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- 29 | -- 318,613 |
| 74. | Abortion | M. -- F. 2,573 | -- 153 | -- 53 | -- 3 | -- -- | -- -- | -- -- | -- -- | -- -- | -- 1 | -- 214,810 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------------|------------------|------------------|------------------|------------------|-----------------|-----------------|------------------|------------------|------------------|
| 75. | Delivery without mention of compli- cations | M. F. | -- -- | -- -- | -- -- | 1,299 | 200,294 | 700,153 | 628,455 | 442,293 | 244,204 | 75,889 |
| 76. | Delivery with speci- fied complications | M. F. | -- -- | -- -- | -- -- | 167 | 18,354 | 69,333 | 76,465 | 64,982 | 44,705 | 16,536 |
| 77. | Complications of the puerperium | M. F. | -- -- | -- -- | -- -- | 100 | 2,937 | 9,671 | 9,883 | 8,512 | 5,359 | 2,705 |
| 78. | Infection of skin & subcutaneous tissue | M. F. | 65 92 | 11,756 9,912 | 19,890 18,867 | 12,647 10,062 | 8,135 6,022 | 5,915 4,071 | 5,186 3,923 | 5,217 3,867 | 5,593 4,548 | 6,068 4,057 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. | 51 59 | 17,368 12,685 | 15,651 11,739 | 6,930 6,712 | 9,562 10,537 | 6,472 8,578 | 5,010 8,280 | 6,828 8,744 | 7,058 9,676 | 8,045 10,016 |
| 80. | Arthritis & rheuma- tism, except rheumatic fever | M. F. | 7 276 | 523 457 | 2,989 3,568 | 3,738 4,185 | 4,441 4,493 | 6,019 6,000 | 7,161 9,356 | 17,341 21,005 | 16,424 18,408 | 18,120 23,424 |
| 81. | Displacement of intervertebral disc | M. F. | -- -- | -- -- | 36 64 | 39 20 | 2,246 1,879 | 5,635 4,692 | 11,712 8,675 | 23,379 15,316 | 28,466 22,198 | 26,041 19,354 |
| 82. | Other diseases of bones & organs of movement | M. F. | 309 113 | 6,764 4,397 | 16,859 9,899 | 27,261 13,915 | 17,368 16,623 | 14,527 8,833 | 14,013 9,068 | 15,278 10,665 | 17,257 12,912 | 16,251 15,614 |
| 83. | Congenital malform- ations | M. F. | 3,866 4,154 | 63,376 50,129 | 38,173 37,109 | 27,038 15,985 | 13,313 8,697 | 5,256 7,825 | 4,525 5,488 | 4,084 5,717 | 4,671 5,136 | 4,490 3,441 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|
| 75. | Delivery without mention of compli- cations | M. -- F. 5,206 | -- 235 | -- 250 | -- 38 | -- -- | -- -- | -- -- | -- -- | -- -- | -- 132 | -- 2,295,448 |
| 76. | Delivery with speci- fied complications | M. -- F. 1,232 | -- 51 | -- -- | -- 7 | -- -- | -- -- | -- -- | -- -- | -- -- | -- 36 | -- 291,808 |
| 77. | Complications of the puerperium | M. -- F. 325 | -- 9 | -- 20 | -- 4 | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- 39,585 |
| 78. | Infection of skin & subcutaneous tissue | M. 5,876 F. 4,126 | 5,327 4,391 | 4,659 4,455 | 4,411 4,238 | 4,175 3,684 | 3,711 3,353 | 3,068 2,688 | 1,921 2,854 | 1,441 884 | -- -- | 124,633 103,540 |
| 79. | Other diseases of skin & subcutaneous tissue | M. 8,099 F. 11,827 | 7,713 10,819 | 9,122 9,514 | 9,427 9,354 | 10,299 8,233 | 8,037 8,853 | 7,305 6,611 | 5,137 6,924 | 3,273 2,960 | 26 -- | 161,024 170,904 |
| 80. | Arthritis & rheuma- tism, except rheumatic fever | M. 21,674 F. 30,003 | 26,528 42,111 | 27,496 44,494 | 32,792 54,135 | 32,465 46,405 | 28,221 63,562 | 28,583 56,423 | 21,263 50,116 | 15,416 58,359 | 31 37 | 315,928 542,000 |
| 81. | Displacement of intervertebral disc | M. 23,098 F. 18,863 | 18,019 14,012 | 13,919 9,584 | 8,352 6,669 | 4,228 3,952 | 3,211 2,676 | 1,209 1,467 | 565 391 | 234 506 | 7 -- | 170,474 130,451 |
| 82. | Other diseases of bones & organs of movement | M. 18,796 F. 25,279 | 16,879 20,535 | 14,389 19,488 | 13,142 15,991 | 18,918 21,803 | 8,818 16,928 | 6,135 15,168 | 4,654 9,734 | 4,181 8,994 | -- -- | 270,638 278,428 |
| 83. | Congenital malform- ations | M. 3,571 F. 3,853 | 2,457 3,505 | 2,116 2,682 | 2,164 1,595 | 1,647 1,772 | 1,521 1,100 | 999 772 | 361 695 | 80 57 | -- -- | 202,199 171,302 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|------------------|------------------|------------------|------------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|
| 84. | Certain diseases of early infancy | M. F. | 78,858 65,667 | 1,672 1,305 | 115 259 | 77 103 | 80 35 | 30 14 | -- 7 | 55 40 | 3 19 | 1 42 |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. | 12,539 9,753 | 17,153 15,044 | 14,436 13,328 | 10,967 11,851 | 7,891 14,019 | 7,662 12,955 | 8,349 13,507 | 9,564 15,297 | 11,710 14,928 | 11,607 16,182 |
| 86. | Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp | M. F. | 3,149 2,418 | 12,554 7,509 | 14,622 7,429 | 10,746 3,964 | 15,319 7,152 | 21,514 7,224 | 13,253 4,814 | 12,043 4,221 | 11,258 3,567 | 8,348 3,347 |
| 87. | Fracture of spine and trunk | M. F. | 18 113 | 647 293 | 1,700 938 | 2,663 3,312 | 12,794 8,294 | 14,704 4,992 | 11,697 4,254 | 13,202 3,672 | 11,829 5,999 | 11,767 5,383 |
| 88. | Fracture of upper limb | M. F. | 513 419 | 3,782 3,057 | 11,345 5,970 | 12,115 5,138 | 8,260 2,098 | 6,204 1,950 | 5,347 1,448 | 4,165 1,545 | 4,753 2,044 | 5,479 2,400 |
| 89. | Fracture of femur | M. F. | 1,703 1,698 | 15,001 6,884 | 16,939 7,573 | 10,556 3,929 | 10,401 3,081 | 8,448 1,793 | 4,544 1,346 | 4,816 2,298 | 6,096 2,610 | 5,446 2,908 |
| 90. | Other fractures of lower limbs (excluding femur) | M. F. | 266 214 | 2,156 1,624 | 6,873 3,620 | 10,296 5,107 | 15,555 5,326 | 16,738 3,769 | 15,805 4,292 | 15,996 6,687 | 15,710 5,608 | 13,777 6,496 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. F. | 367 74 | 1,024 527 | 1,618 824 | 3,696 2,427 | 10,180 5,799 | 11,448 3,723 | 12,479 4,010 | 14,208 4,358 | 14,152 5,005 | 11,841 5,207 |
| 92. | Internal injury of chest, abdomen and pelvis | M. F. | 41 24 | 755 212 | 2,077 562 | 1,970 769 | 2,580 614 | 3,601 797 | 2,723 562 | 2,534 579 | 2,327 821 | 1,389 466 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-----------|--------------------|
| 82. | Certain diseases of early infancy | M. -- F. 4 | 31 50 | -- -- | -- -- | -- 7 | 55 18 | -- -- | 1 -- | -- -- | -- -- | 106,364 96,294 |
| 85. | Syptoms, senility & ill-defined conditions | M. 12,178 F. 15,025 | 19,187 14,348 | 13,464 13,826 | 12,985 14,129 | 13,731 14,090 | 15,628 16,171 | 13,149 17,478 | 18,006 15,554 | 20,368 28,160 | 134 -- | 251,809 286,350 |
| 86. | Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp | M. 7,300 F. 3,612 | 7,479 3,370 | 6,332 2,701 | 5,469 2,016 | 3,838 3,284 | 3,905 2,003 | 2,726 2,202 | 1,022 1,123 | 831 4,034 | 35 16 | 161,805 70,071 |
| 87. | Fracture of spine and trunk | M. 11,343 F. 6,392 | 9,599 6,034 | 10,408 6,272 | 9,231 7,031 | 7,181 7,800 | 6,745 10,396 | 6,154 11,938 | 4,372 9,711 | 4,397 10,939 | -- 14 | 150,451 114,377 |
| 88. | Fracture of upper limb | M. 4,077 F. 3,194 | 4,453 4,749 | 4,051 5,042 | 4,368 6,088 | 4,329 6,969 | 3,056 8,211 | 2,848 7,917 | 1,639 7,432 | 1,790 8,442 | 33 4 | 92,607 84,175 |
| 89. | Fracture of femur | M. 6,669 F. 5,490 | 6,877 9,120 | 8,405 12,427 | 8,401 21,985 | 13,758 30,410 | 13,818 51,440 | 20,193 85,747 | 21,159 93,706 | 27,509 111,003 | 29 110 | 215,831 456,116 |
| 90. | Other fractures of lower limbs (excluding femur) | M. 15,573 F. 7,878 | 13,449 6,747 | 11,414 9,676 | 12,605 10,733 | 9,131 11,635 | 9,265 13,149 | 4,601 11,985 | 2,536 6,929 | 1,542 9,231 | 15 9 | 193,303 134,715 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. 9,728 F. 5,121 | 8,450 4,042 | 6,446 3,768 | 3,834 2,793 | 2,231 2,409 | 1,742 2,688 | 1,286 2,525 | 1,034 1,502 | 468 1,191 | 40 -- | 116,272 58,113 |
| 92. | Internal injury of chest, abdomen and pelvis | M. 1,722 F. 985 | 1,618 502 | 1,725 437 | 1,050 360 | 874 519 | 349 326 | 359 194 | 194 122 | 21 6 | 25 -- | 23,565 8,853 |

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| 93. | Burns | M. F. | 3,243 2,713 | 22,908 19,243 | 11,035 6,501 | 7,102 2,871 | 5,077 2,061 | 5,524 1,857 | 5,267 1,613 | 6,432 2,140 | 4,666 2,092 | 4,643 2,229 |
| 94. | Other and unspecified effects of accidents, poisonings and violence | M. F. | 54 23 | 31,888 20,406 | 23,885 12,493 | 24,460 10,374 | 30,372 11,934 | 28,648 10,687 | 22,710 8,709 | 23,404 12,188 | 22,309 11,250 | 19,621 10,797 |
| 95. | Medical or special examination (without sickness) | M. F. | 637 3,194 | 70 41 | 60 44 | 31 28 | 27 89 | 52 161 | 42 80 | 48 127 | 57 67 | 70 41 |
| 96. | Mature newborn | M. F. | 692,234 641,427 | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- |
| 97. | Immature newborn | M. F. | 116,136 128,860 | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- |
| 98. | Other special ad- missions, examina- tions, etc. | M. F. | 5,320 4,291 | 3,404 2,280 | 2,515 1,784 | 2,047 2,871 | 3,015 3,189 | 3,483 3,555 | 5,365 3,280 | 3,194 3,550 | 4,013 4,940 | 4,844 4,132 |
| Total | | M. F. | 847,517 813,981 | 816,389 642,131 | 565,448 454,770 | 409,425 350,941 | 400,315 699,385 | 384,992 1,382,811 | 415,234 1,376,208 | 473,727 1,274,503 | 549,590 1,137,876 | 592,249 951,518 |

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|--------------------------------|--------------------|--------------------|--------------------|----------------------|------------------------|------------------------|----------------------|--------------------|------------|--------------------------|
| 93. | Burns | M. 4,223 F. 1,958 | 3,308 2,309 | 2,757 2,056 | 3,644 1,284 | 1,181 1,520 | 1,909 1,654 | 1,993 1,379 | 1,030 843 | 692 742 | -- -- | 96,684 57,065 |
| 94. | Other and unspecified effects of accidents, poisonings and violence | M. 13,974 F. 10,878 | 13,585 9,754 | 14,784 9,469 | 16,777 8,970 | 9,756 8,045 | 11,384 7,748 | 7,294 8,785 | 5,497 5,965 | 3,170 6,002 | 5 6 | 337,268 187,339 |
| 95. | Medical or special examination (without sickness) | M. 30 F. 47 | 49 47 | 67 30 | 40 23 | 74 133 | 53 13 | 37 31 | 2 124 | -- -- | 1 -- | 1,577 4,407 |
| 96. | Immature newborn | M. -- F. -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | 692,234 641,427 |
| 97. | Immature newborn | M. -- F. -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | -- -- | 116,136 128,860 |
| 98. | Other special admissions, examinations, etc. | M. 4,224 F. 6,016 | 4,998 8,456 | 4,940 9,469 | 6,220 11,839 | 5,650 13,146 | 7,400 16,919 | 6,126 16,669 | 4,920 11,703 | 1,703 6,268 | 1 12 | 85,293 138,525 |
| | Total | M. 691,756 F. 905,661 | 825,059 863,198 | 907,013 645,744 | 991,636 928,679 | 1,027,487 998,992 | 1,107,638 1,158,058 | 1,034,625 1,185,286 | 760,785 1,014,194 | 593,643 972,211 | 655 839 | 14,065,300 13,462,569 |

TABLE 6(c) AVERAGE STAY OF ALL SEPARATIONS, BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN⁽¹⁾
IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA,⁽²⁾ 1962

(1) See notes on page 198

(2) Excludes Newfoundland, Nova Scotia and New Brunswick.

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|--------------|--------------|
| 1. | Tuberculosis, all forms | M 13.5 F 3.0 | 20.7 15.2 | 26.4 29.5 | 17.4 15.2 | 11.2 18.2 | 95.6 14.3 | 17.4 19.1 | 110.8 15.9 | 19.1 169.7 | 17.4 19.3 | 11.9 14.0 |
| 2. | Polomyelitis and encephalitis | M - F - | 29.1 25.4 | 29.1 43.9 | 16.9 18.0 | 25.8 25.7 | 52.6 30.6 | 40.6 24.1 | 51.6 27.1 | 56.5 55.5 | 79.1 78.3 | 70.4 97.3 |
| 3. | Infectious hepatitis | M - F - | 21.5 30.0 | 12.1 11.8 | 11.6 12.1 | 11.9 11.6 | 13.0 12.4 | 13.3 13.3 | 13.3 15.5 | 14.2 15.7 | 14.6 16.4 | 15.2 15.6 |
| 4. | Other diseases attributable to viruses | M 1.0 F - | 9.2 9.6 | 9.3 9.1 | 7.6 7.6 | 7.4 7.1 | 9.2 9.6 | 9.2 9.2 | 8.2 8.6 | 7.6 8.2 | 8.1 8.7 | 8.8 9.5 |
| 5. | Other infective bacterial, spiro- chaetal, rickettsial or parasitic diseases | M 6.5 F 6.9 | 15.4 17.1 | 14.8 13.7 | 10.0 11.0 | 9.2 8.8 | 8.2 8.3 | 8.4 7.4 | 8.5 8.2 | 9.0 7.9 | 10.8 12.6 | 10.6 11.1 |
| 6. | Malignant neoplasm of buccal cavity and pharynx | M - F - | 18.0 - | 5.5 - | 28.0 12.4 | 36.0 14.8 | 9.7 7.9 | 11.3 7.6 | 7.9 9.7 | 9.0 8.4 | 19.8 7.1 | 11.1 12.0 |
| 7. | Malignant neoplasm of stomach | M - F - | - - | 32.0 - | - - | - - | 48.0 78.5 | 20.0 10.0 | 23.1 27.5 | 25.3 24.8 | 26.0 26.9 | 26.5 25.2 |
| 8. | Malignant neoplasm of large intestine except rectum | M - F - | - - | 44.0 - | 2.0 15.0 | 7.7 7.5 | 20.0 10.0 | 24.3 26.3 | 36.4 29.1 | 18.6 19.3 | 33.5 26.2 | 33.3 31.5 |

TABLE 6(c) continued

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------|--------------|--------------|---------------|---------------|--------------|---------------|--------------|---------------|---------|--------------|
| 1. | Tuberculosis all forms | M 15.4 F 17.8 | 19.0 20.5 | 19.4 15.2 | 20.2 22.3 | 15.2 29.9 | 25.0 31.7 | 20.3 167.7 | 13.4 22.7 | 161.8 41.3 | - - | 27.9 16.5 |
| 2. | Poliomyelitis and encephalitis | M 55.0 F 92.5 | 77.4 24.1 | 38.7 44.4 | 25.8 900.9 | 49.6 106.8 | 15.7 13.0 | - 19.0 | - 39.3 | - - | - - | 34.4 35.1 |
| 3. | Infectious hepatitis | M 15.8 F 17.2 | 15.4 19.4 | 23.2 19.1 | 25.0 18.8 | 20.3 21.2 | 17.7 24.6 | 20.6 18.8 | 23.9 20.7 | 13.6 20.3 | - - | 13.6 13.9 |
| 4. | Other diseases attributable to viruses | M 8.2 F 12.2 | 10.7 10.4 | 11.3 12.9 | 11.7 13.2 | 13.4 12.0 | 14.7 16.5 | 15.8 18.8 | 19.2 19.1 | 20.6 30.2 | - - | 9.1 9.6 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or parasitic diseases | M 11.7 F 13.0 | 59.6 12.2 | 31.6 13.0 | 19.4 46.9 | 19.5 52.4 | 24.4 22.1 | 45.4 30.3 | 74.8 25.8 | 15.0 41.4 | - - | 14.9 13.4 |
| 6. | Malignant neoplasm of buccal cavity and pharynx | M 17.0 F 14.2 | 18.8 17.3 | 21.9 18.8 | 27.0 21.7 | 30.3 27.5 | 22.8 25.5 | 23.1 20.6 | 19.9 27.0 | 36.0 62.4 | - - | 22.6 20.1 |
| 7. | Malignant neoplasm of stomach | M 23.2 F 36.8 | 25.1 27.4 | 25.2 26.3 | 27.7 23.6 | 33.0 35.3 | 25.5 24.6 | 29.3 31.1 | 26.8 30.5 | 37.5 55.1 | - - | 27.9 30.4 |
| 8. | Malignant neoplasm of large intestine except rectum | M 24.2 F 27.5 | 28.0 27.8 | 26.9 30.6 | 28.7 32.9 | 34.0 35.3 | 30.2 39.2 | 31.5 38.8 | 33.8 42.3 | 74.3 38.7 | - - | 32.3 34.3 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 9. | Malignant neoplasm of rectum | M F | - - | 16.5 - | - - | 3.0 - | 9.0 - | 25.0 29.5 | 43.4 33.3 | 35.6 27.4 | 25.8 26.5 | 23.2 32.0 |
| 10. | Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary | M F | - - | 9.8 - | 6.5 | 12.0 27.5 | 4.0 15.5 | 18.7 17.5 | 11.0 23.4 | 30.0 26.3 | 24.7 27.7 | 25.0 23.3 |
| 11. | Malignant neoplasm of breast | M F | - - | 5.0 1.0 | 10.0 | 16.7 | 7.0 24.2 | 10.9 | 17.8 | 20.0 17.4 | 20.9 | 11.7 22.1 |
| 12. | Malignant neoplasm of cervix uteri | M F | - - | - - | 14.1 | 8.0 | - - | 13.5 | 11.2 | 14.6 | 15.3 | 15.1 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M F | - - | - - | - - | 18.8 | 4.0 | 17.6 | 19.0 | 11.1 | 17.2 | 18.7 |
| 14. | Malignant neoplasm of ovary, Fallopian tube, and broad ligament | M F | - - | 3.0 | 4.3 | 18.7 | 15.7 | 13.9 | 23.6 | 18.1 | 19.6 | 22.3 |
| 15. | Malignant neoplasm of prostate | M F | 114.0 - | - - | - - | - - | 322.0 - | - - | 24.0 - | 9.0 - | 13.0 - | 11.3 - |
| 16. | Malignant neoplasm of kidney, bladder & F other urinary organs | M F | 22.2 10.0 | 25.1 26.5 | 18.8 14.5 | 22.6 36.3 | 14.5 6.0 | 13.2 20.0 | 48.3 30.3 | 8.3 26.5 | 12.7 23.1 | 15.1 2.1 |
| 17. | Leukaemia & aleu- kaemia | M F | 29.6 31.3 | 15.1 16.6 | 15.5 12.2 | 14.8 14.4 | 21.6 14.6 | 19.1 23.8 | 16.3 16.4 | 17.8 21.6 | 14.3 20.3 | 20.9 20.7 |

TABLE 6(c) (cont'd)

| Can. list no. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total | |
|---------------------|--|--------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-----------|--------------|
| 9. | Malignant neoplasm of rectum | M F | 41.2 33.2 | 36.2 31.7 | 27.0 40.9 | 35.0 36.4 | 36.4 39.3 | 32.8 34.7 | 39.6 40.3 | 45.7 56.9 | 68.9 35.7 | - - | 36.7 37.5 |
| 10. | Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary | M F | 24.0 24.8 | 26.8 26.8 | 29.5 26.9 | 25.8 27.8 | 28.0 32.3 | 27.3 28.4 | 26.8 32.2 | 32.5 30.8 | 31.7 37.4 | 41.0 - | 27.3 28.5 |
| 11. | Malignant neoplasm of breast | M F | 18.6 23.7 | 38.0 25.1 | 21.5 27.2 | 20.5 24.0 | 29.3 29.5 | 26.2 35.4 | 48.7 35.6 | 48.0 47.1 | 35.5 50.6 | - - | 31.2 28.0 |
| 12. | Malignant neoplasm of cervix uteri | M F | - 16.8 | - 20.6 | - 21.9 | - 18.9 | - 25.7 | - 30.5 | - 24.4 | - 40.4 | - 41.5 | - - | - 18.9 |
| 13. | Malignant neoplasm of uterus other than of cervix uteri | M F | - 14.5 | - 14.3 | - 18.7 | - 20.2 | - 23.9 | - 19.9 | - 21.8 | - 23.9 | - 156.8 | - - | - 20.5 |
| 14. | Malignant neoplasm of ovary, Fallopian tube, and broad ligament | M F | - 23.6 | - 24.1 | - 26.9 | - 28.2 | - 33.3 | - 30.9 | - 32.9 | - 35.0 | - 83.7 | - - | - 27.0 |
| 15. | Malignant neoplasm of prostate | M F | 17.6 - | 40.4 - | 26.9 - | 25.2 - | 26.7 - | 31.1 - | 31.5 - | 34.6 - | 39.2 - | - - | 31.4 - |
| 16. | Malignant neoplasm of kidney, bladder & other urinary organs | M F | 19.2 23.1 | 20.0 25.7 | 20.6 19.7 | 22.1 23.7 | 28.0 25.8 | 27.0 24.3 | 23.8 25.7 | 26.7 31.9 | 44.6 22.2 | 5.0 - | 24.6 24.8 |
| 17. | Leukaemia & aleukaemia | M F | 17.1 18.7 | 19.7 20.9 | 23.1 21.9 | 21.9 22.1 | 20.7 25.7 | 23.5 20.9 | 17.5 22.0 | 19.9 34.4 | 27.3 26.2 | - - | 19.5 20.4 |

TABLE 6(c) (cont'd)

| Age | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|-----|--|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | | | | | | | | | | |
| 18. | Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue | M 3.5 F 6.50 | 16.2 25.1 | 19.2 70.2 | 20.7 25.0 | 20.9 23.8 | 22.6 19.7 | 22.2 19.9 | 17.2 18.9 | 20.9 19.4 | 21.5 22.3 | 21.5 22.1 |
| 19. | Benign neoplasm of uterus | M - F - | 15.0 | 22.0 | 11.4 | 6.6 | 5.5 | 7.2 | 7.3 | 9.3 | 10.2 | 10.3 |
| 20. | Benign neoplasm of ovary | M - F - | 12.7 | 13.3 | 9.4 | 3.2 | 8.9 | 9.2 | 9.9 | 10.6 | 11.2 | 12.1 |
| 21. | Benign neoplasm (excluding uterus and ovary) : neoplasm of unspecified nature | M 24.5 F 11.0 | 9.5 9.2 | 7.6 7.5 | 6.4 6.7 | 6.4 6.9 | 9.2 6.7 | 9.0 5.3 | 8.4 5.7 | 7.3 6.2 | 7.9 6.6 | 7.9 7.5 |
| 22. | Asthma | M - F - | 10.0 9.0 | 7.6 6.6 | 6.1 7.1 | 7.7 6.1 | 6.6 7.6 | 7.3 8.0 | 7.9 7.8 | 7.9 9.1 | 10.5 10.0 | 9.1 9.9 |
| 23. | Other allergic disorders (excluding asthma) | M - F 9.0 | 13.9 12.6 | 11.4 10.1 | 6.2 7.5 | 7.1 8.0 | 6.9 6.6 | 6.4 6.2 | 5.6 6.3 | 6.5 7.3 | 7.1 6.2 | 7.1 7.6 |
| 24. | Diseases of thyroid gland | M - F 22.0 | 20.7 16.4 | 14.5 13.9 | 8.3 13.6 | 10.4 10.4 | 11.6 10.7 | 9.6 9.9 | 12.2 9.2 | 11.1 11.1 | 9.1 9.3 | 10.5 9.9 |
| 25. | Diabetes mellitus | M - F 57.0 | 17.8 12.3 | 15.4 17.2 | 12.0 14.3 | 13.4 13.5 | 11.6 11.5 | 9.3 10.1 | 14.1 12.1 | 14.3 11.1 | 13.6 12.4 | 13.6 12.6 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|--------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-----------|--------------|
| 18. | Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue | M F | 24.7 24.3 | 24.4 26.5 | 26.5 27.3 | 25.0 29.2 | 26.1 28.7 | 26.5 38.1 | 32.8 31.0 | 31.1 40.6 | 10.0 - | 25.3 28.7 |
| 19. | Benign neoplasm of uterus | M F | - 11.4 | - 10.9 | - 10.7 | 12.6 | 11.4 | 13.0 | 11.7 | 8.2 | - - | - 10.5 |
| 20. | Benign neoplasm of ovary | M F | - 12.3 | - 13.5 | - 15.0 | 16.0 | 19.5 | 21.6 | 18.5 | 12.6 | - - | - 10.8 |
| 21. | Benign neoplasm (excluding uterus & ovary) & neoplasm of unspecified nature | M F | 8.2 8.4 | 9.2 9.7 | 11.5 13.0 | 13.0 15.1 | 13.9 31.0 | 14.0 19.9 | 20.5 17.6 | 15.1 20.5 | - 6.3 | 9.4 8.7 |
| 22. | Asthma | M F | 10.4 10.9 | 11.3 13.1 | 13.4 14.4 | 14.9 14.7 | 14.0 22.4 | 15.0 18.8 | 27.6 21.3 | 64.9 67.0 | - - | 11.0 11.1 |
| 23. | Other allergic disorders (excluding asthma) | M F | 7.5 9.5 | 7.8 8.1 | 8.6 8.6 | 9.7 12.3 | 8.3 7.4 | 9.9 14.0 | 10.9 6.8 | 10.0 12.9 | - - | 8.6 8.9 |
| 24. | Diseases of thyroid gland | M F | 13.6 11.2 | 13.4 11.8 | 13.4 16.4 | 17.5 17.3 | 20.9 18.6 | 23.2 20.5 | 19.0 69.3 | 13.0 27.2 | - 23.0 | 12.3 11.9 |
| 25. | Diabetes mellitus | M F | 14.3 14.4 | 15.4 15.3 | 19.5 21.7 | 21.5 24.8 | 23.5 27.5 | 32.3 35.7 | 32.8 41.5 | 45.9 64.9 | - - | 19.5 22.5 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 26. | Diseases of other endocrine glands | 3.0 | 14.5 12.6 | 12.9 13.2 | 11.4 9.4 | 10.3 12.9 | 13.7 12.6 | 12.1 10.3 | 14.3 12.1 | 14.7 13.1 | 12.6 16.8 | 16.3 13.3 |
| 27. | Avitaminoses and other metabolic diseases | 35.0 19.5 | 22.1 19.2 | 15.3 16.5 | 13.8 13.5 | 10.4 10.0 | 14.0 11.4 | 12.5 10.7 | 7.3 12.3 | 15.4 12.7 | 12.0 13.1 | 12.8 11.5 |
| 28. | Diseases of the blood and blood- forming organs | 5.8 7.0 | 13.1 13.5 | 11.2 12.5 | 9.0 9.6 | 10.3 10.3 | 9.4 12.1 | 10.6 10.4 | 12.7 12.8 | 10.8 11.7 | 10.9 13.4 | 12.9 11.6 |
| 29. | Psychoses | - | - | 16.7 30.0 | 21.2 38.6 | 35.2 20.2 | 27.9 27.9 | 25.9 29.2 | 61.7 25.5 | 20.3 24.6 | 18.6 24.7 | 17.4 21.6 |
| 30. | Psychoneurotic disorders | - | 15.7 17.7 | 8.5 8.3 | 10.0 8.4 | 10.7 10.8 | 13.3 12.2 | 14.2 15.0 | 14.9 16.8 | 14.7 17.4 | 14.9 16.7 | 15.0 16.7 |
| 31. | Disorders of cha- racter, behaviour & intelligence | 11.2 20.3 | 22.1 17.6 | 19.1 17.0 | 18.7 13.5 | 36.5 17.6 | 15.0 21.2 | 12.7 17.2 | 13.8 17.4 | 8.5 15.9 | 8.5 13.1 | 8.0 12.4 |
| 32. | Vascular lesions af- fecting central ner- vous system | 13.0 3.0 | 20.7 28.0 | 20.5 21.5 | 16.2 22.4 | 20.8 19.9 | 20.6 14.8 | 23.2 20.1 | 19.7 24.3 | 42.1 22.4 | 18.8 18.8 | 18.7 27.5 |
| 33. | Inflammatory and other diseases of central nervous system | 18.9 18.3 | 19.7 18.9 | 17.1 15.9 | 17.4 17.6 | 13.1 13.6 | 17.1 15.0 | 17.0 14.3 | 36.3 27.5 | 27.5 27.8 | 36.5 30.0 | 40.1 48.4 |
| 34. | Diseases of nerves & peripheral ganglia | - | 16.1 22.2 | 14.4 19.2 | 20.5 20.4 | 16.2 10.9 | 12.5 11.9 | 10.7 10.4 | 10.6 11.1 | 10.1 11.8 | 11.4 13.0 | 10.6 12.7 |

TABLE 6(c) (cont'd)

| Jan. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------|--------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|-----------|--------------|
| 26. | Diseases of other endocrine glands | M 12.7 F 16.1 | 12.1 17.3 | 15.9 15.2 | 21.8 49.8 | 19.1 18.7 | 27.9 22.4 | 12.6 21.2 | 3.8 18.3 | 24.0 8.0 | - - | 13.9 14.9 |
| 27. | Avitaminoses and other metabolic diseases | M 10.3 F 14.4 | 14.1 13.6 | 21.3 14.3 | 20.8 16.7 | 20.3 23.5 | 17.3 20.4 | 23.3 17.9 | 28.3 24.5 | 37.5 20.9 | - - | 16.6 15.0 |
| 28. | Diseases of the blood and blood- forming organs | M 13.0 F 12.4 | 13.6 13.7 | 18.4 17.4 | 22.3 21.7 | 17.6 19.0 | 17.8 21.9 | 26.7 28.6 | 34.0 52.3 | 28.3 63.5 | - - | 15.3 17.9 |
| 29. | Psychoses | M 18.0 F 23.4 | 22.9 23.8 | 28.7 26.1 | 27.9 34.3 | 26.8 32.1 | 33.1 71.5 | 60.0 42.3 | 35.1 89.3 | 131.2 154.2 | - - | 28.7 29.7 |
| 30. | Psychoneurotic disorders | M 15.8 F 18.0 | 16.6 16.8 | 18.7 18.1 | 18.9 18.8 | 18.5 19.8 | 16.8 25.5 | 24.6 20.6 | 18.0 18.3 | 13.6 47.2 | - - | 15.5 16.7 |
| 31. | Disorders of cha- racter, beviour & intelligence | M 8.7 F 11.7 | 8.1 12.2 | 10.5 11.5 | 11.2 25.5 | 13.3 13.9 | 14.8 18.8 | 11.1 13.4 | 13.4 19.4 | 9.3 84.0 | 1.5 - | 11.5 15.6 |
| 32. | Vascular lesions af- fecting central ner- vous system | M 22.3 F 24.3 | 31.7 28.8 | 34.2 31.9 | 38.3 35.6 | 41.4 44.7 | 45.6 49.7 | 51.5 73.3 | 58.6 83.5 | 62.4 103.5 | 10.0 - | 44.0 58.0 |
| 33. | Inflammatory and other diseases of central nervous system | M 32.8 F 46.5 | 47.4 35.0 | 62.6 59.9 | 83.1 65.5 | 85.3 83.3 | 74.3 102.2 | 96.6 159.9 | 109.5 212.5 | 225.4 246.3 | - 19.0 | 44.2 47.4 |
| 34. | Diseases of nerves & peripheral ganglia | M 12.0 F 13.3 | 13.3 12.1 | 13.2 14.0 | 13.9 14.6 | 15.1 16.8 | 17.3 16.1 | 15.8 16.1 | 15.7 18.1 | 16.5 13.1 | 6.0 - | 12.9 13.3 |

TABLE 6(c) (cont'd)

| Case list no. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|-----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 35. | Diseases and con- ditions of the eye | M F 11.0 | 5.2 4.3 | 3.9 3.7 | 4.3 4.0 | 5.9 4.9 | 7.5 5.4 | 7.4 6.1 | 7.2 6.1 | 8.2 7.4 | 9.2 7.7 | 9.4 9.0 |
| 36. | Diseases of ear and mastoid process | M F - | 11.0 10.6 | 9.1 9.2 | 7.1 7.1 | 8.0 7.5 | 7.8 7.3 | 7.6 7.3 | 7.5 6.6 | 6.7 7.1 | 6.9 6.9 | 6.9 6.7 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M F - | 17.0 17.8 | 17.6 19.7 | 18.9 20.5 | 21.5 21.2 | 19.5 18.6 | 19.2 14.8 | 19.4 17.5 | 18.5 18.5 | 22.1 19.8 | 16.8 19.8 |
| 38. | Arteriosclerotic and degenerative heart disease | M F 11.3 5.4 | 10.9 15.2 | 10.0 14.4 | 14.5 15.6 | 13.4 10.0 | 11.5 18.5 | 14.9 9.7 | 15.4 12.0 | 17.5 16.7 | 18.2 18.7 | 18.2 17.2 |
| 39. | Other diseases of the heart | M F - | 14.3 14.9 | 14.7 13.6 | 10.7 8.6 | 10.5 12.1 | 11.4 9.6 | 9.8 10.2 | 13.6 10.2 | 10.1 10.8 | 12.7 12.5 | 12.4 12.6 |
| 40. | Hypertensive heart disease and other hy- pertensive disease | M F - | 8.7 14.8 | 9.0 15.8 | 14.2 38.7 | 15.6 10.9 | 11.4 11.4 | 10.4 14.3 | 11.3 12.1 | 11.2 11.0 | 11.4 12.6 | 15.7 13.3 |
| 41. | Diseases of arte- ries | M F - | 12.8 8.3 | 14.4 15.0 | 13.6 9.9 | 27.4 11.5 | 21.6 13.1 | 15.4 18.1 | 17.1 18.6 | 23.2 15.7 | 19.3 20.9 | 20.6 16.7 |
| 42. | Varicose veins of lower extremities | M F - | 4.5 25.0 | 3.7 9.2 | 28.5 9.3 | 6.5 10.6 | 7.7 6.0 | 8.3 6.7 | 9.6 7.5 | 9.3 7.9 | 9.7 8.5 | 10.7 9.1 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|--------------|--------------|
| 35. | Diseases and con- ditions of the eye | M 21.7 F 9.6 | 11.2 11.6 | 11.9 11.9 | 13.6 12.8 | 14.1 12.8 | 14.0 13.9 | 14.0 14.1 | 19.3 16.3 | 30.2 20.4 | 4.0 - | 10.0 9.3 |
| 36. | Diseases of ear and mastoid process | M 6.3 F 7.5 | 6.9 7.5 | 8.0 7.4 | 8.3 8.5 | 8.2 8.9 | 13.0 10.5 | 23.2 10.1 | 11.9 139.2 | 8.6 113.9 | - 5.0 | 8.6 8.8 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M 19.7 F 21.3 | 19.7 22.9 | 18.4 21.7 | 19.7 25.6 | 21.0 21.8 | 21.8 28.6 | 17.6 50.9 | 18.1 122.4 | 24.8 133.1 | - - | 19.6 22.2 |
| 38. | Arteriosclerotic and degenerative heart disease | M 20.8 F 18.5 | 19.5 19.7 | 20.1 21.8 | 20.5 21.7 | 22.0 23.3 | 24.8 27.3 | 28.4 32.7 | 35.7 40.6 | 45.9 77.7 | 15.5 11.7 | 23.8 29.5 |
| 39. | Other diseases of the heart | M 15.1 F 12.6 | 15.9 14.6 | 17.5 15.1 | 17.0 17.2 | 18.7 17.4 | 17.9 20.1 | 18.1 25.0 | 22.6 30.6 | 33.5 40.1 | - 12.5 | 18.5 20.6 |
| 40. | Hypertensive heart disease and other hy- pertensive disease | M 13.4 F 14.1 | 15.0 13.7 | 16.3 14.5 | 16.2 16.5 | 22.1 19.2 | 23.0 26.8 | 21.2 24.5 | 34.8 51.0 | 56.4 71.5 | - 3.0 | 19.1 22.1 |
| 41. | Diseases of arte- ries | M 23.2 F 20.5 | 24.2 27.7 | 23.3 22.7 | 27.0 23.4 | 30.4 47.3 | 37.8 52.0 | 47.9 52.5 | 52.8 110.1 | 87.3 213.0 | - - | 36.8 67.7 |
| 42. | Varicose veins of lower extremities | M 11.9 F 11.0 | 12.1 13.5 | 14.3 15.1 | 18.1 18.1 | 18.5 21.0 | 20.9 26.6 | 55.2 29.3 | 30.3 28.4 | 63.3 28.3 | - - | 15.8 12.2 |

TABLE 6(c) (cont'd)

| Case List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|--------------|--------------|-------------|------------|-------------|-------------|--------------|--------------|--------------|--------------|
| 43. | Haemorrhoids | M F | 6.8 23.0 | 5.5 4.5 | 4.9 5.3 | 3.2 5.2 | 7.2 7.2 | 7.3 7.2 | 8.1 3.2 | 9.2 8.3 | 9.6 8.3 | 8.7 9.3 |
| 44. | Phlebitis and throm- bophlebitis | M F | 14.5 - | 5.0 11.3 | 10.7 4.4 | 8.0 8.1 | 8.3 12.2 | 9.5 11.1 | 12.8 12.5 | 12.3 11.8 | 11.9 14.0 | 13.7 14.1 |
| 45. | Other diseases of the circulatory system | M F | 11.0 9.7 | 7.5 8.3 | 5.6 5.6 | 5.6 5.6 | 6.9 6.7 | 6.9 7.7 | 8.4 8.7 | 11.4 9.5 | 13.0 10.7 | 11.7 10.9 |
| 46. | Acute upper resp- iratory infections | M F | 7.7 7.4 | 5.9 5.9 | 4.7 4.9 | 4.9 4.7 | 5.0 4.7 | 4.9 4.9 | 4.8 5.1 | 5.4 6.0 | 5.5 6.3 | 6.6 7.0 |
| 47. | Influenza | M F | 7.8 7.4 | 6.1 5.3 | 4.9 5.2 | 5.1 5.0 | 4.7 4.7 | 4.6 5.2 | 5.0 5.5 | 4.6 5.6 | 5.1 6.1 | 5.9 6.6 |
| 48. | Pneumonia | M F | 12.0 11.5 | 10.0 9.9 | 6.9 9.2 | 8.8 8.8 | 9.3 9.1 | 8.3 8.9 | 8.7 9.4 | 9.4 10.2 | 10.4 10.4 | 10.2 11.8 |
| 49. | Bronchitis | M F | 9.3 8.7 | 7.2 7.3 | 6.6 7.1 | 6.8 7.3 | 6.9 7.1 | 7.0 7.3 | 7.4 6.0 | 8.8 9.1 | 8.4 8.8 | 9.0 9.1 |
| 50. | Hypertrophy of ton- sils & adenoids | M F | 4.1 4.0 | 1.9 1.8 | 1.9 1.9 | 2.1 2.2 | 2.8 2.9 | 5.5 3.3 | 3.3 3.4 | 3.4 3.5 | 3.5 9.9 | 3.5 3.7 |
| 51. | Other diseases of respiratory System | M F | 13.0 11.7 | 10.0 10.1 | 7.4 7.8 | 6.6 7.1 | 6.0 6.3 | 6.4 6.8 | 6.2 7.4 | 6.1 7.6 | 8.0 8.0 | 7.7 8.5 |

TABLE 6(c) (cont'd)

| Can. list No. | Diagnosis | | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|--------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|
| 43. | Haemorrhoids | M F | 9.1 9.8 | 9.8 10.1 | 10.4 10.6 | 10.8 11.4 | 11.1 11.6 | 11.7 11.4 | 13.2 12.6 | 14.3 12.5 | 15.5 11.5 | 5.0 - | 9.3 9.4 |
| 44. | Phlebitis and throm- bophlebitis | M F | 13.6 14.3 | 13.8 15.8 | 16.7 16.2 | 17.8 16.6 | 17.4 16.4 | 18.1 18.6 | 17.4 21.5 | 16.9 20.4 | 17.7 23.0 | - - | 15.5 15.6 |
| 45. | Other diseases of the circulatory system | M F | 13.4 14.4 | 15.4 16.4 | 16.9 14.3 | 16.7 18.7 | 16.5 20.0 | 17.9 21.1 | 17.7 26.8 | 21.7 24.5 | 19.0 23.1 | - 7.0 | 9.3 9.4 |
| 46. | Acute upper resp- iratory infections | M F | 6.3 6.7 | 6.7 8.0 | 7.4 7.4 | 7.3 8.6 | 14.0 9.2 | 9.1 10.5 | 8.9 9.6 | 10.9 14.1 | 9.5 10.4 | - 10.0 | 6.1 6.1 |
| 47. | Influenza | M F | 6.4 7.1 | 6.2 7.2 | 7.8 7.8 | 7.3 7.8 | 8.2 9.5 | 9.1 9.9 | 9.5 10.8 | 11.2 18.3 | 12.9 23.5 | - 12.0 | 6.4 7.0 |
| 48. | Pneumonia | M F | 11.5 12.2 | 13.2 12.1 | 13.6 13.7 | 15.1 14.0 | 16.2 15.1 | 16.7 17.6 | 18.0 19.4 | 19.8 20.5 | 27.9 26.5 | 8.3 18.0 | 12.2 11.9 |
| 49. | Bronchitis | M F | 10.1 9.9 | 12.1 10.5 | 14.2 12.9 | 15.7 14.5 | 16.9 12.3 | 20.6 15.0 | 16.1 13.7 | 23.3 16.6 | 28.0 36.5 | 1.0 - | 10.7 9.4 |
| 50. | Hypertrophy of ton- sils & adenoids | M F | 4.2 3.9 | 4.1 4.1 | 3.9 4.6 | 5.8 4.7 | 7.4 7.8 | 14.6 5.4 | 12.0 7.0 | 20.1 8.2 | 1.0 10.0 | - - | 2.1 2.2 |
| 51. | Other diseases of respiratory system | M F | 8.7 10.3 | 10.7 9.8 | 13.7 11.8 | 14.1 14.6 | 17.4 15.5 | 19.1 20.6 | 18.9 20.1 | 33.1 24.7 | 25.1 40.6 | - 8.0 | 10.5 10.4 |

TABLE 6 (c) (cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|---------|--------------|--------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 52. | Diseases of teeth and supporting structure | M F | 5.0 4.5 | 2.0 1.8 | 1.8 1.7 | 2.2 2.2 | 1.9 2.0 | 2.1 2.1 | 2.0 2.1 | 2.0 2.1 | 2.3 2.2 | 2.4 2.5 |
| 53. | Ulcer of stomach, duodenum and jejunum | M F | 14.5 17.3 | 13.1 11.1 | 10.5 9.9 | 9.1 9.0 | 11.8 9.6 | 10.6 11.3 | 10.8 11.0 | 11.4 12.2 | 12.1 12.7 | 12.6 13.6 |
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach & duodenum | M F | 9.7 9.9 | 5.6 5.2 | 4.2 4.4 | 4.6 5.4 | 5.5 6.1 | 5.9 7.0 | 6.5 7.5 | 7.1 7.9 | 7.5 8.0 | 7.5 8.7 |
| 55. | Appendicitis | M F | 8.4 9.8 | 9.2 9.1 | 7.2 7.0 | 7.1 7.1 | 7.2 7.2 | 7.1 7.1 | 7.4 7.9 | 7.5 8.0 | 8.4 8.7 | 8.9 9.5 |
| 56. | Hernia of abdominal cavity | M F | 7.1 8.1 | 5.2 5.2 | 5.6 5.5 | 6.5 6.7 | 7.4 8.2 | 7.6 8.4 | 7.9 8.9 | 7.6 9.5 | 8.2 10.2 | 9.5 10.9 |
| 57. | Intestinal obstruct- ion without mention of hernia | M F | 8.8 7.9 | 6.5 5.8 | 6.2 6.5 | 6.3 5.7 | 8.3 7.6 | 9.0 8.2 | 9.1 9.4 | 11.5 11.4 | 10.7 11.4 | 10.9 13.4 |
| 58. | Gastro-enteritis & colitis, except ulce- rative, age 4 weeks & over | M F | 10.2 9.9 | 7.8 7.1 | 4.4 4.6 | 4.1 4.2 | 4.5 4.5 | 4.4 5.0 | 4.7 5.8 | 5.1 6.5 | 6.0 7.3 | 6.4 7.1 |
| 59. | Chronic enteritis & ulcerative colitis | M F | 12.6 21.5 | 7.7 13.4 | 7.6 10.3 | 16.8 16.3 | 23.4 18.3 | 20.7 14.3 | 17.6 18.8 | 15.0 18.7 | 15.5 16.9 | 17.1 16.8 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|
| 52. | Diseases of teeth and supporting structure | M 2.4 F 2.4 | 2.6 2.7 | 2.8 2.8 | 3.3 3.1 | 4.1 4.4 | 3.8 4.3 | 6.0 4.1 | 4.3 4.0 | 6.6 6.8 | - - | 2.2 2.2 |
| 53. | Ulcer of stomach duodenum and jejunum | M 13.6 F 14.0 | 14.8 15.4 | 15.3 15.4 | 16.7 17.5 | 18.3 18.1 | 18.8 19.8 | 20.2 21.0 | 24.0 28.6 | 24.9 26.2 | 12.7 9.0 | 14.5 15.1 |
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach & duodenum | M 8.8 F 8.9 | 8.6 8.5 | 9.3 9.8 | 9.8 10.8 | 10.5 11.4 | 10.7 10.5 | 10.6 12.9 | 13.6 13.5 | 16.1 14.0 | - - | 8.1 8.5 |
| 55. | Appendicitis | M 10.1 F 10.9 | 10.8 12.1 | 12.6 11.4 | 13.5 13.2 | 14.8 14.4 | 14.7 17.2 | 18.0 18.5 | 15.9 54.3 | 19.1 24.0 | 8.0 8.5 | 9.0 7.9 |
| 56. | Hernia of abdominal cavity | M 8.9 F 12.0 | 9.5 13.5 | 9.8 13.7 | 10.6 12.8 | 11.1 14.3 | 12.0 16.3 | 13.4 16.1 | 13.6 22.1 | 16.7 22.1 | 8.4 - | 8.7 11.3 |
| 57. | Intestinal obstruct- ion without mention of hernia | M 13.1 F 13.6 | 15.6 12.8 | 12.8 14.6 | 12.5 20.4 | 12.8 14.9 | 15.1 18.7 | 15.9 16.2 | 14.6 14.9 | 10.0 25.2 | - - | 11.5 13.6 |
| 58. | Gastro-enteritis & colitis, except ulce- rative, age 4 weeks & over | M 6.2 F 8.0 | 6.3 9.4 | 6.6 9.0 | 8.1 8.4 | 7.2 8.9 | 8.2 10.9 | 8.9 10.6 | 9.3 12.1 | 12.0 14.7 | 6.0 2.0 | 8.0 7.9 |
| 59. | Chronic enteritis & ulcerative colitis | M 14.3 F 14.4 | 15.4 16.6 | 14.9 13.7 | 14.6 15.3 | 15.8 15.7 | 14.3 16.0 | 16.0 26.5 | 16.3 20.6 | 22.6 24.3 | - - | 15.3 17.6 |

TABLE 6 (c) (cont'd)

| San. list No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 60. | Cirrhosis and other diseases of liver | - - | 13.7 34.5 | 15.4 11.4 | 9.8 11.1 | 10.9 12.0 | 11.8 9.8 | 10.2 9.2 | 9.9 13.2 | 13.9 12.7 | 14.9 15.5 | 18.0 18.2 |
| 61. | Diseases of gall- bladder and pancreas | 23.0 42.7 | 23.7 29.3 | 17.5 26.6 | 14.9 13.4 | 9.8 9.1 | 8.5 9.7 | 11.8 10.6 | 10.0 11.1 | 11.5 11.6 | 11.9 12.0 | 12.8 12.4 |
| 62. | Other diseases of digestive system | - 8.0 | 10.4 8.9 | 8.7 8.1 | 6.6 6.1 | 6.4 7.1 | 8.0 7.6 | 7.7 7.7 | 7.9 8.7 | 7.5 9.1 | 8.2 9.6 | 9.1 10.4 |
| 63. | Nephritis & nephro- sis | - - | 24.4 23.3 | 21.9 19.5 | 21.9 17.4 | 18.2 16.6 | 19.7 14.4 | 15.2 13.8 | 16.9 13.4 | 18.7 13.6 | 16.3 13.7 | 16.0 14.8 |
| 64. | Infections of kidney | - - | 18.8 17.0 | 12.8 10.3 | 9.0 8.2 | 8.0 7.3 | 9.1 10.7 | 8.8 8.0 | 8.6 7.7 | 9.7 9.0 | 10.1 9.4 | 10.8 10.8 |
| 65. | Calculi of kidney, ureter and other parts of urinary system | 19.5 - | - 28.0 | 17.4 9.4 | 8.9 13.0 | 11.0 8.0 | 8.1 7.2 | 8.2 7.4 | 7.8 8.4 | 7.9 8.2 | 8.1 9.5 | 8.3 9.1 |
| 66. | Other diseases of urinary system | 10.0 11.0 | 15.2 15.6 | 10.3 8.3 | 9.3 7.5 | 8.5 7.2 | 10.5 7.0 | 11.0 7.5 | 9.5 8.0 | 9.7 8.0 | 10.5 8.8 | 10.1 9.5 |
| 67. | Hyperplasia of prostate | - - | - - | 10.0 - | 4.6 - | 50.0 - | 7.5 - | 6.3 - | 5.1 - | 8.7 - | 10.5 - | 11.3 - |
| 68. | Redundant prepuce and phimosis | 3.1 - | 2.6 - | 2.8 - | 2.7 - | 3.2 - | 3.6 - | 3.5 - | 3.5 - | 3.6 - | 4.3 - | 4.3 - |

TABLE 6 (c) (cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|------------------|
| 60. | Cirrhosis and other diseases of liver | M 18.5 F 17.6 | M 19.1 F 21.4 | M 18.8 F 24.1 | M 20.0 F 22.3 | M 23.3 F 22.5 | M 26.4 F 23.2 | M 34.1 F 29.6 | M 42.6 F 23.4 | M 65.8 F 27.5 | M 13.0 F - | M 12.7 F 17.6 |
| 61. | Diseases of gall-bladder & pancreas | M 13.3 F 13.1 | M 14.1 F 13.8 | M 15.4 F 15.0 | M 16.2 F 16.1 | M 17.0 F 18.0 | M 19.1 F 17.5 | M 19.4 F 19.5 | M 22.1 F 22.1 | M 20.6 F 18.8 | M 6.0 F 9.3 | M 15.1 F 13.9 |
| 62. | Other diseases of digestive system | M 10.0 F 11.2 | M 10.7 F 11.9 | M 12.2 F 12.8 | M 12.8 F 13.2 | M 12.7 F 13.7 | M 13.8 F 16.9 | M 14.3 F 14.1 | M 16.3 F 23.1 | M 19.9 F 23.5 | M 12.0 F 3.8 | M 10.0 F 10.7 |
| 63. | Nephritis & nephrosis | M 18.0 F 16.1 | M 21.0 F 19.4 | M 17.9 F 26.5 | M 21.1 F 32.5 | M 21.3 F 23.9 | M 29.5 F 21.1 | M 28.0 F 34.2 | M 22.5 F 28.6 | M 73.9 F 97.6 | M - F - | M 20.6 F 19.1 |
| 64. | Infections of kidney | M 10.3 F 9.7 | M 12.1 F 11.7 | M 12.5 F 11.9 | M 13.6 F 13.6 | M 20.2 F 15.5 | M 19.4 F 17.1 | M 17.7 F 19.4 | M 23.1 F 20.9 | M 30.3 F 24.3 | M - F 10.0 | M 13.0 F 10.5 |
| 65. | Calculi of kidney ureter and other parts of urinary system | M 8.7 F 9.9 | M 9.3 F 10.1 | M 10.2 F 11.1 | M 11.5 F 10.6 | M 13.1 F 12.7 | M 14.3 F 13.2 | M 16.7 F 15.5 | M 19.5 F 16.1 | M 23.0 F 17.7 | M 1.0 F - | M 9.6 F 9.8 |
| 66. | Other diseases of urinary system | M 10.2 F 9.4 | M 11.1 F 9.3 | M 12.3 F 10.1 | M 12.5 F 10.6 | M 11.9 F 11.4 | M 13.9 F 11.4 | M 13.8 F 14.0 | M 15.3 F 24.3 | M 23.8 F 28.3 | M - F - | M 11.8 F 9.6 |
| 67. | Hyperplasia of prostate | M 12.8 F - | M 13.2 F - | M 15.3 F - | M 19.4 F - | M 20.0 F - | M 21.9 F - | M 24.6 F - | M 26.8 F - | M 28.7 F - | M 7.3 F - | M 21.3 F - |
| 68. | Redundant prepuce and phimosis | M 4.4 F - | M 4.7 F - | M 4.3 F - | M 7.9 F - | M 6.6 F - | M 6.6 F - | M 9.8 F - | M 9.0 F - | M 5.9 F - | M - F - | M 3.1 F - |

TABLE 6 (c) (cont'd)

| Can. first no. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|----------------------|--|---------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 69. | Diseases of ovary, Fallopian tube and parametrium, and in- fective disease of uterus, vagina and vulva | M F | 8.6 | 9.2 | 7.0 | 7.6 | 6.7 | 7.0 | 7.3 | 7.6 | 7.9 | 8.2 |
| 70. | Uterovaginal prolapse | M F | - - | - 19.0 | 3.5 | - - | 5.8 | 11.1 | 11.8 | 13.1 | 13.5 | 14.1 |
| 71. | Disorders of menst- ruation | M F | 7.0 | 12.3 | 4.3 | 4.7 | 4.6 | 4.5 | 4.5 | 4.7 | 4.9 | 5.1 |
| 72. | Other diseases of genital organs | M F | 6.8 8.3 | 5.2 4.2 | 5.4 4.5 | 6.3 5.6 | 7.4 5.2 | 6.6 5.0 | 6.9 5.3 | 6.6 5.8 | 7.4 5.9 | 7.9 5.7 |
| 73. | Complications of pregnancy | M F | - - | - - | - - | 6.0 | 4.2 | 4.3 | 4.4 | 4.6 | 5.1 | 5.1 |
| 74. | Abortion | M F | - - | - - | - - | 5.1 | 3.9 | 3.9 | 4.0 | 4.0 | 4.2 | 4.3 |
| 75. | Delivery without mention of compli- cations | M F | - - | - - | - - | 7.0 | 6.0 | 5.8 | 5.9 | 6.0 | 6.2 | 6.3 |
| 76. | Delivery with speci- fied complications | M F | - - | - - | - - | 8.4 | 8.4 | 8.3 | 8.9 | 9.3 | 9.9 | 10.5 |

TABLE 6(c) (cont'd)

| Can- list No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|----------------------|----------------------|----------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|----------------|----------------------|
| 60. | Diseases of ovary Fallopian tube menstru- tive disease of uterus vagina and vulva | M F 8.5 | M F 3.0 | M F 3.6 | M F 9.2 | M F 11.6 | M F 10.7 | M F 13.3 | M F 13.7 | M F 14.5 | M F - | M F 7.7 |
| 70. | Uterovaginal prolapse | M F 14.5 | M F 14.7 | M F 14.8 | M F 15.5 | M F 16.0 | M F 16.5 | M F 16.7 | M F 17.9 | M F 40.7 | M F 16.8 | M F 14.7 |
| 71. | Disorders of menstru- ation | M F 5.2 | M F 5.2 | M F 5.0 | M F 5.6 | M F 6.7 | M F 7.5 | M F 8.4 | M F 9.7 | M F 12.0 | M F 6.0 | M F 4.2 |
| 72. | Other diseases of genital organs | M F 8.4 6.0 | M F 8.5 6.6 | M F 9.5 7.1 | M F 10.5 7.8 | M F 12.4 4.7 | M F 12.7 9.3 | M F 15.1 11.3 | M F 14.5 10.3 | M F 27.3 19.3 | M F - | M F 5.7 5.9 |
| 73. | Complications of pregnancy | M F 6.5 | M F 16.2 | M F 6.9 | M F - | M F 9.4 | M F - | M F - | M F - | M F - | M F 5.3 | M F 4.5 |
| 74. | Abortion | M F 4.5 | M F 5.1 | M F 6.6 | M F 3.0 | M F - | M F - | M F - | M F - | M F - | M F 1.0 | M F 1.1 |
| 75. | Delivery without mention of compli- cations | M F 6.8 | M F 6.5 | M F 13.2 | M F 5.4 | M F - | M F - | M F - | M F - | M F - | M F 6.9 | M F 6.0 |
| 76. | Delivery with speci- fied complications | M F 11.1 | M F 12.8 | M F - | M F 7.0 | M F - | M F - | M F - | M F - | M F - | M F 7.2 | M F 9.0 |

TABLE 6(c) (cont'd)

| Case No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|-------------|--|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 77. | Complication of the puerperium | - | - | - | - | 25.0 | 7.4 | 8.0 | 9.7 | 10.7 | 10.5 | 12.7 |
| 78. | Infection of skin and subcutaneous tissue | M 9.3 F 16.0 | 12.9 12.0 | 7.9 8.1 | 6.3 6.3 | 5.8 5.6 | 5.5 5.5 | 5.7 5.6 | 5.7 6.4 | 6.1 5.9 | 6.4 6.9 | 7.6 7.7 |
| 79. | Other diseases of skin and subcutaneous tissue | M 17.0 F 29.5 | 14.9 15.5 | 12.2 12.4 | 9.2 8.3 | 5.7 6.3 | 5.7 6.9 | 7.5 7.7 | 8.2 13.4 | 9.0 9.2 | 10.9 9.9 | 12.9 10.7 |
| 80. | Arthritis and rheumatism, except rheumatic fever | M 7.0 F 276.0 | 12.2 18.3 | 15.7 20.2 | 12.6 12.9 | 11.5 11.9 | 11.8 10.8 | 13.6 12.0 | 12.6 15.0 | 18.9 22.7 | 15.0 15.9 | 14.8 17.4 |
| 81. | Displacement of intervertebral disc | M - F - | - | 9.0 21.3 | 19.5 6.7 | 11.1 12.1 | 16.2 15.3 | 14.8 14.9 | 15.0 15.7 | 16.3 18.1 | 16.8 19.3 | 17.2 16.4 |
| 82. | Other diseases of bones and organs of movement | M 20.6 F 16.1 | 16.5 19.3 | 15.2 14.1 | 19.3 15.3 | 13.3 14.9 | 11.8 11.6 | 12.1 8.7 | 11.5 9.8 | 11.8 9.9 | 12.2 10.6 | 12.8 11.5 |
| 83. | Congenital malformation | M 16.5 F 15.7 | 18.8 19.3 | 15.2 16.1 | 11.3 12.5 | 11.9 14.5 | 18.8 11.7 | 12.5 11.9 | 14.2 11.9 | 14.9 13.6 | 15.6 13.4 | 17.6 13.9 |
| 84. | Certain diseases of early infancy | M 10.3 F 15.3 | 13.2 13.6 | 12.7 10.8 | 11.5 21.6 | 6.4 9.0 | 26.7 7.0 | 15.0 7.0 | - 7.0 | 27.5 6.7 | 3.0 6.3 | 1.0 21.0 |
| 85. | Symptoms, senility, and ill-defined conditions | M 13.6 F 18.0 | 9.7 8.9 | 6.3 6.3 | 5.6 5.6 | 5.4 5.7 | 5.9 6.2 | 6.2 6.0 | 6.2 7.1 | 6.3 8.0 | 6.9 8.1 | 7.1 9.1 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | 15-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|--|-----------|-----------|-----------|----------|--------|--------|--------|--------|--------|---------|-------|
| 77. | Complication of the puerperium | M 11.6 | F 9.0 | - 20.0 | - 4.0 | - - | - - | - - | - - | - - | - - | 9.5 |
| 78. | Infection of skin and subcutaneous tissue | M 8.3 | F 8.8 | 9.3 | 11.2 | 12.6 | 14.3 | 13.8 | 13.9 | 16.6 | - | 7.7 |
| | | 8.6 | 8.9 | 11.3 | 12.9 | 13.3 | 14.1 | 16.0 | 25.9 | 15.5 | - | 8.0 |
| 79. | Other diseases of skin and subcutaneous tissue | M 12.0 | F 13.1 | 16.6 | 17.5 | 19.2 | 18.7 | 20.9 | 25.2 | 22.3 | 13.0 | 11.4 |
| | | 12.0 | 11.9 | 12.8 | 15.3 | 14.6 | 18.0 | 21.3 | 30.2 | 26.4 | - | 11.1 |
| 80. | Arthritis and rheumatism, except rheumatic fever | M 15.0 | F 17.3 | 18.0 | 23.4 | 25.7 | 26.4 | 31.3 | 41.1 | 57.3 | 15.5 | 20.4 |
| | | 18.2 | 22.6 | 25.5 | 31.4 | 28.2 | 40.1 | 42.6 | 64.1 | 140.6 | 18.5 | 29.0 |
| 81. | Displacement of intervertebral disc | M 16.9 | F 17.4 | 18.1 | 17.3 | 17.5 | 22.1 | 17.5 | 20.9 | 16.7 | 7.0 | 16.5 |
| | | 19.3 | 19.7 | 18.8 | 21.0 | 19.7 | 21.1 | 21.3 | 14.5 | 26.6 | - | 18.6 |
| 82. | Other diseases of bones and organs of movement | M 14.2 | F 14.9 | 14.2 | 17.0 | 35.3 | 20.9 | 23.5 | 32.8 | 50.4 | - | 15.1 |
| | | 17.6 | 13.7 | 15.3 | 16.0 | 26.5 | 23.9 | 32.7 | 36.6 | 57.7 | - | 15.5 |
| 83. | Congenital malformation | M 15.8 | F 15.8 | 15.2 | 20.2 | 19.4 | 20.6 | 24.4 | 24.0 | 13.3 | - | 15.3 |
| | | 15.6 | 17.3 | 21.0 | 15.5 | 24.3 | 16.7 | 15.1 | 33.1 | 11.4 | - | 15.4 |
| 84. | Certain diseases of early infancy | M - | F 31.0 | - | - | - | 55.0 | - | 1.0 | - | - | 12.3 |
| | | 4.0 | 25.0 | - | - | 7.0 | 18.0 | - | - | - | - | 14.0 |
| 85. | Symptoms, senility, and ill-defined conditions | M 7.2 | F 11.7 | 8.6 | 9.7 | 10.6 | 13.4 | 14.2 | 22.8 | 36.2 | 26.8 | 8.8 |
| | | 9.2 | 9.6 | 10.6 | 12.6 | 13.8 | 16.7 | 22.2 | 26.1 | 62.9 | - | 9.8 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 86. | Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp | M 6.0 F 5.0 | 7.9 7.3 | 5.8 4.7 | 5.3 5.2 | 4.6 4.6 | 5.2 6.5 | 8.3 10.0 | 7.8 9.7 | 8.7 9.4 | 9.5 7.9 | 8.4 8.0 |
| 87. | Fracture of spine and trunk | M - F - | 6.0 22.6 | 12.0 9.2 | 13.1 14.0 | 12.6 22.8 | 23.7 24.5 | 24.1 20.5 | 22.2 18.9 | 23.4 18.0 | 19.8 22.2 | 18.8 18.8 |
| 88. | Fracture of upper limb | M - F 2.0 | 10.1 8.6 | 3.8 1.5 | 3.2 3.0 | 3.2 3.2 | 4.3 4.9 | 5.9 6.2 | 6.7 5.8 | 5.8 4.8 | 6.5 5.1 | 7.7 5.4 |
| 89. | Fracture of femur | M 5.5 F - | 21.0 19.7 | 29.4 26.5 | 31.0 34.3 | 30.1 31.4 | 37.8 38.5 | 40.2 34.5 | 33.2 44.0 | 33.4 46.0 | 43.5 36.8 | 46.2 28.2 |
| 90. | Other fractures of lower limbs (exclu- ding femur) | M - F - | 22.2 17.8 | 5.4 6.4 | 8.2 7.2 | 7.4 7.3 | 10.3 11.9 | 13.4 10.5 | 14.3 11.5 | 13.8 13.8 | 14.7 11.1 | 13.8 15.1 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M - F - | 17.5 3.4 | 6.5 5.0 | 4.5 4.3 | 4.9 4.8 | 6.1 7.1 | 6.8 7.2 | 7.8 8.5 | 8.8 8.0 | 9.2 8.7 | 9.0 9.8 |
| 92. | Internal injury of chest, abdomen and pelvis | M 31.1 F 1.0 | 8.2 6.0 | 10.9 7.9 | 13.1 8.5 | 11.7 14.8 | 10.7 10.6 | 14.4 14.5 | 15.8 10.4 | 15.5 15.2 | 16.3 19.5 | 13.4 12.3 |

TABLE 6(c) (cont'd)

| Can. list No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|--------|-------|-------|-------|-------|-------|-------|-------|------|---------|-------|
| 86. | Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp | M 9.5 | 11.2 | 10.8 | 12.7 | 12.1 | 14.0 | 16.1 | 10.5 | 12.0 | 5.8 | 7.4 |
| | | F 9.5 | 10.9 | 12.3 | 9.6 | 18.3 | 10.8 | 17.2 | 12.8 | 55.3 | 8.0 | 7.9 |
| 87. | Fracture of spine and trunk | M 18.3 | 16.6 | 17.6 | 17.9 | 19.3 | 19.2 | 21.4 | 23.4 | 29.3 | - | 20.0 |
| | | F 18.4 | 18.0 | 20.8 | 21.8 | 20.7 | 26.2 | 29.8 | 30.5 | 40.1 | 14.0 | 23.2 |
| 88. | Fracture of upper limb | M 6.7 | 7.9 | 8.5 | 11.3 | 13.7 | 11.9 | 12.9 | 13.7 | 18.3 | 33.0 | 5.3 |
| | | F 5.4 | 5.5 | 5.4 | 6.2 | 7.6 | 9.1 | 11.7 | 17.1 | 27.4 | 4.0 | 6.3 |
| 89. | Fracture of femur - | M 40.9 | 39.1 | 43.3 | 45.4 | 56.2 | 51.0 | 51.8 | 55.4 | 65.3 | 29.0 | 42.8 |
| | | F 37.3 | 34.9 | 37.9 | 47.4 | 44.7 | 51.6 | 63.4 | 68.2 | 79.8 | 36.7 | 56.4 |
| 90. | Other fractures of lower limbs (exclu- ding femur) | M 16.8 | 16.4 | 17.1 | 24.3 | 23.0 | 32.7 | 26.9 | 26.4 | 33.5 | 15.0 | 14.2 |
| | | F 14.2 | 15.2 | 16.5 | 21.6 | 25.7 | 28.4 | 36.5 | 36.5 | 69.4 | 4.5 | 16.9 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M 9.2 | 9.8 | 10.0 | 8.9 | 8.0 | 9.8 | 9.2 | 12.5 | 12.3 | 13.3 | 8.1 |
| | | F 10.4 | 9.0 | 10.0 | 9.2 | 8.8 | 10.5 | 14.1 | 12.5 | 12.5 | - | 8.5 |
| 92. | Internal injury of chest, abdomen and pelvis | M 16.6 | 15.1 | 16.0 | 16.9 | 21.3 | 10.9 | 18.0 | 10.8 | 3.5 | 25.0 | 14.1 |
| | | F 22.4 | 15.2 | 21.9 | 20.0 | 19.2 | 19.2 | 16.2 | 24.4 | 3.0 | - | 14.5 |

TABLE 6(c) (cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 93. | Purms | - - | 13.7 15.3 | 14.4 16.6 | 21.3 19.2 | 16.9 14.1 | 12.5 10.6 | 12.7 11.4 | 13.5 10.5 | 15.4 13.7 | 15.2 14.0 | 15.2 20.3 |
| 94. | Other and unspeci- fied effects of accidents, poison- ings and violence | 7.7 7.7 | 5.7 5.3 | 4.3 3.8 | 4.9 4.2 | 5.6 5.1 | 5.3 4.4 | 5.1 5.1 | 5.5 5.1 | 6.1 6.7 | 6.5 6.2 | 6.7 7.0 |
| 95. | Medical or special examination (with- out sickness) | 5.2 24.0 | 3.6 5.1 | 3.7 2.4 | 2.4 4.0 | 3.4 2.0 | 1.4 1.5 | 3.3 1.6 | 4.7 2.1 | 2.2 2.7 | 2.5 2.1 | 1.8 1.8 |
| 96. | Nature newborn | 5.8 5.7 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 97. | Immature newborn | 17.6 17.6 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 98. | Other special ad- missions, examina- tions, etc. | 85.8 107.3 | 5.8 6.5 | 13.2 8.9 | 9.0 10.0 | 7.2 13.0 | 9.5 8.1 | 10.8 5.9 | 20.4 5.6 | 10.5 8.4 | 11.8 11.6 | 14.7 13.5 |

TABLE 6 (c) (cont'd)

| Can. List No. | Diagnosis | 15-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Unspec. | Total |
|---------------------|---|------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|--------------|
| 23. | Burns | M 17.6 F 18.6 | 17.9 23.1 | 18.6 23.6 | 30.1 18.3 | 19.4 25.3 | 26.5 25.1 | 30.7 26.5 | 31.8 32.4 | 23.9 33.7 | - - | 16.2 16.8 |
| 24. | Other and unspecified effects of accidents, poisonings and violence | M 7.3 F 7.4 | 8.1 7.4 | 8.1 9.1 | 11.3 10.4 | 9.4 11.1 | 13.7 11.2 | 11.6 13.9 | 13.3 13.0 | 14.4 17.5 | 1.3 3.0 | 16.2 6.2 |
| 25. | Medical or special examination (without sickness) | M 2.0 F 2.0 | 1.6 2.5 | 1.9 2.1 | 3.1 2.3 | 3.1 14.8 | 2.9 2.6 | 4.1 5.2 | 1.0 31.0 | - - | 1.0 - | 4.9 7.6 |
| 26. | Mature newborn | M - F - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 5.5 5.7 |
| 27. | Immature newborn | M - F - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 17.6 17.6 |
| 28. | Other special admissions, examinations, etc. | M 13.3 F 17.9 | 13.0 23.5 | 13.2 25.5 | 15.4 27.9 | 15.2 29.5 | 20.1 32.2 | 20.8 41.6 | 34.9 43.2 | 27.5 51.0 | 1.0 6.0 | 14.7 19.7 |

TABLE 6(d) SEPARATION RATES PER 100,000 POPULATION BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN(1)
IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA(2), 1962

(1) See notes on page 198
(2) Excludes Newfoundland, Nova Scotia and New Brunswick

| Can. Dist No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|----------------|----------------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| 1. | Tuberculosis, all forms | M. F. | 13.2 14.3 | 9.9 8.9 | 6.9 5.5 | 7.2 7.3 | 12.1 14.1 | 20.8 20.9 | 17.8 25.2 | 23.7 30.3 | 23.4 19.2 | 31.8 22.2 |
| 2. | Polymyelitis and encephalitis | M. F. | 22.1 12.8 | 24.1 19.3 | 27.3 22.3 | 13.6 35.0 | 16.5 16.2 | 6.7 13.8 | 12.7 10.2 | 10.0 9.4 | 7.0 9.3 | 4.8 6.5 |
| 3. | Infectious hepatitis | M. F. | 13.3 8.9 | 21.7 17.7 | 70.7 74.4 | 31.4 80.6 | 65.1 91.8 | 70.3 34.4 | 62.0 67.5 | 56.2 59.6 | 41.0 35.9 | 31.8 27.5 |
| 4. | Other diseases attributable to viruses | M. F. | 372.1 355.9 | 265.6 249.3 | 145.1 140.1 | 55.0 46.1 | 73.6 87.7 | 70.1 62.4 | 39.4 33.2 | 29.8 28.2 | 25.9 19.9 | 18.9 16.4 |
| 5. | Other infective bacterial, spirochaetal, ricketsial or parasitic diseases | M. F. | 553.4 492.5 | 164.2 139.9 | 110.4 121.0 | 75.9 79.0 | 56.9 34.3 | 62.7 69.0 | 56.0 57.7 | 48.5 56.1 | 52.2 47.6 | 51.1 51.6 |
| 6. | Malignant neoplasm of buccal cavity & pharynx | M. F. | 0.5 - | 0.2 - | 0.3 0.5 | 0.1 0.4 | 1.6 1.7 | 2.2 1.6 | 1.8 3.1 | 6.8 3.3 | 7.0 3.9 | 13.3 6.6 |
| 7. | Malignant neoplasm of stomach | M. F. | - - | - 0.1 | 0.1 - | - - | 0.3 0.3 | 0.4 0.2 | 1.5 0.4 | 3.7 4.2 | 4.4 6.2 | 12.7 7.9 |
| 8. | Malignant neoplasm of large intestine except rectum | M. F. | - - | 0.1 - | 0.1 0.2 | 0.3 0.2 | 0.6 0.6 | 1.8 0.7 | 1.6 3.9 | 3.9 6.8 | 3.5 12.8 | 12.7 25.4 |

TABLE 6(a) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------|--------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|
| 1. | Tuberculosis, all forms | M. F. | 24.7 23.9 | 33.7 18.4 | 40.9 29.6 | 40.1 25.8 | 56.5 32.2 | 58.2 26.3 | 80.6 48.1 | 60.6 28.1 |
| 2. | Polioomyelitis and encephalitis | M. F. | 5.9 6.0 | 5.8 4.7 | 6.7 5.5 | 4.4 7.4 | 3.6 3.9 | 1.7 2.6 | - 4.1 | - - |
| 3. | Infectious hepatitis | M. F. | 23.2 22.4 | 23.5 18.6 | 18.8 21.9 | 13.9 15.5 | 19.7 17.6 | 14.1 12.6 | 23.2 17.8 | 30.3 7.0 |
| 4. | Other diseases attributable to viruses | M. F. | 17.9 18.7 | 17.9 28.5 | 28.5 35.1 | 24.6 43.0 | 47.3 48.5 | 52.0 72.7 | 91.4 108.5 | 87.8 112.6 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or parasitic diseases | M. F. | 46.6 49.0 | 50.0 57.5 | 53.8 57.3 | 61.1 56.8 | 69.9 46.7 | 74.7 52.7 | 74.4 49.4 | 84.8 37.5 |
| 6. | Malignant neoplasm of buccal cavity & pharynx | M. F. | 22.3 10.7 | 37.1 13.6 | 58.3 18.5 | 72.1 25.8 | 97.9 15.0 | 126.7 34.7 | 195.3 46.7 | 212.1 46.9 |
| 7. | Malignant neoplasm of stomach | M. F. | 27.0 13.3 | 50.7 17.4 | 88.6 32.7 | 131.3 50.2 | 186.2 81.6 | 281.2 127.5 | 389.1 206.0 | 348.4 117.3 |
| 8. | Malignant neoplasm of large intestine except rectum | M. F. | 26.0 43.5 | 41.0 67.6 | 82.4 103.9 | 120.0 142.6 | 165.1 174.6 | 281.8 240.9 | 348.8 307.6 | 381.8 363.8 |

TABLE 6(d) (Cont'd)

| Can. list No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|------------|--------------|--------------|-------------|------------|------------|------------|-------------|-------------|--------------|
| 9. | Malignant neoplasm of rectum | M. F. | - - | 0.5 - | - - | 0.1 - | 0.1 - | 0.4 0.7 | 1.3 0.5 | 1.5 2.6 | 6.1 4.5 | 9.4 10.5 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. F. | - - | 0.5 - | - 0.2 | 0.1 0.2 | 0.1 0.3 | 1.6 0.7 | 0.5 0.9 | 2.7 3.3 | 9.7 3.0 | 23.1 9.9 |
| 11. | Malignant neoplasm of breast | M. F. | - - | 0.1 0.1 | - 0.1 | - 0.3 | 0.1 0.7 | - 2.2 | - 15.0 | 0.2 39.3 | - 93.1 | 1.2 175.9 |
| 12. | Malignant neoplasm of cervix uteri | M. F. | - - | - - | - 0.1 | - 0.2 | - - | - 9.6 | - 29.7 | - 72.2 | - 133.4 | - 156.9 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. F. | - - | - - | - - | - 0.6 | - 0.5 | - 1.3 | - 4.3 | - 6.5 | - 11.5 | - 25.2 |
| 14. | Malignant neoplasm of ovary, Fallopian tube & broad ligament | M. F. | - - | - 0.1 | - 0.3 | - 0.4 | - 1.5 | - 2.9 | - 2.7 | - 4.2 | - 15.3 | - 29.6 |
| 15. | Malignant neoplasm of prostate | M. F. | 0.5 - | - - | - - | - - | 0.1 - | - - | 0.2 - | 0.2 - | 0.5 - | 1.3 - |
| 16. | Malignant neoplasm of kidney, bladder and other urinary organs | M. F. | 2.3 0.5 | 3.3 3.2 | 2.2 2.3 | 0.6 1.0 | 0.3 0.1 | 1.1 0.2 | 0.7 1.6 | 2.2 1.9 | 9.9 5.4 | 17.4 11.1 |
| 17. | Leukaemia and aleukaemia | M. F. | 7.1 4.5 | 23.4 18.3 | 15.7 13.8 | 10.8 6.4 | 7.9 5.2 | 5.5 3.8 | 5.8 4.8 | 4.7 5.1 | 9.6 10.5 | 14.4 13.0 |

TABLE 6(a) (Cont'd)

| Cat. list no. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | |
|---------------------|---|----------|--------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|
| 9. | Malignant neoplasm of rectum | M. F. | 15.4 23.4 | 35.2 33.0 | 63.3 46.5 | 85.0 71.6 | 130.1 78.5 | 182.8 96.4 | 242.8 117.2 | 241.8 116.7 | 230.3 161.9 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary | M. F. | 48.3 20.0 | 119.0 29.0 | 199.0 40.1 | 315.4 41.7 | 377.2 56.0 | 391.0 68.5 | 327.3 58.6 | 246.5 61.8 | 193.9 37.5 |
| 11. | Malignant neoplasm of breast | M. F. | 1.9 253.6 | 2.2 286.5 | 5.0 290.1 | 4.4 335.3 | 7.8 370.1 | 14.1 399.6 | 18.6 373.6 | 23.2 423.0 | 18.2 349.7 |
| 12. | Malignant neoplasm of cervix uteri | M. F. | 165.3 | 136.1 | 160.6 | 162.5 | 144.2 | 114.3 | 107.3 | 120.8 | 61.0 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. F. | 46.9 | 73.9 | 103.6 | 123.0 | 127.9 | 137.0 | 105.0 | 104.4 | 61.0 |
| 14. | Malignant neoplasm of ovary, Fallopian tube & broad ligament | M. F. | 40.9 | 61.7 | 58.9 | 78.6 | 65.2 | 74.3 | 75.3 | 45.3 | 32.8 |
| 15. | Malignant neoplasm of prostate | M. F. | 5.3 | 18.7 | 64.4 | 150.5 | 314.6 | 613.4 | 936.6 | 1300.7 | 1415.1 |
| 16. | Malignant neoplasm of kidney, bladder and other urinary organs | M. F. | 29.1 11.4 | 71.4 27.2 | 121.3 37.9 | 191.3 53.5 | 275.9 96.6 | 345.2 130.2 | 467.1 158.3 | 564.3 182.6 | 466.6 154.9 |
| 17. | Leukaemia and aleukemia | M. F. | 13.8 15.1 | 23.9 18.1 | 42.4 22.2 | 43.9 38.8 | 97.9 50.3 | 122.8 54.8 | 151.1 70.7 | 137.8 72.8 | 151.5 61.0 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|
| 18. | Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue | | | | | | | | | | | |
| | M. | 20.7 | 22.2 | 19.1 | 21.1 | 36.0 | 35.4 | 43.0 | 53.0 | 79.9 | 93.3 | |
| | F. | 11.9 | 18.0 | 14.1 | 14.8 | 26.3 | 24.5 | 39.2 | 41.2 | 67.2 | 102.5 | |
| 19. | Benign neoplasm of uterus | | | | | | | | | | | |
| | M. | 1.0 | 0.4 | 0.5 | 1.0 | 10.9 | 73.2 | 153.7 | 334.5 | 613.7 | 974.9 | |
| 20. | Benign neoplasm of ovary | | | | | | | | | | | |
| | M. | 1.5 | 0.4 | 1.7 | 16.3 | 121.9 | 250.8 | 262.4 | 239.4 | 139.4 | 143.9 | |
| 21. | Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature | | | | | | | | | | | |
| | M. | 205.8 | 91.3 | 69.8 | 90.2 | 150.7 | 230.8 | 198.0 | 171.3 | 166.1 | 196.7 | |
| | F. | 246.5 | 91.7 | 70.6 | 95.7 | 230.8 | 357.3 | 323.1 | 336.8 | 354.5 | 402.3 | |
| 22. | Asthma | | | | | | | | | | | |
| | M. | 203.0 | 159.6 | 39.8 | 55.3 | 34.1 | 25.6 | 32.1 | 39.9 | 52.8 | 57.2 | |
| | F. | 112.3 | 99.1 | 57.5 | 42.3 | 42.4 | 52.6 | 55.3 | 59.5 | 79.7 | 110.9 | |
| 23. | Other allergic disorders (excluding asthma) | | | | | | | | | | | |
| | M. | 118.3 | 61.3 | 31.5 | 26.2 | 19.3 | 20.4 | 29.1 | 31.6 | 22.2 | 27.4 | |
| | F. | 98.0 | 46.3 | 27.5 | 26.9 | 36.2 | 41.0 | 35.4 | 37.5 | 31.2 | 33.5 | |
| 24. | Diseases of thyroid gland | | | | | | | | | | | |
| | M. | 12.2 | 4.3 | 3.1 | 7.0 | 9.9 | 20.0 | 19.6 | 21.5 | 30.7 | 35.7 | |
| | F. | 15.3 | 4.5 | 6.5 | 21.8 | 63.2 | 99.3 | 137.7 | 151.2 | 132.7 | 208.6 | |
| 25. | Diabetes mellitus | | | | | | | | | | | |
| | M. | 4.7 | 14.9 | 25.3 | 44.1 | 49.7 | 47.5 | 51.3 | 61.5 | 31.5 | 117.5 | |
| | F. | 2.0 | 12.9 | 23.4 | 56.1 | 57.5 | 59.4 | 64.9 | 66.5 | 36.6 | 125.4 | |
| 26. | Diseases of other endocrine glands | | | | | | | | | | | |
| | M. | 21.6 | 9.6 | 7.5 | 3.8 | 9.9 | 3.5 | 3.0 | 3.5 | 9.0 | 11.5 | |
| | F. | 13.8 | 9.4 | 6.3 | 9.5 | 22.8 | 40.3 | 30.0 | 34.2 | 30.0 | 23.5 | |

TABLE 5(a) (Cont'd)

| Can. List No. | Diagnosis | 15-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|
| 18. | Other malignant neoplasms and neoplasms of lymphatic and hematopoietic tissue | M. 128.0 F. 153.4 | M. 213.6 F. 211.1 | M. 323.0 F. 232.1 | M. 471.8 F. 354.1 | M. 555.6 F. 185.2 | M. 694.9 F. 517.7 | M. 772.5 F. 627.9 | M. 872.8 F. 623.6 | M. 930.3 F. 553.9 |
| 19. | Benign neoplasm of uterus | M. 1079.0 F. 1079.0 | M. 626.9 F. 626.9 | M. 252.6 F. 252.6 | M. 145.9 F. 145.9 | M. 132.3 F. 132.3 | M. 28.0 F. 28.0 | M. 59.3 F. 59.3 | M. 39.8 F. 39.8 | M. 32.3 F. 32.3 |
| 20. | Benign neoplasm of ovary | M. 96.6 F. 96.6 | M. 55.2 F. 55.2 | M. 43.1 F. 43.1 | M. 44.7 F. 44.7 | M. 29.5 F. 29.5 | M. 37.4 F. 37.4 | M. 30.4 F. 30.4 | M. 28.6 F. 28.6 | M. 16.7 F. 16.7 |
| 21. | Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature | M. 213.4 F. 401.9 | M. 241.0 F. 360.6 | M. 209.1 F. 306.0 | M. 315.4 F. 309.2 | M. 287.2 F. 308.7 | M. 343.5 F. 267.2 | M. 344.4 F. 276.1 | M. 203.7 F. 247.2 | M. 242.4 F. 183.1 |
| 22. | Asthma | M. 90.6 F. 134.1 | M. 120.7 F. 141.7 | M. 154.3 F. 142.7 | M. 262.0 F. 272.6 | M. 222.5 F. 165.8 | M. 319.1 F. 163.6 | M. 303.8 F. 152.9 | M. 255.6 F. 142.3 | M. 151.5 F. 56.3 |
| 23. | Other allergic disorders (excluding asthma) | M. 27.2 F. 32.9 | M. 24.8 F. 29.7 | M. 21.5 F. 36.1 | M. 18.7 F. 25.1 | M. 24.4 F. 27.3 | M. 27.1 F. 27.9 | M. 22.7 F. 25.1 | M. 26.3 F. 17.8 | M. 15.1 F. 23.4 |
| 24. | Diseases of thyroid gland | M. 35.7 F. 207.5 | M. 47.6 F. 203.0 | M. 34.0 F. 117.6 | M. 11.9 F. 163.6 | M. 35.0 F. 140.5 | M. 26.6 F. 116.5 | M. 26.0 F. 101.2 | M. 12.4 F. 53.5 | M. 3.0 F. 30.5 |
| 25. | Diabetes mellitus | M. 193.6 F. 124.1 | M. 267.2 F. 342.5 | M. 339.2 F. 544.8 | M. 448.6 F. 762.1 | M. 562.0 F. 970.3 | M. 681.3 F. 1121.2 | M. 113.0 F. 1154.4 | M. 112.4 F. 990.3 | M. 633.3 F. 217.3 |
| 26. | Diseases of other endocrine glands | M. 11.6 F. 29.0 | M. 12.1 F. 24.4 | M. 15.6 F. 25.3 | M. 11.0 F. 19.6 | M. 7 F. 20.3 | M. 11.3 F. 19.5 | M. 19.5 F. 14.4 | M. 6.2 F. 16.5 | M. 2.1 F. 2.3 |

TABLE 6(d) (Cont'd)

| TABLE 6(d) (Cont'd) | | | | | | | | | | | | |
|---------------------|--|---------|---------|-------|------|-------|-------|-------|-------|-------|-------|-------|
| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
| 27. | Avitaminoses and other metabolic diseases | M. | 159.6 | 52.6 | 15.1 | 12.6 | 9.3 | 13.3 | 13.1 | 23.4 | 27.8 | 30.6 |
| | | F. | 126.7 | 49.2 | 15.4 | 20.6 | 26.8 | 25.8 | 26.7 | 34.5 | 39.7 | 44.0 |
| 28. | Diseases of the blood and blood- forming organs | M. | 300.0 | 126.4 | 79.1 | 44.7 | 35.7 | 24.6 | 17.8 | 17.6 | 19.5 | 29.9 |
| | | F. | 191.1 | 81.2 | 39.1 | 30.3 | 45.6 | 56.8 | 63.8 | 65.2 | 81.5 | 97.7 |
| 29. | Psychoses | M. | - | 0.7 | 3.4 | 4.5 | 34.0 | 71.6 | 72.3 | 92.7 | 104.9 | 108.2 |
| | | F. | - | 1.1 | 1.8 | 7.7 | 51.4 | 105.7 | 143.4 | 158.2 | 155.2 | 163.7 |
| 30. | Psychoneurotic disorders | M. | 7.0 | 7.7 | 19.6 | 33.5 | 75.5 | 152.5 | 175.8 | 219.1 | 241.6 | 264.2 |
| | | F. | 6.4 | 8.5 | 22.7 | 63.7 | 282.7 | 424.5 | 529.7 | 560.7 | 557.3 | 533.1 |
| 31. | Disorders of character, behaviour and intelligence | M. | 51.3 | 43.3 | 36.0 | 28.5 | 40.7 | 43.4 | 72.4 | 129.7 | 164.0 | 206.9 |
| | | F. | 34.1 | 34.0 | 20.6 | 22.9 | 48.1 | 46.1 | 45.1 | 57.7 | 57.0 | 54.8 |
| 32. | Vascular lesions affecting central nervous system | M. | 34.4 | 15.7 | 13.3 | 10.2 | 12.4 | 14.3 | 12.9 | 19.3 | 30.4 | 51.8 |
| | | F. | 29.7 | 16.4 | 9.8 | 8.6 | 9.6 | 12.0 | 14.6 | 20.1 | 25.5 | 38.5 |
| 33. | Inflammatory and other diseases of central nervous system | M. | 299.5 | 135.3 | 97.6 | 82.3 | 75.1 | 95.5 | 93.8 | 93.4 | 105.2 | 128.2 |
| | | F. | 231.6 | 122.2 | 80.3 | 78.1 | 100.9 | 102.6 | 115.2 | 128.0 | 125.3 | 140.7 |
| 34. | Diseases of nerves & peripheral ganglia | M. | 9.4 | 6.1 | 5.8 | 6.5 | 18.1 | 32.5 | 44.0 | 60.3 | 76.9 | 81.8 |
| | | F. | 4.4 | 4.1 | 5.5 | 10.8 | 29.4 | 45.8 | 56.4 | 70.7 | 73.9 | 85.1 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------------|----------------|----------------|----------------|----------------|------------------|------------------|------------------|------------------|
| 27. | Avitaminoses and other metabolic diseases | M. F. 39.1 53.4 | 50.0 48.7 | 53.5 58.9 | 55.5 56.5 | 58.4 52.9 | 65.1 47.9 | 77.1 47.1 | 97.6 61.8 | 103.0 68.0 |
| 28. | Diseases of the blood and blood- forming organs | M. F. 35.5 104.6 | 49.3 95.5 | 79.2 102.9 | 125.8 138.9 | 166.5 204.6 | 285.2 268.3 | 324.9 356.9 | 401.5 449.1 | 569.7 401.4 |
| 29. | Psychoses | M. F. 107.7 183.2 | 115.9 204.5 | 113.3 162.8 | 137.2 168.4 | 128.7 173.8 | 100.1 151.2 | 134.8 144.6 | 179.8 143.3 | 224.2 159.0 |
| 30. | Psychoneurotic disorders | M. F. 268.9 508.5 | 247.5 507.2 | 231.4 435.7 | 206.4 388.2 | 163.2 348.4 | 114.3 289.9 | 105.6 201.6 | 86.8 125.0 | 42.4 46.9 |
| 31. | Disorders of character, behaviour and intelligence | M. F. 219.2 69.9 | 238.5 59.7 | 209.3 35.1 | 167.8 29.9 | 121.9 22.0 | 83.7 12.6 | 60.1 10.6 | 37.2 11.0 | 21.2 7.0 |
| 32. | Vascular lesions affecting central nervous system | M. F. 93.5 83.3 | 191.2 148.3 | 344.2 239.9 | 578.9 428.5 | 878.5 760.0 | 1460.1 1214.5 | 2144.6 1917.0 | 2824.8 2824.1 | 3533.3 3342.7 |
| 33. | Inflammatory and other diseases of central nervous system | M. F. 134.3 157.3 | 167.8 152.3 | 199.3 172.0 | 235.5 195.4 | 286.5 235.5 | 352.5 257.7 | 387.4 299.8 | 400.0 342.0 | 390.9 321.6 |
| 34. | Diseases of nerves & peripheral ganglia | M. F. 91.9 107.0 | 106.9 119.0 | 106.9 113.7 | 108.5 103.8 | 126.9 118.2 | 124.5 115.4 | 127.5 121.0 | 125.5 149.7 | 100.0 115.0 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|-----------------|----------------|----------------|----------------|--------------|--------------|---------------|---------------|---------------|----------------|
| 35. | Diseases and condi- tions of the eye | M. F. | 237.4 222.2 | 273.1 235.8 | 239.9 234.7 | 102.1 104.7 | 90.3 95.6 | 82.4 73.4 | 83.1 65.3 | 82.5 71.2 | 89.2 74.8 | 91.6 99.4 |
| 36. | Diseases of ear and mastoid process | M. F. | 1203.9 949.0 | 442.6 348.9 | 249.1 200.1 | 130.0 122.4 | 73.7 95.9 | 64.4 90.4 | 30.9 99.3 | 83.6 121.5 | 85.3 135.4 | 94.9 152.0 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M. F. | 0.5 4.4 | 19.2 15.1 | 65.2 66.5 | 76.1 31.4 | 43.9 72.1 | 33.2 55.4 | 31.3 63.8 | 44.0 69.1 | 46.5 88.6 | 53.2 100.2 |
| 38. | Arteriosclerotic & degenerative heart disease | M. F. | 9.9 8.4 | 7.7 6.9 | 6.3 6.4 | 5.5 5.4 | 8.9 9.4 | 15.9 11.1 | 26.2 15.2 | 70.3 34.5 | 187.4 65.0 | 446.7 247.2 |
| 39. | Other diseases of the heart | M. F. | 23.5 17.3 | 5.3 4.6 | 9.5 9.6 | 12.1 7.9 | 14.6 15.1 | 17.8 22.9 | 20.7 31.3 | 30.9 37.9 | 42.7 41.9 | 64.0 64.1 |
| 40. | Hypertensive heart disease and other hypertensive disease | M. F. | 1.4 2.0 | 0.9 1.2 | 1.8 1.4 | 3.2 4.6 | 11.7 9.7 | 19.6 14.5 | 22.5 25.3 | 40.2 37.0 | 54.8 67.5 | 84.5 106.9 |
| 41. | Diseases of arteries | M. F. | 6.6 2.0 | 2.3 3.4 | 2.5 2.3 | 1.5 2.4 | 6.6 6.4 | 10.2 9.4 | 11.1 11.9 | 14.2 15.9 | 24.9 19.6 | 52.0 26.5 |
| 42. | Varicose veins of lower extremities | M. F. | 0.9 0.5 | 0.3 0.6 | 0.2 0.6 | 0.7 1.1 | 3.9 9.4 | 14.1 62.5 | 25.6 180.6 | 42.1 277.7 | 62.0 328.6 | 72.9 355.7 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|---|----------------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| 35. | Diseases and condi- tions of the eye | M. F. 145.1 120.3 | 188.5 192.1 | 269.1 288.3 | 382.7 397.1 | 526.6 584.4 | 705.7 855.0 | 896.8 1027.4 | 917.8 1130.5 | 796.9 777.0 |
| 36. | Diseases of ear and mastoid process | M. F. 95.9 164.6 | 97.6 156.8 | 110.7 164.0 | 97.1 141.4 | 72.6 124.3 | 65.6 92.7 | 66.6 74.5 | 65.1 67.3 | 54.5 53.9 |
| 37. | Rheumatic fever and chronic rheumatic heart disease | M. F. 58.3 112.8 | 81.4 137.2 | 81.2 115.9 | 66.9 112.6 | 61.1 94.8 | 52.6 79.0 | 47.1 76.1 | 37.2 61.8 | 60.6 51.6 |
| 38. | Arteriosclerotic & degenerative heart disease | M. F. 828.6 307.6 | 1268.4 555.8 | 1795.0 885.9 | 2409.2 1434.8 | 2976.0 2046.7 | 3682.5 2839.8 | 4575.9 3778.5 | 5327.1 4597.5 | 6200.0 4927.2 |
| 39. | Other diseases of the heart | M. F. 93.3 94.0 | 160.1 130.1 | 253.5 242.6 | 391.2 290.7 | 542.3 430.8 | 826.2 724.8 | 1215.2 1031.9 | 1761.2 1409.3 | 2275.7 1666.6 |
| 40. | Hypertensive heart disease and other hypertensive disease | M. F. 138.8 201.0 | 180.7 312.9 | 232.3 454.2 | 320.2 574.0 | 395.1 743.7 | 481.0 929.3 | 513.4 1057.8 | 615.5 1186.8 | 530.3 981.2 |
| 41. | Diseases of arteries | M. F. 77.3 38.5 | 150.3 55.7 | 232.3 83.5 | 339.7 145.5 | 438.8 194.9 | 532.3 329.9 | 745.7 545.6 | 1156.5 809.0 | 1693.9 1312.2 |
| 42. | Varicose veins of lower extremities | M. F. 97.6 337.3 | 121.7 326.8 | 129.2 315.7 | 150.1 230.0 | 116.8 256.7 | 124.5 222.4 | 123.4 224.5 | 119.3 210.1 | 133.3 147.9 |

TABLE 5(d) (Cont'd)

| Jan. list No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|------------------|------------------|------------------|-----------------|-----------------|----------------|----------------|----------------|----------------|----------------|
| 43. | Haemorrhoids | M. F. | 1.9 0.5 | 1.9 1.2 | 0.7 0.4 | 1.0 1.3 | 12.1 19.0 | 56.6 31.2 | 110.9 130.3 | 162.0 124.2 | 223.5 211.3 | 258.5 242.5 |
| 44. | Phlebitis and thrombophlebitis | M. F. | 0.9 - | 0.1 0.5 | 0.3 0.5 | 1.6 1.7 | 3.2 9.9 | 6.7 18.5 | 10.7 32.5 | 17.0 44.5 | 22.9 46.8 | 30.3 64.6 |
| 45. | Other diseases of the circulatory system | M. F. | 31.9 64.8 | 110.7 94.7 | 157.9 170.4 | 136.1 132.1 | 65.4 90.9 | 44.9 49.4 | 33.4 41.2 | 31.1 47.3 | 29.9 38.0 | 47.1 42.1 |
| 46. | Acute upper respir- atory infections | M. F. | 2343.3 1926.2 | 1129.3 590.3 | 313.1 235.0 | 122.9 143.2 | 111.4 195.5 | 122.3 159.6 | 12.7 103.7 | 69.4 77.2 | 53.1 67.4 | 50.5 57.2 |
| 47. | Influenza | M. F. | 339.6 314.3 | 144.6 139.3 | 22.1 36.2 | 72.7 36.9 | 72.4 120.4 | 67.2 119.5 | 61.1 95.9 | 52.2 78.4 | 60.1 73.3 | 61.3 75.7 |
| 48. | Pneumonia | M. F. | 4326.6 3729.7 | 1362.5 1179.2 | 363.6 344.5 | 162.3 142.5 | 165.6 127.3 | 139.9 147.9 | 127.1 127.3 | 157.9 209.6 | 170.6 178.4 | 244.5 205.3 |
| 49. | Bronchitis | M. F. | 3080.0 2292.5 | 889.1 651.0 | 195.1 162.0 | 73.9 76.3 | 63.5 93.2 | 60.1 111.5 | 57.3 112.1 | 60.1 113.5 | 36.3 122.1 | 109.3 153.4 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. | 154.0 93.5 | 3513.6 2946.9 | 3904.5 4047.3 | 924.8 1401.0 | 408.9 1010.9 | 443.5 655.0 | 343.0 404.3 | 244.4 266.4 | 155.6 173.4 | 33.5 97.7 |
| 51. | Other diseases of respiratory system | M. F. | 369.7 292.5 | 153.4 108.2 | 118.9 90.0 | 124.2 102.2 | 279.5 217.9 | 360.8 250.1 | 337.7 244.4 | 309.9 242.5 | 290.6 222.4 | 311.7 225.0 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | |
|---------------------|--|----------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|------------------|------------------|
| 43. | Haemorrhoids | M. F. | 241.0 243.7 | 232.0 211.1 | 238.2 179.7 | 201.6 160.3 | 170.6 123.9 | 142.6 99.5 | 104.7 54.4 | 77.5 70.0 | 67.3 51.6 |
| 44. | Phlebitis and thrombophlebitis | M. F. | 41.6 83.3 | 57.5 91.8 | 72.4 96.5 | 85.0 137.7 | 103.0 162.7 | 105.2 160.2 | 105.6 156.0 | 88.3 127.7 | 84.8 56.3 |
| 45. | Other diseases of the circulatory system | M. F. | 43.5 42.8 | 63.1 47.6 | 64.2 55.5 | 87.9 55.7 | 102.5 67.9 | 104.1 73.2 | 113.6 101.1 | 151.2 77.5 | 157.5 93.5 |
| 46. | Acute upper respir- atory infections | M. F. | 49.8 61.5 | 52.0 73.4 | 50.6 79.8 | 62.5 70.5 | 63.1 63.1 | 70.1 86.9 | 92.3 21.3 | 123.4 103.0 | 112.1 122.0 |
| 47. | Influenza | M. F. | 67.3 82.6 | 83.3 99.6 | 95.3 124.8 | 112.6 133.2 | 131.0 161.0 | 160.1 103.2 | 245.3 365.1 | 347.1 315.9 | 436.3 370.2 |
| 48. | Pneumonia | M. F. | 273.5 237.8 | 336.9 282.9 | 435.2 351.5 | 612.4 418.9 | 752.0 524.0 | 1018.6 644.2 | 1537.0 942.9 | 2105.4 1346.1 | 3072.7 1929.5 |
| 49. | Bronchitis | M. F. | 164.5 174.3 | 219.8 200.7 | 366.6 236.5 | 506.3 274.3 | 640.2 297.3 | 707.4 313.4 | 863.5 413.2 | 951.9 479.4 | 900.0 453.0 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. | 45.6 62.6 | 33.5 55.7 | 18.8 45.9 | 21.7 26.2 | 11.5 11.4 | 4.0 3.5 | 2.5 6.1 | 2.1 6.8 | 3.0 2.3 |
| 51. | Other diseases of respiratory system | M. F. | 331.2 245.6 | 382.4 254.7 | 459.0 273.8 | 607.2 271.5 | 619.6 313.0 | 627.2 363.7 | 693.7 377.4 | 613.7 410.7 | 726.3 417.3 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 52. | Diseases of teeth and supporting structure | M. F. | 32.0 31.7 | 128.7 131.6 | 185.2 224.3 | 83.5 122.8 | 224.6 382.5 | 269.6 382.5 | 172.4 308.1 | 132.4 248.4 | 126.4 205.7 | 116.9 193.9 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. F. | 8.5 1.5 | 4.1 2.9 | 8.2 8.1 | 18.2 15.1 | 55.0 41.9 | 181.5 74.4 | 303.5 109.9 | 397.9 142.2 | 517.6 198.2 | 612.0 257.0 |
| 54. | Gastritis, duoden- itis & other disorders & diseases of the stomach & duodenum | M. F. | 149.7 123.2 | 35.3 39.6 | 35.3 37.0 | 32.3 33.9 | 48.3 100.5 | 109.8 143.1 | 150.6 140.8 | 175.4 148.7 | 189.6 161.1 | 220.8 171.3 |
| 55. | Appendicitis | M. F. | 8.0 8.4 | 74.7 61.8 | 404.1 395.6 | 655.6 661.6 | 601.4 882.9 | 490.5 557.6 | 360.4 312.7 | 281.9 207.7 | 222.3 152.6 | 201.7 118.0 |
| 56. | Hernia of abdominal cavity | M. F. | 1296.2 408.9 | 566.3 156.2 | 274.2 69.7 | 108.9 18.0 | 173.4 33.8 | 294.5 63.7 | 274.1 119.5 | 331.5 167.1 | 383.9 187.1 | 489.0 244.7 |
| 57. | Intestinal obstru- ction without mention of hernia | M. F. | 118.7 72.7 | 33.9 20.7 | 25.8 15.5 | 20.1 13.9 | 15.3 20.2 | 15.9 28.1 | 17.4 32.1 | 23.1 43.8 | 23.9 54.2 | 37.4 64.0 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | M. F. | 3834.6 3199.5 | 683.4 590.0 | 142.4 140.5 | 104.1 103.4 | 69.6 123.5 | 81.4 160.9 | 72.2 116.0 | 66.7 103.1 | 65.7 93.7 | 65.5 108.8 |
| 59. | Chronic enteritis & ulcerative colitis | M. F. | 13.1 7.4 | 6.2 3.4 | 2.9 2.3 | 4.8 7.0 | 15.9 17.6 | 25.0 25.0 | 23.4 28.7 | 28.2 43.6 | 28.9 48.3 | 47.2 52.9 |
| 60. | Cirrhosis and other diseases of liver | M. F. | 16.0 8.4 | 6.1 4.2 | 15.6 16.2 | 18.6 20.3 | 23.4 30.6 | 15.2 33.2 | 17.1 28.4 | 38.7 36.5 | 46.1 44.9 | 65.7 57.9 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 52. | Diseases of teeth and supporting structure | M. F. | 107.8 142.7 | 105.4 114.4 | 91.2 92.3 | 65.3 53.8 | 64.5 36.9 | 36.5 33.5 | 24.8 28.8 | 42.4 28.1 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. F. | 816.5 338.7 | 869.5 334.5 | 900.2 322.1 | 851.4 322.4 | 838.7 332.6 | 872.4 366.8 | 782.9 353.5 | 645.4 277.0 |
| 54. | Gastritis, duoden- itis & other disorders & diseases of the stomach & duodenum | M. F. | 235.9 212.3 | 250.8 203.2 | 264.6 216.1 | 233.2 209.0 | 276.7 214.0 | 242.8 234.4 | 291.4 223.9 | 354.5 213.6 |
| 55. | Appendicitis | M. F. | 142.8 89.0 | 133.3 77.0 | 121.0 83.1 | 120.0 75.4 | 101.3 70.6 | 95.8 79.1 | 106.9 74.1 | 81.8 58.6 |
| 56. | Hernia of abdominal cavity | M. F. | 809.2 271.8 | 994.9 327.1 | 1135.4 352.7 | 1143.5 366.1 | 1200.3 366.3 | 1169.7 402.5 | 1147.2 370.8 | 1100.0 366.2 |
| 57. | Intestinal obstru- ction without mention of hernia | M. F. | 69.4 89.2 | 78.0 82.0 | 99.3 114.1 | 137.5 144.2 | 195.8 177.1 | 240.4 279.3 | 353.4 394.2 | 490.9 424.8 |
| 58. | Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over | M. F. | 102.5 132.1 | 101.5 146.1 | 121.4 159.5 | 126.9 178.2 | 159.0 212.9 | 196.5 264.0 | 294.5 372.2 | 339.3 401.4 |
| 59. | Chronic enteritis & ulcerative colitis | M. F. | 76.5 103.6 | 107.4 149.5 | 147.6 211.6 | 211.6 298.2 | 242.2 391.6 | 337.1 477.1 | 373.6 524.7 | 363.6 492.9 |
| 60. | Cirrhosis and other diseases of liver | M. F. | 122.9 78.1 | 133.1 82.6 | 126.9 74.6 | 121.4 75.4 | 132.4 73.2 | 95.0 57.0 | 82.1 67.3 | 75.7 56.3 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|--|-----------|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 61. Diseases of gall- bladder & pancreas | M. | | 39.5 | 11.5 | 5.5 | 4.6 | 15.2 | 35.4 | 77.3 | 136.0 | 177.8 | 242.8 |
| | F. | | 28.7 | 10.1 | 3.9 | 19.7 | 139.6 | 470.3 | 598.8 | 651.2 | 689.2 | 748.9 |
| 62. Other diseases of digestive system | M. | | 371.1 | 136.8 | 80.8 | 61.4 | 71.2 | 113.4 | 140.0 | 189.0 | 212.0 | 229.5 |
| | F. | | 248.0 | 132.6 | 75.9 | 64.3 | 127.3 | 170.0 | 168.0 | 193.8 | 215.1 | 247.0 |
| 63. Nephritis and nephrosis | M. | | 18.3 | 51.4 | 64.4 | 41.1 | 36.6 | 27.1 | 27.1 | 28.5 | 28.7 | 32.6 |
| | F. | | 13.3 | 41.7 | 53.9 | 35.7 | 28.7 | 32.8 | 30.2 | 29.3 | 27.8 | 27.7 |
| 64. Infection of kidney | M. | | 48.5 | 28.0 | 34.8 | 39.8 | 30.1 | 37.8 | 41.6 | 47.5 | 48.8 | 53.6 |
| | F. | | 91.5 | 119.2 | 163.8 | 92.0 | 174.6 | 221.4 | 193.2 | 163.1 | 143.7 | 146.3 |
| 65. Calculi of kidney, ureter and other parts of urinary system | M. | - | - | 1.5 | 2.2 | 4.2 | 20.8 | 71.6 | 140.8 | 182.9 | 201.3 | 244.2 |
| | F. | 1.0 | 0.9 | 2.9 | 2.9 | 5.2 | 23.4 | 64.3 | 82.4 | 70.9 | 74.3 | 73.2 |
| 66. Other diseases of urinary system | M. | | 95.6 | 70.1 | 88.7 | 63.6 | 54.9 | 84.4 | 93.8 | 102.9 | 105.6 | 124.8 |
| | F. | | 68.3 | 140.1 | 161.8 | 74.1 | 108.2 | 174.7 | 183.7 | 197.1 | 210.4 | 246.3 |
| 67. Hyperplasia of prostate | M. | - | - | 0.1 | 0.7 | 0.2 | 0.9 | 3.9 | 5.8 | 8.6 | 11.6 | 22.5 |
| | F. | - | - | - | - | - | - | - | - | - | - | - |
| 68. Redundant prepuce and phimosis | M. | | 1057.4 | 358.2 | 172.3 | 86.2 | 50.9 | 116.9 | 78.2 | 49.9 | 28.5 | 23.7 |
| | F. | - | - | - | - | - | - | - | - | - | - | - |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|-------|-------|--------|--------|--------|--------|--------|--------|--------|
| 61. | Diseases of gall- bladder & pancreas | M. | 317.0 | 398.9 | 454.6 | 487.6 | 577.2 | 658.7 | 665.1 | 633.3 |
| | | F. | 892.5 | 1027.7 | 1156.3 | 1158.8 | 1175.5 | 1141.2 | 1114.1 | 1118.1 |
| 62. | Other diseases of digestive system | M. | 233.0 | 263.3 | 265.9 | 294.8 | 306.3 | 351.4 | 429.7 | 462.0 |
| | | F. | 259.6 | 272.1 | 260.5 | 290.3 | 295.1 | 301.5 | 391.1 | 443.6 |
| 63. | Nephritis and nephrosis | M. | 35.7 | 35.2 | 40.3 | 51.1 | 50.6 | 58.3 | 108.5 | 93.9 |
| | | F. | 33.5 | 34.3 | 37.9 | 38.4 | 44.1 | 40.6 | 50.2 | 48.1 |
| 64. | Infection of kidney | M. | 59.5 | 73.8 | 84.8 | 96.0 | 116.3 | 150.5 | 263.5 | 348.4 |
| | | F. | 133.9 | 159.9 | 158.4 | 155.1 | 166.3 | 182.9 | 203.2 | 240.3 |
| 65. | Calculi of kidney, ureter and other parts of urinary system | M. | 265.3 | 297.8 | 291.8 | 272.7 | 241.0 | 228.6 | 158.1 | 160.6 |
| | | F. | 81.8 | 95.1 | 107.9 | 109.3 | 98.3 | 81.7 | 97.4 | 79.6 |
| 66. | Other diseases of urinary system | M. | 149.1 | 180.2 | 251.4 | 297.7 | 425.9 | 543.2 | 868.2 | 1115.1 |
| | | F. | 258.9 | 299.3 | 313.2 | 343.9 | 313.4 | 373.2 | 356.1 | 453.3 |
| 67. | Hyperplasia of prostate | M. | 55.7 | 159.1 | 383.9 | 728.0 | 1145.8 | 1746.4 | 2455.8 | 2639.3 |
| | | F. | - | - | - | - | - | - | - | - |
| 68. | Redundant prepuce and phimosis | M. | 22.8 | 21.8 | 25.6 | 28.3 | 31.7 | 44.1 | 60.5 | 33.3 |
| | | F. | - | - | - | - | - | - | - | - |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|---------|---------------|--------------|--------------|--------------|---------------|---------------|----------------|----------------|----------------|----------------|
| 69. | Diseases of ovary, Fallopian tube & para- metrium & infective disease of uterus, vagina & vulva | | 6.4 | 18.9 | 22.4 | 74.2 | 314.9 | 841.6 | 981.2 | 901.5 | 770.8 | 655.5 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 70. | Uterovaginal prolapse | | - | 0.5 | 0.2 | - | 2.3 | 30.5 | 91.9 | 195.2 | 304.0 | 408.3 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 71. | Disorders of menstruation | | 1.0 | 0.4 | 1.1 | 49.2 | 297.2 | 651.7 | 724.1 | 767.7 | 755.4 | 811.2 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 72. | Other diseases of genital organs | | 190.3 30.7 | 104.2 7.3 | 56.4 10.0 | 53.7 15.5 | 79.2 119.2 | 93.7 498.0 | 105.3 679.2 | 103.1 643.6 | 110.0 646.1 | 133.5 764.0 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 73. | Complications of pregnancy | | - | - | - | 5.9 | 1117.2 | 3838.3 | 3355.6 | 2299.4 | 1358.0 | 527.4 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 74. | Abortion | | - | - | - | 2.6 | 469.7 | 2240.8 | 2424.3 | 1941.7 | 1434.8 | 790.4 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 75. | Delivery without mention of compli- cations | | - | - | - | 22.3 | 5069.5 | 21783.6 | 19841.2 | 12826.5 | 6691.1 | 2286.3 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |
| 76. | Delivery with specified complicati- ons | | - | - | - | 2.4 | 333.8 | 1508.4 | 1599.2 | 1221.9 | 766.1 | 301.6 |
| | | M. | | | | | | | | | | |
| | | F. | | | | | | | | | | |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|---|-------------------------|----------------|----------------|----------------|----------------|----------------|---------------|---------------|---------------|
| 69. | Diseases of ovary, Fallopian tube & para- metrium & infective disease of uterus, vagina & vulva | M. F. 472.9 | 302.6 | 177.3 | 127.8 | 127.4 | 87.5 | 80.6 | 63.2 | 46.9 |
| 70. | Uterovaginal prolapse | M. F. 464.3 | 510.2 | 525.4 | 571.8 | 602.1 | 516.6 | 374.4 | 223.9 | 138.5 |
| 71. | Disorders of menstruation | M. F. 796.3 | 487.2 | 155.1 | 81.6 | 67.9 | 51.6 | 33.5 | 20.6 | 16.4 |
| 72. | Other diseases of genital organs | M. F. 164.3 871.0 | 200.6 550.5 | 233.2 236.5 | 271.9 153.6 | 298.5 126.1 | 310.1 105.9 | 320.0 68.5 | 316.2 52.2 | 336.3 61.0 |
| 73. | Complications of pregnancy | M. F. 55.1 | 5.3 | 3.4 | - | - | - | - | - | - |
| 74. | Abortion | M. F. 123.1 | 7.6 | 2.5 | 0.3 | - | - | - | - | - |
| 75. | Delivery without mention of compli- cations | M. F. 164.9 | 9.1 | 5.8 | 2.6 | - | - | - | - | - |
| 76. | Delivery with specified complicati- ons | M. F. 23.9 | 1.0 | - | 0.4 | - | - | - | - | - |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 77. | Complications of the puerperium | M. F. | - - | - - | - - | 0.5 | 60.3 | 220.5 | 188.2 | 139.8 | 85.8 | 41.5 |
| 78. | Infection of skin & subcutaneous tissue | M. F. | 430.0 408.4 | 300.5 292.1 | 208.1 173.6 | 191.3 148.0 | 216.3 166.2 | 191.7 132.0 | 164.4 111.5 | 145.3 115.9 | 148.8 111.9 | 154.5 116.0 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. | 547.3 405.4 | 153.4 119.2 | 78.0 87.7 | 195.1 168.5 | 245.6 234.2 | 160.7 202.3 | 111.4 170.9 | 128.7 166.8 | 110.3 165.8 | 121.5 179.3 |
| 80. | Arthritis & rheumatism, except rheumatic fever | M. F. | 20.2 12.4 | 22.8 22.2 | 31.2 35.4 | 44.3 45.5 | 57.6 73.2 | 81.8 91.2 | 103.3 115.4 | 155.5 162.4 | 136.7 196.1 | 236.5 258.1 |
| 81. | Displacement of intervertebral disc | M. F. | - - | 0.5 0.4 | 0.2 0.3 | 0.8 1.3 | 20.3 18.7 | 70.7 57.2 | 142.4 102.8 | 243.4 148.8 | 290.3 194.5 | 292.6 201.4 |
| 82. | Other diseases of bones & organs of movement | M. F. | 193.1 112.8 | 132.8 88.0 | 147.3 99.0 | 164.4 180.8 | 216.2 217.9 | 223.4 183.4 | 220.9 171.3 | 219.2 188.7 | 241.9 205.2 | 244.0 259.5 |
| 83. | Congenital malformations | M. F. | 1587.3 1284.6 | 301.5 289.2 | 248.3 139.5 | 178.9 98.5 | 103.6 113.6 | 78.3 119.8 | 58.0 93.0 | 46.7 73.8 | 51.2 64.5 | 49.2 46.3 |
| 84. | Certain diseases of early infancy | M. F. | 2818.1 2394.0 | 15.8 15.2 | 1.0 1.3 | 1.3 1.4 | 0.4 0.7 | 0.4 0.4 | - 0.2 | 0.3 1.0 | 0.2 0.5 | 0.2 0.4 |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. | 611.8 545.5 | 328.1 299.4 | 269.0 259.8 | 233.5 248.7 | 197.3 344.7 | 230.5 389.4 | 245.5 352.1 | 258.3 334.5 | 291.5 310.5 | 323.1 338.5 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|------------------|
| 77. | Complications of the puerperium | M. F. | - 0.2 | - 0.3 | - 0.4 | - - | - - | - - | - - | - - |
| 78. | Infection of skin & subcutaneous tissue | M. F. | 147.4 124.5 | 147.2 121.4 | 145.3 121.5 | 152.2 121.7 | 147.1 125.4 | 181.1 127.8 | 213.9 151.1 | 263.6 133.8 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. | 142.8 211.6 | 142.6 230.0 | 161.3 229.7 | 198.7 226.4 | 247.0 247.9 | 242.7 258.8 | 316.2 314.5 | 445.4 262.9 |
| 80. | Arthritis & rheumatism, except rheumatic fever | M. F. | 305.6 355.4 | 371.4 470.8 | 450.2 538.7 | 516.7 636.1 | 580.0 726.5 | 604.9 835.0 | 801.5 1074.1 | 815.1 974.1 |
| 81. | Displacement of intervertebral disc | M. F. | 289.2 210.7 | 251.9 179.8 | 226.1 157.5 | 178.1 117.4 | 111.3 88.6 | 82.0 66.9 | 41.8 37.1 | 42.4 44.6 |
| 82. | Other diseases of bones & organs of movement | M. F. | 280.1 309.1 | 276.0 378.5 | 297.4 393.1 | 284.5 368.3 | 246.5 363.4 | 238.8 373.7 | 220.1 365.3 | 251.5 366.2 |
| 83. | Congenital malformations | M. F. | 47.7 53.2 | 37.9 52.2 | 40.9 39.4 | 39.3 38.0 | 39.1 32.2 | 41.9 34.8 | 23.2 28.8 | 18.2 11.7 |
| 84. | Certain diseases of early infancy | M. F. | - 0.2 | 0.2 0.5 | - - | - - | 0.6 0.5 | - - | 1.5 - | - - |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. | 355.9 352.2 | 399.6 376.0 | 461.1 403.6 | 492.8 413.0 | 596.6 451.2 | 749.8 598.1 | 1226.3 817.3 | 1706.0 1051.6 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|---------------|---------------|----------------|
| 86. | Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp | M. F. | 188.8 162.8 | 261.1 199.4 | 284.6 156.9 | 268.2 104.6 | 432.8 168.4 | 483.1 131.8 | 310.1 92.0 | 236.2 79.1 | 203.3 75.8 | 190.5 80.1 |
| 87. | Fracture of spine and trunk | M. F. | 1.4 2.5 | 6.5 4.0 | 13.5 7.3 | 24.4 17.4 | 78.9 51.4 | 113.0 44.3 | 96.0 41.7 | 95.9 35.8 | 102.0 45.6 | 120.9 54.9 |
| 88. | Fracture of upper limb | M. F. | 24.0 24.3 | 120.9 100.7 | 369.3 220.4 | 433.2 194.5 | 278.8 65.6 | 195.2 57.6 | 145.8 46.4 | 122.2 56.5 | 124.7 67.7 | 137.1 85.8 |
| 89. | Fracture of femur | M. F. | 38.1 42.5 | 61.2 32.6 | 57.0 24.1 | 40.4 15.0 | 40.2 12.2 | 39.0 9.4 | 24.9 7.8 | 24.4 8.7 | 23.9 12.0 | 22.7 19.7 |
| 90. | Other fracture of lower limbs (excluding femur) | M. F. | 5.6 5.9 | 47.9 31.7 | 86.9 54.6 | 160.0 84.6 | 221.0 68.2 | 231.2 65.0 | 201.5 69.0 | 196.6 84.7 | 182.6 85.3 | 192.1 107.4 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. F. | 9.9 10.9 | 18.9 13.3 | 37.0 20.9 | 87.7 60.7 | 243.2 123.6 | 310.8 93.9 | 290.8 88.0 | 274.4 95.8 | 262.8 97.4 | 253.0 103.2 |
| 92. | Internal injury of chest, abdomen and pelvis | M. F. | 2.3 2.0 | 8.3 3.4 | 21.2 7.2 | 19.3 6.2 | 35.4 8.8 | 46.4 10.0 | 31.3 10.0 | 27.7 6.6 | 24.4 7.1 | 20.0 7.2 |
| 93. | Burns | M. F. | 111.1 87.6 | 190.6 145.6 | 53.8 36.8 | 48.2 24.5 | 59.5 29.7 | 80.9 29.6 | 70.7 28.6 | 71.1 27.4 | 52.3 25.1 | 58.8 21.0 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|------------------|
| 86. | Fracture of or involv- ing skull or face bones, F. and head injury except open wound, contusion and haematoma of scalp | M. 163.0 F. 82.2 | 162.7 77.9 | 172.5 69.1 | 159.0 77.9 | 147.6 78.9 | 157.9 97.5 | 137.3 97.4 | 150.3 120.8 | 209.0 171.3 |
| 87. | Fracture of spine and trunk | M. 130.7 F. 74.9 | 140.4 93.0 | 173.7 93.1 | 189.9 118.9 | 171.5 156.3 | 199.2 209.2 | 233.1 305.2 | 289.9 436.8 | 454.5 640.8 |
| 88. | Fracture of upper limb | M. 128.6 F. 127.6 | 137.5 217.6 | 139.5 286.7 | 142.4 361.6 | 145.3 406.2 | 144.8 477.6 | 173.7 513.7 | 186.0 596.1 | 296.9 723.0 |
| 89. | Fracture of femur | M. 34.4 F. 31.6 | 42.7 65.8 | 57.1 101.1 | 68.1 171.4 | 112.7 300.4 | 208.8 525.5 | 316.8 1029.5 | 592.2 1887.3 | 1275.7 3267.6 |
| 90. | Other fracture of lower limbs (exclud- ing femur) | M. 196.0 F. 119.0 | 198.9 144.7 | 197.0 180.4 | 190.6 133.2 | 152.6 199.3 | 160.1 244.0 | 140.5 249.6 | 148.8 261.0 | 139.4 312.2 |
| 91. | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | M. 222.2 F. 106.3 | 209.6 113.2 | 189.3 115.6 | 157.8 111.9 | 127.8 120.8 | 100.7 135.4 | 113.7 136.2 | 128.6 171.7 | 115.1 223.0 |
| 92. | Internal injury of chest, abdomen and pelvis | M. 21.9 F. 9.4 | 26.0 8.3 | 31.8 6.1 | 22.8 6.6 | 18.8 11.9 | 18.1 8.9 | 16.2 9.1 | 27.9 6.8 | 18.2 4.7 |
| 93. | Burns | M. 50.7 F. 22.6 | 44.9 25.2 | 43.6 26.8 | 44.5 25.9 | 28.1 26.5 | 40.7 34.8 | 52.8 39.5 | 52.7 35.7 | 87.9 51.6 |

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|---------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| 94. | Other and unspecified effects of accidents, poisonings and violence | M. | 303.3 | 890.9 | 510.6 | 505.8 | 837.6 | 1038.9 | 750.2 | 648.1 | 590.2 | 562.5 |
| | | F. | 209.9 | 669.7 | 322.7 | 242.9 | 409.9 | 380.2 | 319.8 | 317.5 | 304.3 | 296.6 |
| 95. | Medical or special examination (with- out sickness) | M. | 10.3 | 2.3 | 2.6 | 1.0 | 2.8 | 3.0 | 1.6 | 3.7 | 3.9 | 7.3 |
| | | F. | 8.4 | 2.1 | 1.2 | 1.7 | 9.1 | 18.2 | 7.0 | 8.2 | 5.4 | 4.4 |
| 96. | Mature newborn | M. | - | - | - | - | - | - | - | - | - | - |
| | | F. | - | - | - | - | - | - | - | - | - | - |
| 97. | Immature newborn | M. | - | - | - | - | - | - | - | - | - | - |
| | | F. | - | - | - | - | - | - | - | - | - | - |
| 98. | Other special admissions, exam- inations, etc. | M. | 155.9 | 30.9 | 29.0 | 32.6 | 46.7 | 60.1 | 47.8 | 51.8 | 58.1 | 63.6 |
| | | F. | 156.9 | 32.3 | 19.4 | 26.6 | 60.0 | 110.1 | 104.3 | 74.5 | 71.8 | 58.3 |

174

TABLE 6(d) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 94. | Other and unspecified effects of accidents, poisonings and violence | M. F. 549.0 314.7 | 555.3 330.3 | 534.1 319.7 | 545.4 318.0 | 478.3 342.7 | 471.4 364.7 | 509.3 479.4 | 638.7 630.5 | 666.6 802.8 |
| 95. | Medical or special examination (with- out sickness) | M. F. 8.4 4.9 | 7.5 4.8 | 10.3 4.3 | 4.8 3.7 | 11.0 4.0 | 10.2 2.6 | 7.3 4.5 | 3.1 13.7 | - - |
| 96. | Mature newborn | M. F. - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 97. | Immature newborn | M. F. - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 98. | Other special admissions, exam- inations, etc. | M. F. 66.9 72.5 | 93.3 90.8 | 109.8 115.6 | 148.7 156.6 | 170.6 196.7 | 208.8 277.3 | 238.8 305.2 | 218.6 372.2 | 187.9 380.3 |

TABLE 6(e) PATIENT-DAY RATE PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1962

(1) See notes on page 198
(2) Excludes Newfoundland, Nova Scotia and New Brunswick.

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------------|----------------|----------------|--------------|--------------|--------------|--------------|------------|------------|------------|
| 1. | Tuberculosis, all forms | M. F. | 273 218 | 262 263 | 121 85 | 81 133 | 1,161 203 | 361 400 | 1,974 400 | 455 515 | 406 371 | 378 311 |
| 2. | Poliomyelitis and encephalitis | M. F. | 644 327 | 701 849 | 461 402 | 1,127 901 | 870 499 | 271 332 | 657 276 | 566 525 | 554 728 | 339 632 |
| 3. | Infectious hepatitis | M. F. | 395 266 | 262 209 | 821 897 | 971 937 | 845 1,134 | 938 1,126 | 826 1,046 | 797 934 | 600 590 | 483 429 |
| 4. | Other diseases attributable to viruses | M. F. | 3,441 3,404 | 2,471 2,258 | 1,104 1,058 | 405 329 | 674 840 | 642 572 | 322 287 | 797 232 | 211 173 | 166 156 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or parasitic diseases | M. F. | 8,546 8,418 | 2,427 2,608 | 1,104 1,337 | 699 685 | 467 698 | 524 510 | 475 472 | 435 446 | 565 598 | 540 575 |
| 6. | Malignant neoplasm of buccal cavity & pharynx | M. F. | 8 - | 1 - | 9 7 | 4 7 | 16 13 | 25 12 | 14 31 | 61 28 | 139 28 | 155 80 |
| 7. | Malignant neoplasm of stomach | M. F. | - - | - 4 | 1 - | - - | 14 24 | 7 2 | 34 10 | 95 104 | 116 168 | 338 179 |
| 8. | Malignant neoplasm of large intestine except rectum | M. F. | - - | 5 - | - 3 | 3 2 | 12 6 | 45 19 | 60 113 | 73 132 | 286 336 | 424 801 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|--------------------------|----------------|----------------|----------------|----------------|----------------|-----------------|------------------|------------------|
| 1. | Tuberculosis, all forms | M. 382 F. 426 | 641 377 | 793 450 | 811 578 | 861 962 | 1,460 835 | 1,155 7,044 | 1,081 1,092 | 9,806 1,162 |
| 2. | Poliomyelitis and encephalitis | M. 325 F. 558 | 451 115 | 262 246 | 114 6,654 | 183 424 | 225 34 | - 58 | - 162 | - - |
| 3. | Infectious hepatitis | M. 366 F. 386 | 362 361 | 438 418 | 349 292 | 401 373 | 250 311 | 451 342 | 555 370 | 412 143 |
| 4. | Other diseases attributable to viruses | M. 147 F. 228 | 192 297 | 323 452 | 288 635 | 632 581 | 765 1,200 | 998 1,817 | 1,758 2,074 | 1,809 3,399 |
| 5. | Other infective bacterial, spirochaetal, rickettsial or parasitic diseases | M. 545 F. 638 | 2,981 704 | 1,703 748 | 1,186 2,667 | 1,360 2,451 | 1,826 1,163 | 3,279 1,823 | 5,567 1,275 | 1,270 1,556 |
| 6. | Malignant neoplasm of buccal cavity and pharynx | M. 380 F. 153 | 700 235 | 1,275 348 | 1,950 560 | 2,973 412 | 2,895 886 | 3,517 941 | 3,895 1,261 | 7,645 2,927 |
| 7. | Malignant neoplasm of stomach | M. 628 F. 491 | 1,273 477 | 2,231 860 | 3,637 1,435 | 6,148 2,883 | 7,179 3,142 | 10,085 4,808 | 10,443 6,284 | 13,082 6,472 |
| 8. | Malignant neoplasm of large intestine except rectum | M. 628 F. 1,195 | 1,150 1,881 | 2,222 3,176 | 3,449 4,690 | 5,618 6,164 | 8,504 9,442 | 8,924 11,916 | 11,785 13,007 | 28,351 14,087 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|---------|-----|-----|-------|-------|-------|-------|-------|-------|-------|
| 9. | Malignant neoplasm of rectum | - | 8 | - | - | 1 | 9 | 55 | 54 | 159 | 220 |
| | M. F. | - | - | - | - | - | 21 | 19 | 72 | 122 | 336 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & un- specified as to whether primary or secondary | - | 5 | - | 1 | 1 | 31 | 6 | 82 | 240 | 578 |
| | M. F. | - | - | 1 | 7 | 5 | 13 | 22 | 88 | 84 | 287 |
| 11. | Malignant neoplasm of breast | - | 1 | - | - | 1 | - | - | 3 | - | 14 |
| | M. F. | - | .. | 1 | 6 | 18 | 24 | 268 | 683 | 1,942 | 3,890 |
| 12. | Malignant neoplasm of cervix uteri | - | - | - | - | - | - | - | - | - | - |
| | M. F. | - | - | 2 | 2 | - | 130 | 332 | 1,054 | 2,048 | 2,441 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | - | - | - | - | - | - | - | - | - | - |
| | M. F. | - | - | - | 11 | 2 | 22 | 81 | 72 | 198 | 472 |
| 14. | Malignant neoplasm of ovary Fallopian tube & broad ligament | - | - | - | - | - | - | - | - | - | - |
| | M. F. | - | .. | 1 | 7 | 24 | 41 | 66 | 76 | 301 | 675 |
| 15. | Malignant neoplasm of prostate | 54 | - | - | - | 47 | - | 4 | 2 | 7 | 15 |
| | M. F. | - | - | - | - | - | - | - | - | - | - |
| 16. | Malignant neoplasm of kidney, bladder & other urinary organs | 52 | 84 | 41 | 13 | 4 | 15 | 35 | 18 | 113 | 268 |
| | M. F. | 5 | 87 | 33 | 35 | 1 | 4 | 51 | 51 | 125 | 231 |

.. less than 1

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|---|--------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 9. | Malignant neoplasm of rectum | M. 635 F. 778 | 1,275 1,048 | 1,706 1,904 | 2,974 2,608 | 4,741 3,037 | 5,994 3,351 | 9,613 4,719 | 11,050 6,647 | 15,870 5,775 |
| 10. | Malignant neoplasm of bronchus, trachea & lung, primary & un- specified as to whether primary or secondary | M. 1,163 F. 497 | 3,188 776 | 5,879 1,078 | 3,135 1,101 | 10,575 1,808 | 10,691 1,946 | 8,780 1,887 | 8,020 1,901 | 6,155 1,404 |
| 11. | Malignant neoplasm of breast | M. 35 F. 6,004 | 83 7,189 | 107 7,879 | 91 10,066 | 229 10,924 | 370 14,152 | 909 13,316 | 1,116 19,920 | 645 17,683 |
| 12. | Malignant neoplasm of cervix uteri | M. - F. 2,773 | - 2,810 | - 3,516 | - 3,079 | - 3,710 | - 3,491 | - 2,018 | - 4,879 | - 2,531 |
| 13. | Malignant neoplasm of uterus other than cervix uteri | M. - F. 679 | - 1,127 | - 1,939 | - 2,481 | - 3,052 | - 2,724 | - 2,237 | - 2,499 | - 9,508 |
| 14. | Malignant neoplasm of ovary Fallopian tube & broad ligament | M. - F. 965 | - 1,490 | - 1,586 | - 2,217 | - 2,172 | - 2,299 | - 2,476 | - 1,588 | - 2,751 |
| 15. | Malignant neoplasm of prostate | M. 93 F. - | 756 - | 1,737 - | 3,798 - | 3,398 - | 19,009 - | 29,481 - | 45,009 - | 55,500 - |
| 16. | Malignant neoplasm of kidney, bladder & other urinary organs | M. 560 F. 264 | 1,426 700 | 2,495 747 | 4,226 1,206 | 7,730 2,494 | 9,333 3,161 | 11,115 4,071 | 15,051 5,827 | 20,818 3,446 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|------------|----------------|--------------|------------|------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 17. | Leukaemia and aleukaemia | M. F. | 209 140 | 353 304 | 244 169 | 160 92 | 171 75 | 106 91 | 95 79 | 85 110 | 137 217 | 302 269 |
| 18. | Other malignant neo-M. plasms & neoplasms F. of lymphatic and haematopoietic tissue | 391 298 | 442 1,368 | 397 352 | 440 353 | 812 519 | 785 489 | 1,106 798 | 1,959 1,497 | 2,295 2,299 | | |
| 19. | Benign neoplasm of uterus | M. F. | 15 | 8 | 6 | 6 | 61 | 530 | 1,280 | 3,107 | 6,263 | 10,633 |
| 20. | Benign neoplasm of ovary | M. F. | 19 | 5 | 16 | 138 | 1,088 | 2,316 | 2,605 | 2,542 | 2,119 | 1,804 |
| 21. | Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature | M. F. | 1,960 2,275 | 694 684 | 444 470 | 516 589 | 1,389 1,759 | 2,088 2,055 | 1,673 1,850 | 1,246 2,087 | 1,483 2,348 | 1,490 3,086 |
| 22. | Asthma | M. F. | 2,024 1,101 | 1,215 566 | 547 410 | 425 259 | 225 324 | 187 423 | 253 441 | 310 637 | 570 794 | 523 1,100 |
| 23. | Other allergic disorders (ex- cluding asthma) | M. F. | 2,058 1,234 | 697 470 | 195 206 | 187 216 | 134 310 | 182 335 | 164 243 | 204 276 | 158 256 | 195 254 |
| 24. | Diseases of thy- roid gland | M. F. | 254 251 | 63 63 | 27 89 | 73 226 | 116 678 | 192 981 | 240 1,267 | 239 1,552 | 279 1,797 | 375 2,070 |
| 25. | Diabetes mellitus | M. F. | 84 24 | 230 241 | 302 346 | 593 755 | 577 662 | 443 599 | 723 785 | 956 740 | 1,108 1,075 | 1,523 1,580 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------------|----------------|----------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| 17. | Leukaemia and aleukaemia | M. F. 322 281 | 568 380 | 1,143 648 | 1,071 856 | 2,032 1,290 | 2,890 1,145 | 2,644 1,560 | 2,741 2,507 | 4,136 1,601 |
| 18. | Other malignant neo- plasms & neoplasms of lymphatic and haematopoietic tissue | M. F. 3,157 3,843 | 5,217 5,590 | 8,221 8,583 | 12,499 9,737 | 13,912 14,180 | 18,136 15,698 | 20,435 23,928 | 28,626 19,348 | 28,976 22,509 |
| 19. | Benign neoplasm of uterus | M. F. 12,251 | 6,824 | 2,590 | 1,566 | 1,665 | 1,121 | 771 | 464 | 270 |
| 20. | Benign neoplasm of ovary | M. F. 1,194 | 746 | 729 | 671 | 474 | 731 | 657 | 534 | 237 |
| 21. | Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature | M. F. 1,797 3,390 | 2,207 3,502 | 3,182 3,258 | 3,629 4,030 | 3,878 4,554 | 4,771 8,290 | 4,805 5,373 | 5,809 4,343 | 3,658 3,754 |
| 22. | Asthma | M. F. 940 1,462 | 1,369 1,854 | 2,636 1,912 | 3,509 2,500 | 4,351 2,430 | 4,480 3,782 | 4,556 2,871 | 7,068 3,044 | 9,830 3,775 |
| 23. | Other allergic dis- orders (excluding asthma) | M. F. 204 314 | 194 242 | 196 413 | 162 216 | 237 336 | 225 207 | 225 351 | 288 121 | 152 303 |
| 24. | Diseases of thy- roid gland | M. F. 486 2,317 | 640 2,464 | 559 2,891 | 601 2,686 | 627 2,782 | 556 2,163 | 602 2,075 | 236 3,712 | 39 829 |
| 25. | Diabetes mellitus | M. F. 2,622 2,642 | 4,129 5,248 | 5,707 9,539 | 8,731 16,523 | 12,220 24,103 | 10,029 30,883 | 2,045 41,275 | 26,687 41,069 | 29,094 40,049 |

Table 6(e)(Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|---------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 26. | Diseases of other endocrine glands | | 315 237 | 124 124 | 86 59 | 91 123 | 136 287 | 103 422 | 114 462 | 125 448 | 114 504 | 189 380 |
| 27. | Avitaminoses and other metabolic diseases | | 3,535 2,436 | 806 814 | 209 209 | 132 206 | 131 306 | 166 275 | 95 342 | 362 439 | 336 521 | 394 649 |
| 28. | Diseases of the blood and blood- forming organs | | 3,931 2,586 | 1,416 1,013 | 709 381 | 459 314 | 335 551 | 262 589 | 226 818 | 190 763 | 212 1,095 | 386 1,133 |
| 29. | Psychoses | | - - | 12 34 | 73 71 | 158 156 | 947 1,436 | 1,855 3,085 | 4,468 3,660 | 1,884 3,889 | 1,952 3,840 | 1,884 3,541 |
| 30. | Psychoneurotic dis- orders | | 111 114 | 65 71 | 196 192 | 357 689 | 1,039 3,448 | 2,171 6,369 | 2,624 8,902 | 3,214 9,758 | 3,592 9,325 | 3,968 8,886 |
| 31. | Disorders of character, behaviour and intelligence | | 1,133 600 | 827 579 | 672 278 | 1,041 403 | 612 1,022 | 553 795 | 1,001 785 | 1,102 919 | 1,389 746 | 1,664 683 |
| 32. | Vascular lesions affecting central nervous system | | 713 832 | 322 354 | 216 220 | 213 172 | 256 142 | 331 241 | 255 356 | 814 452 | 573 478 | 969 1,061 |
| 33. | Inflammatory and other diseases of central nervous system | | 5,905 4,385 | 2,318 1,943 | 1,702 1,415 | 1,077 1,066 | 1,282 1,516 | 1,622 1,466 | 3,409 3,173 | 2,569 3,556 | 3,839 3,756 | 5,149 6,816 |
| 34. | Diseases of nerves & peripheral ganglia | | 152 99 | 88 80 | 120 114 | 106 118 | 227 350 | 346 477 | 466 627 | 611 833 | 873 962 | 910 1,078 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---|-----------|----------------|----------------|------------------|------------------|------------------|------------------|--------------------|--------------------|--------------------|
| 26. Diseases of other endocrine glands | M. F. | 147 469 | 147 424 | 248 383 | 241 975 | 167 379 | 315 437 | 245 306 | 24 301 | 218 19 |
| 27. Avitaminoses and other metabolic diseases | M. F. | 401 767 | 708 661 | 1,143 840 | 1,159 943 | 1,185 1,243 | 1,123 977 | 1,302 846 | 2,760 1,514 | 3,861 1,423 |
| 28. Diseases of the blood and blood-forming organs | M. F. | 461 1,294 | 670 1,311 | 1,459 1,796 | 2,808 3,013 | 2,930 3,399 | 5,085 5,881 | 8,071 10,217 | 13,651 23,475 | 16,139 25,502 |
| 29. Psychoses | M. F. | 1,944 4,287 | 2,650 4,640 | 3,253 4,246 | 3,826 5,779 | 3,447 5,581 | 3,311 10,824 | 8,093 6,117 | 6,312 13,243 | 29,418 26,056 |
| 30. Psychoneurotic disorders | M. F. | 4,252 9,166 | 4,107 8,511 | 4,335 7,868 | 3,892 7,287 | 3,029 6,900 | 1,922 7,330 | 2,597 4,145 | 1,583 2,287 | 579 2,214 |
| 31. Disorders of character, behaviour & intelligence | M. F. | 1,909 819 | 1,940 730 | 2,190 403 | 1,874 764 | 1,617 306 | 1,239 237 | 669 142 | 512 213 | 197 592 |
| 32. Vascular lesions affecting central nervous system | M. F. | 2,085 2,028 | 6,053 4,273 | 11,780 7,655 | 22,456 15,242 | 36,360 33,951 | 66,542 60,406 | 110,340 140,590 | 165,659 235,689 | 220,376 345,850 |
| 33. Inflammatory and other diseases of central nervous system | M. F. | 4,405 7,312 | 7,955 5,331 | 12,471 10,313 | 19,576 12,802 | 24,441 19,616 | 26,192 26,348 | 37,445 47,959 | 43,811 72,008 | 83,100 79,209 |
| 34. Diseases of nerves & peripheral ganglia | M. F. | 1,103 1,350 | 1,419 1,445 | 1,411 1,587 | 1,504 1,516 | 1,913 1,907 | 2,151 1,857 | 2,015 1,954 | 1,971 2,706 | 1,648 1,507 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|---------|-----------------|----------------|----------------|----------------|--------------|------------|--------------|----------------|----------------|----------------|
| 35. | Diseases and condi- tions of the eye | | 1,242 1,070 | 1,099 1,050 | 1,027 929 | 605 513 | 673 509 | 613 432 | 598 399 | 675 527 | 820 579 | 866 696 |
| 36. | Diseases of ear & mastoid process | | 9,529 10,015 | 4,050 3,215 | 1,774 1,429 | 1,037 917 | 577 702 | 492 659 | 609 658 | 591 859 | 610 944 | 653 1,020 |
| 37. | Rheumatic fever & chronic rheumatic heart disease | | 8 79 | 339 297 | 1,236 1,404 | 1,639 1,730 | 857 1,340 | 639 813 | 607 1,119 | 815 1,280 | 1,026 1,753 | 895 1,989 |
| 38. | Arteriosclerotic & degenerative heart disease | | 108 128 | 77 99 | 92 100 | 74 54 | 102 175 | 238 108 | 404 183 | 1,229 577 | 3,402 1,213 | 8,121 2,539 |
| 39. | Other diseases of the heart | | 336 257 | 77 63 | 101 82 | 127 96 | 166 145 | 174 232 | 282 322 | 313 411 | 542 524 | 796 806 |
| 40. | Hypertensive heart disease & other hypertensive disease | | 12 29 | 9 20 | 25 55 | 50 50 | 133 111 | 205 207 | 255 312 | 450 408 | 625 849 | 1,324 1,425 |
| 41. | Diseases of arteries | | 84 16 | 33 51 | 34 23 | 41 28 | 142 84 | 157 171 | 190 221 | 331 251 | 482 409 | 1,075 443 |
| 42. | Varicose veins of lower extremities | | 4 12 | 1 6 | 6 6 | 4 11 | 31 57 | 117 419 | 246 1,355 | 391 2,196 | 600 2,797 | 783 3,231 |
| 43. | Haemorrhoids | | 13 14 | 11 5 | 4 2 | 9 7 | 88 138 | 412 586 | 895 1,045 | 1,336 1,534 | 1,911 1,854 | 2,236 2,255 |

Table 6(e) (Cont'd)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|-------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------|----------------------|----------------------|
| 35. | Diseases and condi- tions of the eye | M. 3, 143 F. 1, 160 | 2, 118 2, 229 | 3, 211 3, 426 | 5, 201 5, 079 | 7, 428 7, 464 | 9, 848 11, 878 | 12, 585 14, 499 | 17, 710 18, 378 | 24, 033 15, 878 |
| 36. | Diseases of ear & mastoid process | M. 607 F. 1, 237 | 675 1, 170 | 887 1, 216 | 810 1, 199 | 593 1, 104 | 856 970 | 1, 548 756 | 775 9, 370 | 467 6, 150 |
| 37. | Rheumatic fever & chronic rheumatic heart disease | M. 1, 149 F. 2, 405 | 1, 606 3, 142 | 1, 493 2, 520 | 1, 319 2, 890 | 1, 283 2, 066 | 1, 149 2, 260 | 830 3, 876 | 674 7, 563 | 1, 503 6, 873 |
| 38. | Arteriosclerotic and degenerative heart disease | M. 17, 269 F. 5, 695 | 24, 792 10, 934 | 36, 006 19, 351 | 49, 415 31, 142 | 65, 539 47, 594 | 91, 359 78, 846 | 129, 801 123, 571 | 190, 368 186, 875 | 284, 627 302, 658 |
| 39. | Other diseases of the heart | M. 1, 411 F. 1, 161 | 2, 550 1, 395 | 4, 437 2, 716 | 6, 651 4, 990 | 10, 159 8, 389 | 14, 799 14, 560 | 21, 994 25, 807 | 39, 878 43, 153 | 76, 185 66, 754 |
| 40. | Hypertensive heart diseases & other hypertensive disease | M. 1, 860 F. 2, 629 | 2, 704 4, 299 | 3, 799 6, 609 | 5, 176 9, 484 | 8, 749 14, 293 | 11, 055 24, 920 | 10, 882 25, 894 | 21, 426 60, 481 | 29, 909 70, 200 |
| 41. | Diseases of arteries | M. 1, 795 F. 792 | 3, 633 1, 541 | 5, 418 1, 896 | 9, 159 3, 407 | 13, 342 9, 228 | 22, 037 17, 151 | 35, 697 28, 661 | 61, 034 89, 099 | 147, 954 279, 449 |
| 42. | Varicose veins of lower extremities | M. 1, 164 F. 3, 713 | 1, 471 4, 403 | 1, 842 4, 758 | 2, 725 5, 075 | 2, 166 5, 393 | 2, 599 5, 927 | 6, 813 6, 571 | 3, 622 5, 973 | 8, 439 4, 188 |
| 43. | Hæmorrhoids | M. 2, 204 F. 2, 392 | 2, 263 2, 134 | 2, 476 1, 904 | 2, 177 1, 833 | 1, 886 1, 440 | 1, 506 1, 137 | 1, 379 1, 062 | 1, 105 878 | 2, 161 592 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 44. | Phlebitis and thrombophlebitis | M. F. | 14 - | 1 6 | 5 2 | 13 14 | 33 120 | 64 205 | 137 408 | 209 528 | 340 682 | 422 454 |
| 45. | Other diseases of the circulatory system | M. F. | 902 631 | 827 781 | 935 961 | 763 734 | 450 608 | 1,674 379 | 282 358 | 354 450 | 413 407 | 482 462 |
| 46. | Acute upper respir- atory infections | M. F. | 17,950 14,254 | 6,618 5,215 | 1,463 1,446 | 604 698 | 560 915 | 582 788 | 394 527 | 372 466 | 319 422 | 333 452 |
| 47. | Influenza | M. F. | 2,659 2,327 | 878 813 | 452 497 | 372 433 | 344 572 | 307 622 | 303 530 | 282 452 | 307 444 | 361 503 |
| 48. | Pneumonia | M. F. | 57,812 42,989 | 13,639 11,696 | 3,228 3,171 | 1,429 1,262 | 1,533 1,158 | 1,165 1,326 | 1,109 1,865 | 1,479 2,146 | 1,785 2,057 | 2,159 2,430 |
| 49. | Bronchitis | M. F. | 28,634 19,853 | 6,379 4,783 | 1,290 1,148 | 501 559 | 439 662 | 419 817 | 426 901 | 528 1,084 | 726 1,071 | 1,071 1,502 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. | 639 372 | 6,568 5,397 | 7,248 7,536 | 2,084 3,014 | 1,153 2,981 | 2,461 2,163 | 1,139 1,368 | 819 939 | 539 1,470 | 290 365 |
| 51. | Other diseases of respiratory system | M. F. | 4,815 3,422 | 1,578 1,093 | 879 706 | 621 728 | 1,683 1,369 | 2,326 1,696 | 2,094 1,817 | 1,894 1,855 | 1,921 1,770 | 2,401 1,913 |
| 52. | Diseases of teeth & M. supporting structure F. | M. F. | 160 143 | 255 240 | 328 383 | 185 266 | 416 774 | 553 795 | 352 643 | 271 526 | 295 459 | 279 457 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. F. | 123 26 | 53 32 | 87 80 | 166 137 | 646 402 | 1,932 842 | 3,289 1,207 | 4,530 1,740 | 6,241 2,515 | 7,739 3,505 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|
| 44. | Phlebitis and thrombophlebitis | M. F. 575 1,191 | 795 1,447 | 1,213 1,560 | 1,515 2,282 | 1,796 2,665 | 1,903 2,973 | 1,841 3,357 | 1,493 2,611 | 1,500 2,002 |
| 45. | Other diseases of the circulatory system | M. F. 583 615 | 975 781 | 1,082 796 | 1,467 1,041 | 1,693 1,360 | 1,862 1,547 | 2,096 2,893 | 3,301 2,387 | 2,994 3,737 |
| 46. | Acute upper respir- atory infections | M. F. 316 437 | 349 589 | 373 588 | 454 605 | 954 581 | 640 912 | 794 877 | 1,335 1,453 | 1,067 1,270 |
| 47. | Influenza | M. F. 430 586 | 514 714 | 670 960 | 821 1,082 | 1,071 1,566 | 1,462 1,965 | 2,349 2,920 | 3,651 5,784 | 5,648 8,709 |
| 48. | Pneumonia | M. F. 3,141 2,910 | 4,453 3,428 | 5,924 4,817 | 9,213 5,873 | 12,153 7,909 | 17,061 12,023 | 25,817 18,250 | 41,583 27,566 | 85,718 51,157 |
| 49. | Bronchitis | M. F. 1,670 1,722 | 2,671 2,115 | 5,191 3,053 | 7,954 3,997 | 10,810 3,663 | 14,586 4,763 | 13,871 5,666 | 22,147 7,955 | 25,239 16,514 |
| 50. | Hypertrophy of tonsils & adenoids | M. F. 192 244 | 138 231 | 74 209 | 86 124 | 85 90 | 58 51 | 78 43 | 64 56 | 3 23 |
| 51. | Other diseases of respiratory system | M. F. 2,834 2,524 | 4,178 2,483 | 6,304 3,237 | 8,579 3,971 | 10,809 4,928 | 13,349 7,292 | 13,120 7,598 | 22,636 10,165 | 18,461 17,059 |
| 52. | Diseases of teeth & supporting structure | M. F. 283 404 | 231 386 | 297 324 | 303 286 | 270 238 | 243 159 | 219 139 | 105 114 | 282 192 |
| 53. | Ulcer of stomach, duodenum & jejunum | M. F. 9,541 4,564 | 12,067 5,221 | 13,316 5,150 | 15,020 5,646 | 15,547 5,845 | 15,737 6,586 | 17,590 7,709 | 18,797 10,243 | 16,051 7,246 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|---------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 54. | Gastritis, duodenitis and other disorders & diseases of the stomach & duodenum | | 1,448 1,217 | 199 206 | 148 162 | 150 183 | 267 613 | 651 1,006 | 981 1,051 | 1,252 1,168 | 1,430 1,289 | 1,664 1,499 |
| 55. | Appendicitis | | 67 82 | 689 500 | 2,915 2,786 | 4,681 4,667 | 4,351 6,373 | 3,460 4,132 | 2,662 2,475 | 2,128 1,609 | 1,869 1,334 | 1,783 1,117 |
| 56. | Hernia of abdominal cavity | | 9,266 3,310 | 2,972 812 | 368 385 | 712 120 | 1,282 276 | 2,234 533 | 2,154 1,065 | 2,533 1,595 | 3,155 1,917 | 4,176 2,659 |
| 57. | Intestinal obstruction without mention of hernia | | 1,042 575 | 221 120 | 160 101 | 128 79 | 127 155 | 144 231 | 160 301 | 265 498 | 256 616 | 405 859 |
| 58. | Gastro-enteritis & colitis, except ulcera- tive, age 4 weeks & over | | 38,953 31,702 | 5,364 4,177 | 627 640 | 425 433 | 315 559 | 355 797 | 342 676 | 340 669 | 397 682 | 420 773 |
| 59. | Chronic enteritis & ulcerative colitis | | 167 160 | 48 45 | 22 24 | 81 114 | 349 323 | 519 359 | 413 541 | 424 816 | 447 817 | 807 892 |
| 60. | Cirrhosis and other diseases of liver | | 300 291 | 94 49 | 152 180 | 204 244 | 277 300 | 155 305 | 168 373 | 538 464 | 687 695 | 1,183 1,057 |
| 61. | Diseases of gall- bladder & pancreas | | 936 842 | 201 270 | 82 86 | 45 179 | 130 1,350 | 419 4,983 | 773 6,647 | 1,569 7,572 | 2,120 8,284 | 3,103 9,290 |
| 62. | Other diseases of digestive system | | 3,860 2,201 | 1,186 1,075 | 535 464 | 393 456 | 568 968 | 870 1,316 | 1,109 1,460 | 1,418 1,772 | 1,735 2,074 | 2,097 2,559 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|---|-----------------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|
| 54. | Gastritis, duodenitis and other disorders and diseases of the stomach & duodenum | M. 1,903 F. 1,667 | 2,037 1,806 | 2,346 2,001 | 2,005 2,337 | 2,490 2,394 | 2,958 2,210 | 2,509 3,014 | 3,907 3,016 | 5,718 2,966 |
| 55. | Appendicitis | M. 1,017 F. 1,006 | 1,545 1,076 | 1,674 576 | 1,040 1,098 | 1,772 1,034 | 1,437 1,216 | 1,722 1,403 | 1,702 4,030 | 1,507 1,406 |
| 56. | Hernia of abdominal cavity | M. 5,448 F. 3,199 | 7,057 3,075 | 9,770 4,409 | 12,029 5,003 | 12,772 5,247 | 14,458 5,954 | 15,700 6,479 | 15,012 6,134 | 10,321 8,087 |
| 57. | Intestinal ocstruction without mention of hernia | M. 523 F. 1,136 | 1,082 1,146 | 996 1,200 | 1,245 2,325 | 1,765 2,147 | 2,959 3,310 | 3,831 4,514 | 5,163 5,879 | 4,903 10,695 |
| 58. | Gastro-enteritis & colitis, except ulcera- tive, age 4 weeks & over | M. 502 F. 950 | 650 1,245 | 675 1,314 | 981 1,347 | 912 1,586 | 1,301 2,312 | 1,747 2,806 | 2,741 4,518 | 4,061 5,901 |
| 59. | Chronic enteritis & ulcerative colitis | M. 864 F. 1,102 | 1,175 1,717 | 1,603 2,043 | 2,156 3,231 | 3,353 4,684 | 3,467 6,274 | 5,397 12,029 | 6,078 10,827 | 8,209 11,993 |
| 60. | Cirrhosis and other diseases of liver | M. 1,599 F. 1,109 | 2,350 1,075 | 2,508 1,939 | 2,543 1,666 | 2,825 1,095 | 3,496 1,700 | 3,237 1,692 | 3,504 1,573 | 4,963 1,549 |
| 61. | Diseases of gall- bladder & pancreas | M. 4,214 F. 11,674 | 5,609 14,189 | 7,009 17,320 | 7,922 18,624 | 9,520 21,210 | 12,581 20,002 | 12,192 21,714 | 14,713 24,084 | 13,042 15,854 |
| 62. | Other diseases of digestive system | M. 2,320 F. 2,915 | 2,812 3,247 | 3,232 3,328 | 3,784 3,842 | 3,635 4,037 | 4,836 5,099 | 6,134 5,530 | 7,522 10,243 | 11,848 12,174 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------------|--------------|--------------|------------|--------------|--------------|--------------|--------------|----------------|----------------|
| 63. | Nephritis and nephrosis | M. F. | 449 311 | 1,126 813 | 1,414 941 | 749 595 | 722 413 | 412 455 | 459 400 | 534 397 | 400 301 | 521 412 |
| 64. | Infections of kidney | M. F. | 911 1,552 | 359 1,223 | 313 1,341 | 318 669 | 275 1,875 | 333 1,762 | 350 1,492 | 400 1,472 | 492 1,350 | 530 1,531 |
| 65. | Calculi of kidney, ureter & other parts of urinary system | M. F. | - 28 | 27 8 | 19 38 | 47 41 | 168 170 | 534 474 | 1,101 691 | 1,438 561 | 1,022 705 | 2,030 605 |
| 66. | Other diseases of urinary system | M. F. | 1,455 1,068 | 721 1,159 | 827 1,213 | 539 533 | 578 757 | 932 1,308 | 808 1,476 | 980 1,584 | 1,112 1,040 | 1,250 2,331 |
| 67. | Hyperplasia of prostate | M. F. | - - | 1 - | 3 - | 12 - | 7 - | 25 - | 29 - | 70 - | 133 - | 251 - |
| 68. | Redundant prepuce and phimosis | M. F. | 2,760 - | 1,002 - | 466 - | 275 - | 186 - | 409 - | 271 - | 179 - | 122 - | 101 - |
| 69. | Diseases of ovary, Fallopian tube & para- metrium, & infective disease of uterus, vagina & vulva | M. F. | 55 - | 175 - | 150 - | 270 - | 2,118 - | 5,930 - | 7,175 - | 6,381 - | 0,103 - | 5,400 - |
| 70. | Uterovaginal prolapse | M. F. | - - | - 10 | - 1 | - - | - 13 | - 347 | - 1,036 | - 2,500 | - 4,105 | - 5,703 |
| 71. | Disorders of menstruation | M. F. | - 7 | - 5 | - 5 | - 233 | - 1,374 | - 2,921 | - 3,272 | - 3,011 | - 3,095 | - 4,100 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------|----------------|----------------|----------------|----------------|----------------|----------------|------------------|------------------|
| 63. | Nephritis and nephrosis | M. F. | 740 667 | 723 1,005 | 1,078 1,249 | 1,080 1,053 | 1,713 855 | 1,844 1,715 | 2,447 1,376 | 6,945 8,244 |
| 64. | Infections of kidney | M. F. | 896 1,872 | 1,060 1,892 | 1,305 2,115 | 2,350 2,586 | 2,925 3,122 | 3,554 3,937 | 6,098 5,018 | 10,576 4,899 |
| 65. | Calculi of kidney, ureter and other parts of urinary system | M. F. | 2,778 957 | 2,983 1,194 | 3,142 1,155 | 3,164 1,250 | 3,280 1,080 | 2,844 1,514 | 4,409 1,286 | 3,700 498 |
| 66. | Other diseases of urinary system | M. F. | 1,996 2,778 | 3,095 3,162 | 3,709 3,641 | 5,070 3,632 | 7,574 4,244 | 8,872 5,003 | 13,301 11,014 | 26,583 10,958 |
| 67. | Hyperplasia of prostate | M. F. | 2,103 - | 5,870 - | 14,149 - | 22,907 - | 38,228 - | 53,670 - | 65,819 - | 75,845 - |
| 68. | Redundant prepuce and phimosis | M. F. | 103 - | 111 - | 223 - | 210 - | 289 - | 424 - | 544 - | 197 - |
| 69. | Diseases of ovary, Fallopian tube & para- metrium, & infective disease of uterus, vagina & vulva | M. F. | 2,415 4,042 | 1,517 - | 1,179 - | 1,476 - | 935 - | 1,072 - | 865 - | 678 - |
| 70. | Uterovaginal prolapse | M. F. | 7,520 6,712 | 7,757 - | 8,867 - | 9,625 - | 8,543 - | 6,237 - | 3,997 - | 5,636 - |
| 71. | Disorders of menstruation | M. F. | 2,529 4,102 | 781 - | 457 - | 454 - | 387 - | 281 - | 201 - | 197 - |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 72. | Other diseases of genital organs | M. F. | 1,289 254 | 546 30 | 304 45 | 341 88 | 583 617 | 622 2,502 | 726 3,613 | 677 3,703 | 809 3,787 | 1,054 4,325 |
| 73. | Complications of pregnancy | M. F. | - - | - - | - - | 35 | 4,681 | 16,419 | 14,731 | 10,668 | 6,858 | 2,715 |
| 74. | Abortion | M. F. | - - | - - | - - | 14 | 1,849 | 8,814 | 9,817 | 7,854 | 6,048 | 3,402 |
| 75. | Delivery without mention of compli- cations | M. F. | - - | - - | - - | 156 | 30,500 | 127,185 | 116,661 | 77,595 | 41,244 | 14,513 |
| 76. | Delivery with speci- fied complications | M. F. | - - | - - | - - | 20 | 2,795 | 12,595 | 14,194 | 11,400 | 7,550 | 3,162 |
| 77. | Complications of the puerperium | M. F. | - - | - - | - - | 12 | 447 | 1,757 | 1,835 | 1,493 | 905 | 529 |
| 78. | Infection of skin & subcutaneous tissue | M. F. | 5,537 4,907 | 2,386 2,370 | 1,316 1,096 | 1,102 825 | 1,191 917 | 1,098 740 | 943 728 | 886 678 | 956 768 | 1,171 891 |
| 79. | Other diseases of skin & subcutaneous tissue | M. F. | 8,181 6,280 | 1,878 1,475 | 721 731 | 1,106 1,058 | 1,400 1,605 | 1,201 1,558 | 911 1,537 | 1,160 1,534 | 1,206 1,634 | 1,552 1,915 |
| 80. | Arthritis & rheuma- tism, except rheumatic fever | M. F. | 246 226 | 359 448 | 394 456 | 511 541 | 680 789 | 1,117 1,090 | 1,302 1,737 | 2,945 3,685 | 2,907 3,109 | 3,495 4,480 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| 72. | Other diseases of genital organs | M. 1,388 F. 5,248 | 1,711 3,616 | 2,222 1,673 | 2,846 1,197 | 3,707 1,137 | 3,948 988 | 4,817 774 | 4,595 537 | 9,194 1,178 |
| 73. | Complications of pregnancy | M. - F. 357 | - 86 | - 23 | - - | - - | - - | - - | - - | - - |
| 74. | Abortion | M. - F. 554 | - 39 | - 16 | - 1 | - - | - - | - - | - - | - - |
| 75. | Delivery without mention of compli- cations | M. - F. 1,121 | - 59 | - 77 | - 14 | - - | - - | - - | - - | - - |
| 76. | Delivery with speci- fied complications | M. - F. 265 | - 13 | - - | - 3 | - - | - - | - - | - - | - - |
| 77. | Complications of the puerperium | M. - F. 70 | - 2 | - 6 | - 1 | - - | - - | - - | - - | - - |
| 78. | Infection of skin & subcutaneous tissue | M. 1,241 F. 888 | 1,294 1,107 | 1,372 1,374 | 1,623 1,566 | 1,920 1,625 | 2,100 1,770 | 2,492 2,046 | 2,978 3,920 | 4,367 2,075 |
| 79. | Other diseases of skin & subcutaneous tissue | M. 1,711 F. 2,546 | 1,874 2,729 | 2,686 2,934 | 3,470 3,455 | 4,737 3,632 | 4,548 4,667 | 5,934 5,031 | 7,964 9,511 | 9,918 6,948 |
| 80. | Arthritis & rheuma- tism, except rheumatic fever | M. 4,578 F. 6,459 | 6,445 10,621 | 8,097 13,720 | 12,069 19,998 | 14,933 20,470 | 15,971 33,507 | 23,219 42,940 | 32,966 68,441 | 46,715 136,993 |

Table 6(e) (Cont'd)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|---|----------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 81. | Displacement of inter-vertebral disc | M. F. | - - | 4 8 | 4 2 | 9 16 | 329 286 | 1,046 852 | 2,130 1,610 | 3,971 2,637 | 4,864 3,749 | 5,023 3,701 |
| 82. | Other diseases of bones & organs of movement | M. F. | 3,186 2,177 | 2,022 1,243 | 2,837 1,516 | 2,192 2,703 | 2,542 2,531 | 2,696 1,605 | 2,549 1,683 | 2,595 1,871 | 2,949 2,131 | 3,135 2,966 |
| 83. | Congenital malformations | M. F. | 29,852 24,816 | 4,579 4,661 | 2,814 1,742 | 2,129 1,429 | 1,949 1,324 | 976 1,421 | 823 1,019 | 694 1,003 | 798 867 | 866 601 |
| 84. | Certain diseases of early infancy | M. F. | 37,145 32,508 | 201 164 | 12 28 | 9 13 | 12 5 | 6 3 | - 1 | 9 7 | 1 3 | 0 8 |
| 85. | Symptoms, senility, & ill-defined conditions | M. F. | 5,906 4,828 | 2,058 1,890 | 1,502 1,452 | 1,263 1,427 | 1,155 2,135 | 1,422 2,353 | 1,519 2,507 | 1,624 2,684 | 2,001 2,521 | 2,289 3,095 |
| 86. | Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp | M. F. | 1,483 1,197 | 1,506 943 | 1,522 810 | 1,237 477 | 2,242 1,089 | 3,993 1,312 | 2,411 894 | 2,045 741 | 1,924 602 | 1,610 640 |
| 87. | Fracture of spine and trunk | M. F. | 8 56 | 78 37 | 177 102 | 307 399 | 1,873 1,263 | 2,729 907 | 2,127 790 | 2,242 644 | 2,021 1,013 | 2,270 1,029 |
| 88. | Fracture of upper limb | M. F. | 242 207 | 454 384 | 1,181 651 | 1,395 625 | 1,209 319 | 1,151 354 | 973 269 | 707 271 | 812 345 | 1,057 460 |
| 89. | Fracture of femur | M. F. | 802 841 | 1,800 865 | 1,768 825 | 1,215 473 | 1,522 469 | 1,568 326 | 826 343 | 818 403 | 1,042 441 | 1,051 556 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------|----------------|----------------|----------------|-----------------|------------------|------------------|-------------------|-------------------|
| 81. | Displacement of inter- vertebral disc | M. 4,879 F. 4,061 | 4,378 3,534 | 4,099 2,955 | 3,074 2,464 | 1,945 1,743 | 1,817 1,411 | 982 1,116 | 876 537 | 709 1,188 |
| 82. | Other diseases of bones & organs of movement | M. 3,970 F. 5,442 | 4,101 5,179 | 4,237 6,009 | 4,837 5,907 | 8,702 9,618 | 4,990 8,924 | 4,984 11,559 | 7,216 13,371 | 12,670 21,113 |
| 83. | Congenital malform- ations | M. 754 F. 829 | 597 904 | 623 827 | 796 589 | 758 782 | 861 580 | 812 588 | 560 955 | 242 134 |
| 84. | Certain diseases of early infancy | M. - F. 1 | 8 13 | - - | - - | - 3 | 31 9 | - - | 2 - | - - |
| 85. | Symptoms, senility, & ill-defined conditions | M. 2,572 F. 3,235 | 4,662 3,619 | 3,965 4,203 | 4,779 5,219 | 6,316 6,215 | 8,844 8,525 | 10,682 13,301 | 27,916 21,365 | 61,721 66,150 |
| 86. | Fracture of or involv- ing skull or face bones, F. and head injury except open wound, contusion and haematoma of scalp | M. 1,543 F. 778 | 1,817 850 | 1,865 851 | 2,013 745 | 1,768 1,449 | 2,210 1,050 | 2,214 1,676 | 1,584 1,543 | 2,518 9,469 |
| 87. | Fracture of spine and trunk | M. 2,396 F. 1,376 | 2,332 1,673 | 3,065 1,934 | 3,397 2,597 | 3,303 3,441 | 3,817 5,480 | 4,999 9,085 | 6,778 13,339 | 13,324 25,678 |
| 88. | Fracture of upper limb | M. 861 F. 688 | 1,082 1,198 | 1,193 1,555 | 1,608 2,249 | 1,991 3,074 | 1,729 4,328 | 2,314 6,025 | 2,541 10,209 | 5,424 19,817 |
| 89. | Fracture of femur | M. 1,409 F. 1,182 | 1,671 2,300 | 2,475 3,832 | 3,092 8,122 | 6,328 13,414 | 10,650 27,116 | 16,404 65,256 | 32,805 126,717 | 83,361 260,712 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | Newborn | Under 1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
|---------------------|--|----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 90. | Other fractures of lower limbs(excluding femur) | M. F. | 125 106 | 259 204 | 715 394 | 1,185 615 | 2,277 811 | 3,107 685 | 2,875 797 | 2,717 1,173 | 2,685 947 | 2,658 1,625 |
| 91. | Dislocation without fracture, & sprains & strains of joints & adjacent muscles | M. F. | 173 37 | 123 66 | 168 90 | 426 292 | 1,490 883 | 2,125 676 | 2,270 744 | 2,413 765 | 2,418 845 | 2,284 1,607 |
| 92. | Internal injury of chest, abdomen and pelvis | M. F. | 19 12 | 91 27 | 279 61 | 227 93 | 378 93 | 668 145 | 495 104 | 430 102 | 398 139 | 268 89 |
| 93. | Burns | M. F. | 1,528 1,343 | 2,748 2,417 | 1,148 708 | 818 346 | 743 314 | 1,025 337 | 958 299 | 1,092 375 | 797 353 | 896 426 |
| 94. | Other and unspecified effects of accidents, poisonings & violence | M. F. | 1,739 1,117 | 3,825 2,563 | 2,486 1,361 | 2,816 1,249 | 4,446 1,817 | 5,317 1,941 | 4,131 1,617 | 3,975 2,138 | 3,812 1,900 | 3,785 2,065 |
| 95. | Medical or special examination (without sickness) | M. F. | 38 43 | 8 5 | 6 5 | 4 3 | 4 14 | 10 29 | 8 15 | 8 22 | 10 11 | 14 8 |
| 96. | Mature newborn | M. F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 97. | Immature newborn | M. F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| 98. | Other special admissions, examinations, etc. | M. F. | 900 1,012 | 408 286 | 262 194 | 236 346 | 441 486 | 646 646 | 976 609 | 542 623 | 686 835 | 934 790 |

Table 6(e) (Cont'd.)

| Can. List No. | Diagnosis | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ |
|---------------------|--|----------------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| 90. | Other fractures of lower limbs (excluding femur) | M. 3,290 F. 1,696 | 3,268 2,206 | 3,361 2,984 | 4,639 3,965 | 4,200 5,132 | 5,243 6,931 | 3,786 9,121 | 3,932 9,518 | 4,673 21,669 |
| 91. | Dislocation without fracture, & sprains & strains of joints & adjacent muscles | M. 2,055 F. 1,102 | 2,053 1,019 | 1,898 1,162 | 1,411 1,032 | 1,026 1,063 | 986 1,417 | 1,045 1,922 | 1,603 2,146 | 1,418 2,796 |
| 92. | Internal injury of chest, abdomen and pelvis | M. 364 F. 212 | 393 127 | 508 135 | 386 133 | 402 229 | 198 172 | 292 148 | 301 168 | 64 14 |
| 93. | Burns | M. 892 F. 422 | 804 582 | 812 634 | 1,341 474 | 543 670 | 1,080 872 | 1,619 1,049 | 1,674 1,158 | 2,097 1,742 |
| 94. | Other and unspecified effects of accidents, poisonings & violence | M. 4,008 F. 2,342 | 4,515 2,460 | 4,353 2,920 | 6,175 3,314 | 4,488 3,813 | 6,443 4,084 | 5,925 6,686 | 8,522 8,194 | 9,606 14,089 |
| 95. | Medical or special examination (without sickness) | M. 17 F. 10 | 12 12 | 20 9 | 15 8 | 34 59 | 30 7 | 30 24 | 3 170 | - - |
| 96. | Mature newborn | M. F. | - - | - - | - - | - - | - - | - - | - - | - - |
| 97. | Immature newborn | M. F. | - - | - - | - - | - - | - - | - - | - - | - - |
| 98. | Other special admissions examinations, etc. | M. 892 F. 1,295 | 1,214 2,133 | 1,455 2,952 | 2,289 4,373 | 2,599 5,799 | 4,188 8,919 | 4,976 12,686 | 7,628 16,076 | 5,161 19,408 |

NOTES: TABLE 6

- Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs. Basically, Table 6 presents data from seven provinces and two territories concerning in-patients separated from general hospitals and chronic hospitals (including patients hospitalized out-of-province) who were insured under a provincial or territorial hospital insurance plan. However, Table 6 should not be considered as an exact representation of the combined provincial-plan experience of these provinces and territories, because of the inclusion in some provinces of NON-PLAN separations and patient-days and exclusion in other provinces of certain categories of PLAN separations and patient-days. Thus, the provinces and territories have added to, or deleted from, the basic PLAN data as follows:
1. PRINCE EDWARD ISLAND: - (a) of the 440 separations and 7,496 patient-days classified as out-of-province hospitalization, approximately 322 separations and 5,485 patient-days were included in Table 6. (b) Also included: (i) NON-PLAN patients who were the responsibility of the Department of Veterans Affairs and the Workmen's Compensation Board (ii) uninsured residents. (c) Excluded: Non-residents.
 2. QUEBEC: - Included: PLAN and NON-PLAN patients, from general hospitals and chronic hospitals. Included in the NON-PLAN group were patients who were the responsibility of the Federal Government and the Workmen's Compensation Board, and non-residents.
 3. ONTARIO: - Included (i) PLAN and NON-PLAN patients from general hospitals, chronic hospitals, and chronic units of general hospitals; (ii) patients, from other provinces, who were hospitalized in Ontario.
 4. MANITOBA: - Included: PLAN and NON-PLAN patients (Manitoba residents) from general hospitals and extended treatment hospitals. Included in the NON-PLAN group were Department of Veterans Affairs patients, Workmen's Compensation Board patients, and uninsured residents. Excluded: - non-residents.
 5. SASKATCHEWAN: - Included: PLAN patients only. Excluded: PLAN patients from geriatric hospitals in Regina, Saskatoon and Melfort.
 6. ALBERTA: - Included: PLAN and NON-PLAN patients (Alberta residents) from general hospitals, auxiliary hospitals, contract hospitals, and contract nursing homes. NON-PLAN patients included (i) those who were the responsibility of the Federal Government and the Workmen's Compensation Board, (ii) uninsured residents. Excluded: non-residents.
 7. BRITISH COLUMBIA: Included: PLAN patients hospitalized in the province. Excluded: PLAN patients hospitalized outside the province.
 8. YUKON: Included: PLAN and NON-PLAN patients hospitalized in the Yukon. NON-PLAN patients included (i) those who were the responsibility of the Federal Government and the Workmen's Compensation Board (ii) non-residents. Excluded: PLAN patients hospitalized outside the Yukon.
 9. NORTHWEST TERRITORIES: - Included: PLAN patients.

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL
STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

| Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number |
|----------------------------|---|----------------------------|--|----------------------------|------------------|----------------------------|------------------|
| 1 | 001-019 | 13 | 172-174 | 25 | 260 | 38 | 420-422 |
| 2 | 080-083 | 14 | 175 | 26 | 270-277 | 39 | 430-434 |
| 3 | 092 | 15 | 177 | 27 | 280-289 | 40 | 440-447 |
| 4 | 081-091, 093-096 | 16 | 180, 181 | 28 | 290-299 | 41 | 450-456 |
| 5 | 020-064, 070-074, 100-108, 110-117, 120-138 | 17 | 204 | 29 | 300-309 | 42 | 460 |
| 6 | 140-148 | 18 | 150, 152, 155-161, 164, 165, 176 | 30 | 310-318 | 43 | 461 |
| 7 | 151 | 19 | 214, 215 | 31 | 320-326 | 44 | 463, 464 |
| 8 | 153 | 20 | 216 | 32 | 330-334 | 45 | 462, 465-468 |
| 9 | 154 | 21 | 210-213, 217-239 | 33 | 340-345, 350-357 | 46 | 470-475 |
| 10 | 162, 163 | 22 | 241 | 34 | 360-369 | 47 | 480-483 |
| 11 | 170 | 23 | 240, 242-245 | 35 | 370-389 | 48 | 490-493 |
| 12 | 171 | 24 | 250-254 | 36 | 390-398 | 49 | 500-502 |
| | | | | 37 | 400-402, 410-416 | 50 | 510 |

| Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number | Canadian List Number | I.S.C. Number |
|----------------------------|------------------|----------------------------|--|----------------------------|---------------------------------|----------------------------|---|
| 51 | 511-527 | 65 | 602,604 | 78 | 690-698 | 91 | N830-N848 |
| 52 | 530-535 | 66 | 601,603,605-609 | 79 | 700-716 | 92 | N860-N869 |
| 53 | 540-542 | 67 | 610 | 80 | 720-727 | 93 | N940-N949 |
| 54 | 543-545 | 68 | 615 | 81 | 735 | 94 | N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, N950-N999 |
| 55 | 550-553 | 69 | 622-626, 630 | 82 | 730-734, 736-738, 740-749 | | |
| 56 | 560,561 | 70 | 631 | | | | |
| 57 | 570 | 71 | 634 | 83 | 750-759 | 95 | Y00 |
| 58 | 571 | 72 | 611-614, 616, 617, 620, 621, 632, 633, 635-637 | 84 | 760-776 | 96 | Y20, Y22, Y23, Y26, Y27 |
| 59 | 572 | | | 85 | 780-795 | 97 | Y21, Y24, Y25, Y28, Y29 |
| 60 | 580-583 | 73 | 640-649 | 86 | N800-N804, N852-N856 | 98 | Y01-Y18, Y40-Y88 |
| 61 | 584-587 | 74 | 650-652 | 87 | N805-N809 | | |
| 62 | 536-539, 573-578 | 75 | 660 | 88 | N810-N819 | | |
| 63 | 590-594 | 76 | 670-678 | 89 | N820, N821 | | |
| 64 | 600 | 77 | 680-689 | 90 | N822-N829 | | |

TABLE 7(a) - NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR EIGHT PROVINCES AND TWO TERRITORIES, 1962.

| No. | Canadian List of 98 Categories | P.E.I. | N.S. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | Yukon | N.W.T. |
|-----|--|--------|--------|---------|---------|--------|--------|--------|--------|-------|--------|
| 3 | Infectious hepatitis | | | 15,320 | | | | | | | 127 |
| 30 | Psychoneurotic disorders | | | | | | | | | | 119 |
| 35 | Diseases and conditions of the eye | | | | | | | | | | |
| 38 | Arteriosclerotic and degenerative heart disease | 718 | 3,373 | 20,765 | 33,045 | 5,036 | 5,940 | 6,159 | 10,112 | | |
| 43 | Haemorrhoids | 330 | | | | | | | | | |
| 46 | Acute upper respiratory infections | | | | | | | | | | |
| 48 | Pneumonia | 1,621 | 4,803 | 15,655 | 26,094 | 3,018 | 4,690 | 7,324 | 5,186 | 147 | 984 |
| 49 | Bronchitis | 508 | 1,811 | | | 7,696 | 8,858 | 10,684 | 11,001 | 297 | 299 |
| 50 | Hypertrophy of tonsils and adenoids | 621 | 5,610 | 48,318 | 75,458 | 4,032 | 6,578 | 7,246 | 6,191 | 132 | 164 |
| 53 | Ulcer of stomach, duodenum and jejunum | 314 | 1,773 | | | 7,759 | 9,435 | 13,896 | 18,932 | 102 | |
| 55 | Appendicitis | 324 | 2,452 | | | | | | | | |
| 56 | Hernia of abdominal cavity | | | 14,901 | 20,110 | 3,283 | 3,570 | 4,879 | | | |
| 58 | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | | | 14,999 | 24,448 | | | | 5,527 | | |
| 61 | Diseases of gallbladder and pancreas | 314 | 1,920 | 18,938 | 18,148 | 3,729 | 4,553 | 5,614 | | 81 | 269 |
| 73 | Complications of pregnancy | 532 | 3,199 | 18,485 | 27,023 | 3,567 | 4,362 | 5,171 | 4,682 | 121 | 187 |
| 74 | Abortion | 351 | 1,794 | 16,600 | 20,539 | 4,367 | 5,494 | 6,708 | 7,875 | 75 | 111 |
| 75 | Delivery without mention of complications | 2,816 | 17,923 | 127,653 | 142,392 | 20,601 | 21,320 | 36,626 | 33,167 | 510 | 727 |
| 76 | Delivery with specified complications | | | | 16,872 | | | | | | |
| 78 | Infection of skin and subcutaneous tissue | | | | | | | | | 83 | 192 |
| 91 | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | | | | | | | | | 81 | |

All the reporting provinces include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization of Provincial Plan separations, with the following additions or exceptions:-

- P.E.I.: - Includes most of Provincial Plan separations hospitalized out-of-province.
Also includes "non-plan" separations, but excludes "non-residents" separations.
- N.S.: - Provincial Plan separations hospitalized in the province
- Que.: - Includes "non-plan" separations
- Ont.: - Includes "non-plan" separations, but excludes separations from chronic hospitals or chronic units in general hospitals
- Man.: - Includes "non-plan" separations, but excludes "non-resident" separations
- Sask.: - Excludes Provincial Plan separations from chronic hospitals in Regina, Saskatoon and Melfort.
- Alta.: - Includes "non-plan" separations, but excludes "non-resident" separations.
- B.C.: - Excludes Provincial Plan separations hospitalized out-of-province
- Yukon: - Excludes Territorial Plan separations but includes "non-plan" separations
- N.W.T.: - Territorial Plan separations only including out-of-territory hospitalization

TABLE 7(b) - RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES,
FOR EIGHT PROVINCES AND TWO TERRITORIES, 1962

| No. | Canadian List of 98 Categories | P.E.I. | N.S. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | Yukon | N.W.T. |
|-----|--|--------|------|------|------|------|-------|-------|------|-------|--------|
| 3 | Infectious hepatitis | | | 8 | | | | | | | 8 |
| 30 | Psychoneurotic disorders | | | | | | | | | | 9 |
| 35 | Diseases and conditions of the eye | | | 3 | 3 | 4 | 5 | 7 | 4 | | |
| 38 | Arteriosclerotic and degenerative heart disease | 3 | 4 | | | | | | | | |
| 43 | Haemorrhoids | 8 | | | | | | | | | |
| 46 | Acute upper respiratory infections | | | 7 | 5 | 10 | 7 | 4 | 8 | 3 | 1 |
| 48 | Pneumonia | 2 | 3 | | | | | | | 2 | 3 |
| 49 | Bronchitis | 6 | 8 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 7 |
| 50 | Hypertrophy of tonsils and adenoids | 4 | 2 | | | 6 | 4 | 5 | 6 | 6 | |
| 53 | Ulcer of stomach, duodenum and jejunum | 10 | 10 | 10 | 8 | | 10 | 10 | 2 | | |
| 55 | Appendicitis | 9 | 6 | 9 | 6 | 9 | | | | | |
| 56 | Hernia of abdominal cavity | | | | | | | | | | |
| 58 | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | | | | | 7 | 8 | 8 | 8 | | 4 |
| 61 | Diseases of gallbladder and pancreas | 10 | 7 | 4 | 9 | 8 | 9 | 9 | 10 | 5 | 6 |
| 73 | Complications of pregnancy | 5 | 5 | 5 | 4 | 5 | 6 | 6 | 5 | 9 | 10 |
| 74 | Abortion | 7 | 9 | 6 | 7 | | | | 9 | 1 | 2 |
| 75 | Delivery without mention of complications | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| 76 | Delivery with specified complications | | | | 10 | | | | | | |
| 78 | Infection of skin and subcutaneous tissue | | | | | | | | | | 5 |
| 91 | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | | | | | | | | | 7 | |
| | | | | | | | | | | 8 | |

TABLE 7(c) - PATIENT DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR EIGHT PROVINCES AND TWO TERRITORIES
1962

| No. | Canadian List of 98 Categories | P.E.I. | N.S. | Que. | Ont. | Man. | Sask. | Alta. | B.C. | Yukon | N.W.T. |
|-----|--|--------|--------|---------|---------|---------|---------|---------|---------|-------|--------|
| 3 | Infectious hepatitis | | | 291,952 | | | | | | | 1,116 |
| 30 | Psychoneurotic disorders | | | | | | | | | | |
| 35 | Diseases and conditions of the eye | | | | | | | | | | |
| 38 | Arteriosclerotic and degenerative heart disease | 13,467 | 61,135 | 517,057 | 738,849 | 97,074 | 105,714 | 200,225 | 186,795 | | 1,602 |
| 43 | Haemorrhoids | 2,220 | | | | | | | | | |
| 46 | Acute upper respiratory infections | | | | | | | | | | |
| 48 | Pneumonia | 16,837 | 55,601 | 237,113 | 312,783 | 15,416 | 25,808 | 43,233 | 32,039 | 920 | |
| 49 | Bronchitis | 4,513 | 18,039 | | | 74,777 | 94,442 | 112,197 | 125,574 | 3,212 | |
| 50 | Hypertrophy of tonsils and adenoids | 2,662 | 14,132 | 115,254 | 141,253 | 36,224 | 51,391 | 60,523 | 52,435 | 994 | 9,223 |
| 53 | Ulcer of stomach, duodenum and jejunum | 4,002 | 28,223 | | | 15,956 | 22,325 | 36,877 | 44,150 | 354 | 2,102 |
| 55 | Appendicitis | | | | | | | | | | 472 |
| 56 | Hernia of abdominal cavity | 2,480 | 21,822 | 126,679 | 155,065 | | 29,328 | 35,612 | | | |
| 58 | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | | | 159,033 | 206,435 | 29,787 | | | 51,553 | | |
| 61 | Diseases of gallbladder and pancreas | 4,222 | 28,153 | 288,391 | 264,067 | 23,966 | 32,840 | 35,126 | | 499 | 2,098 |
| 73 | Complications of pregnancy | 1,725 | 11,489 | 82,817 | 130,012 | 43,123 | 52,994 | 62,893 | 65,426 | | |
| 74 | Abortion | 1,283 | 7,186 | 74,711 | 78,137 | 15,333 | 23,121 | 27,458 | 36,801 | 549 | 797 |
| 75 | Delivery without mention of complications | 17,602 | 98,268 | 711,371 | 854,937 | 123,000 | 134,736 | 239,068 | 19,856 | 293 | 460 |
| 76 | Delivery with specified complications | | | | 146,858 | | | | | 3,428 | 4,240 |
| 78 | Infection of skin and subcutaneous tissue | | | | | | | | | | |
| 91 | Dislocation without fracture, and sprains and strains of joints and adjacent muscles | | | | | | | | | 629 | 1,452 |
| | | | | | | | | | | 704 | |

All the reporting provinces include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization of Provincial Plan separations, with the following additions or exceptions:-

- P.E.I.: - Includes most of Provincial Plan separations hospitalized out-of-province.
Also includes "non-plan" separations, but excludes "non-residents" separations.
- N.S.: - Provincial Plan separations hospitalized in the province.
- Que.: - Includes "non-plan" separations
- Ont.: - Includes "non-plan" separations, but excludes separations from chronic hospitals or chronic units in general hospitals
- Man.: - Includes "non-plan" separations, but excludes "non-resident" separations
- Sask.: - Excludes Provincial Plan separations from chronic hospitals in Regina, Saskatoon and Melfort
- Alta.: - Includes "non-plan" separations, but excludes "non-resident" separations
- B.C.: - Excludes Provincial Plan separations hospitalized out-of-province
- Yukon.: - Excludes Territorial Plan separations hospitalized out-of-province, but includes "non-plan" separations
- N.W.T.: - Territorial Plan separations only, including out-of-territory hospitalization.

TABLE 7(d) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962

(1) See footnotes, Table 7(a)

| PRINCE EDWARD ISLAND | | | | | | | | | | | | | | | | | |
|----------------------|---|-------|-----|-------|-----|-------|-----|-------|----|-------|-----|-------|-----|-------|-----|---|----|
| All Ages | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ | | | |
| No. | Diagnosis | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| <u>Separations</u> | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 2,816 | - | 2,816 | 413 | 314 | - | 83 | 85 | 35 | - | 1,112 | 48 | 1,692 | 12 | - | 71 |
| 48 | Pneumonia | 1,621 | 843 | 778 | | | | | | | 131 | 61 | 101 | 72 | 77 | | |
| 38 | Arteriosclerotic and degenerative heart disease | 718 | 413 | 295 | 14 | 11 | 2 | - | - | 1 | 154 | 73 | 10 | 106 | 117 | | |
| 50 | Hypertrophy of tonsils and adenoids | 621 | 317 | 304 | 65 | 51 | 168 | 173 | 43 | 41 | 9 | 6 | 2 | 5 | 8 | | |
| 73 | Complications of pregnancy | 532 | - | 532 | 134 | 106 | 23 | 12 | 10 | 209 | - | 2 | 35 | 14 | 8 | | |
| 49 | Bronchitis | 508 | 295 | 213 | - | - | - | - | - | 96 | 61 | 29 | 25 | - | - | | |
| 74 | Abortion | 351 | - | 351 | - | - | - | - | - | 101 | 15 | 3 | 15 | - | - | | |
| 43 | Haemorrhoids | 330 | 33 | 297 | - | 1 | - | - | 1 | 48 | 23 | 5 | 5 | 1 | 1 | | |
| 55 | Appendicitis | 324 | 175 | 149 | 3 | 1 | 75 | 68 | 51 | 16 | 14 | 8 | 92 | 16 | 36 | | |
| 61 | Diseases of gallbladder and pancreas | 314 | 76 | 238 | - | - | - | - | 1 | 17 | 51 | 22 | 47 | 11 | 16 | | |
| 53 | Ulcer of stomach, duodenum & jejunum | 314 | 204 | 110 | 1 | 1 | 1 | 3 | 14 | 17 | 51 | 22 | 47 | 11 | 16 | | |

Separations per 1000 population

| | | | | | | | | | | | | | | | | | |
|----|---|------|------|------|------|------|------|------|-----|-------|-----|-------|------|------|------|------|------|
| 75 | Delivery without mention of complications | 26.6 | 15.6 | 54.3 | 60.7 | 47.6 | 6.6 | 7.0 | 4.2 | 142.6 | 4.2 | 155.2 | 13.5 | 18.5 | 21.5 | 34.3 | 32.1 |
| 48 | Pneumonia | 15.3 | | 15.0 | | | | | | | | | | | | | |
| 38 | Arteriosclerotic and degenerative heart disease | 6.8 | 7.6 | 5.7 | 2.1 | 1.7 | 0.2 | - | 0.1 | 0.4 | 1.4 | 0.4 | 15.9 | 36.4 | 26.4 | 50.5 | 48.7 |
| 50 | Hypertrophy of tonsils and adenoids | 5.9 | 5.9 | 5.9 | 9.6 | 7.7 | 13.4 | 14.3 | 5.1 | 5.3 | 1.9 | 1.1 | 0.9 | 1.8 | 1.8 | 6.7 | 3.3 |
| 73 | Complications of pregnancy | 5.0 | - | 10.2 | - | - | - | - | - | 26.8 | - | 29.4 | - | 8.8 | 7.6 | 2.4 | 3.3 |
| 49 | Bronchitis | 4.8 | 5.5 | 4.1 | 19.7 | 16.1 | 1.8 | 1.0 | 1.2 | 1.2 | 2.1 | 1.7 | 6.3 | 4.0 | 4.0 | 2.4 | 3.3 |
| 74 | Abortion | 3.3 | - | 6.8 | - | - | - | - | - | 12.3 | - | 23.1 | - | - | - | - | - |
| 43 | Haemorrhoids | 3.1 | 0.6 | 5.7 | - | 0.2 | - | - | 0.1 | 12.9 | 1.0 | 16.1 | 1.5 | 1.5 | 0.9 | 0.5 | 0.4 |
| 55 | Appendicitis | 3.1 | 3.2 | 2.9 | 0.4 | 0.2 | 6.0 | 5.6 | 6.1 | 6.2 | 2.0 | 2.3 | 1.1 | 2.4 | 0.3 | 1.9 | 0.4 |
| 61 | Diseases of gallbladder and pancreas | 3.0 | 1.4 | 4.6 | - | - | - | - | 0.1 | 2.1 | 1.2 | 5.5 | 2.8 | 5.5 | 10.3 | 7.6 | 15.0 |
| 53 | Ulcer of stomach, duodenum & jejunum | 3.0 | 3.8 | 2.1 | 0.1 | 0.2 | 0.1 | 0.2 | 1.7 | 2.2 | 4.5 | 2.0 | 9.5 | 8.8 | 3.3 | 7.6 | 3.7 |

TABLE 7(d) (Cont'd)

| PRINCE EDWARD ISLAND (Cont'd) | | All Ages | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ | |
|----------------------------------|---|----------|-------|--------|-------|-------|------|-------|------|-------|------|--------|-------|-------|-------|-------|-------|
| No. | Diagnosis | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | F |
| Patient-days | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 17,202 | 8,716 | 17,202 | 3,963 | 2,998 | 767 | 717 | 252 | 6,705 | 448 | 10,424 | 1,400 | 1,195 | 741 | 1,001 | 1,145 |
| 48 | Pneumonia | 16,837 | 7,545 | 5,922 | 83 | 124 | 532 | 522 | 8 | 12 | 287 | 45 | 2,761 | 1,379 | 2,978 | 1,902 | 1,426 |
| 38 | Arteriosclerotic and degenerative heart disease | 2,662 | 1,485 | 1,177 | 242 | 185 | 532 | 522 | 230 | 134 | 198 | 104 | 52 | 59 | 159 | 88 | 72 |
| 50 | Hypertrophy of tonsils and adenoids | 1,725 | 2,750 | 1,725 | 1,052 | 800 | 149 | 97 | 45 | 66 | 178 | 99 | 437 | 322 | 322 | 253 | 567 |
| 73 | Complications of pregnancy | 4,513 | 1,283 | 1,763 | - | - | - | - | - | 340 | 92 | 933 | - | - | 10 | 50 | 6 |
| 49 | Bronchitis | 1,283 | 351 | 1,869 | - | 6 | - | - | 9 | 538 | 183 | 1,112 | 194 | 147 | 127 | 55 | 51 |
| 74 | Abortion | 2,220 | 1,388 | 1,092 | 24 | 8 | 548 | 491 | 340 | 329 | 169 | 1,183 | 115 | 54 | 388 | 658 | 224 |
| 43 | Haemorrhoids | 2,480 | 1,165 | 3,057 | - | - | - | - | 17 | 148 | 522 | 606 | 367 | 1,151 | 14 | 572 | 494 |
| 55 | Appendicitis | 4,222 | 2,849 | 1,153 | 5 | 7 | 10 | 29 | 115 | 123 | 522 | 236 | 1,325 | 464 | 572 | 163 | 300 |
| 61 | Diseases of gallbladder and pancreas | 4,002 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 53 | Ulcer of stomach, duodenum & jejunum | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Patient-days per 1000 population | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 162 | 161 | 331 | 583 | 454 | 61 | 59 | 30 | 860 | 40 | 956 | 144 | 136 | 225 | 303 | 545 |
| 48 | Pneumonia | 159 | 139 | 114 | 12 | 19 | 0 | 43 | 1 | 2 | 25 | 4 | 285 | 157 | 902 | 576 | 679 |
| 38 | Arteriosclerotic and degenerative heart disease | 25 | 27 | 23 | 36 | 28 | 43 | 43 | 27 | 17 | 18 | 10 | 5 | 7 | 48 | 27 | 34 |
| 50 | Hypertrophy of tonsils and adenoids | 16 | - | 33 | 155 | 121 | 12 | 8 | 5 | 8 | 16 | 9 | - | 1 | 98 | 77 | 270 |
| 73 | Complications of pregnancy | 43 | 51 | 40 | - | - | - | - | - | 44 | - | 86 | 45 | 37 | 98 | 77 | 270 |
| 49 | Bronchitis | 12 | - | 25 | - | - | - | - | - | 69 | 8 | 102 | - | 1 | 15 | 17 | 3 |
| 74 | Abortion | 21 | 6 | 36 | - | 1 | 44 | 41 | 40 | 42 | 16 | 17 | 12 | 6 | 38 | 4 | 24 |
| 43 | Haemorrhoids | 23 | 26 | 21 | 4 | 1 | - | - | 2 | 19 | 15 | 56 | 38 | 131 | 118 | 199 | 107 |
| 55 | Appendicitis | 40 | 22 | 59 | - | - | - | - | 14 | 16 | 46 | 22 | 137 | 53 | 173 | 49 | 143 |
| 61 | Diseases of gallbladder and pancreas | 38 | 53 | 22 | 1 | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - |
| 53 | Ulcer of stomach, duodenum & jejunum | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Average days stay of separations | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 6.1 | 10.3 | 6.1 | 9.6 | 9.5 | 9.2 | 8.4 | 7.2 | 6.0 | 9.3 | 6.2 | 10.7 | 6.1 | 12.1 | 14.1 | 15.9 |
| 48 | Pneumonia | 10.4 | 18.3 | 20.1 | 5.9 | 11.3 | 1.0 | - | 8.0 | 4.0 | 17.9 | 11.2 | 17.9 | 18.9 | 24.8 | 21.9 | 13.5 |
| 38 | Arteriosclerotic and degenerative heart disease | 4.3 | 4.7 | 3.9 | 3.7 | 3.6 | 3.2 | 3.0 | 5.3 | 3.3 | 9.4 | 6.9 | 5.8 | 5.9 | 26.5 | 14.7 | 14.4 |
| 50 | Hypertrophy of tonsils and adenoids | 3.2 | - | 3.2 | 7.8 | 7.5 | 6.5 | 8.1 | 4.5 | 3.1 | 7.4 | 3.4 | - | 2.5 | - | - | - |
| 73 | Complications of pregnancy | 3.2 | 9.3 | 8.3 | - | - | - | - | - | 7.3 | 7.4 | 5.5 | 7.2 | 9.2 | 11.1 | 10.1 | 40.5 |
| 49 | Bronchitis | 3.7 | - | 3.7 | - | - | - | - | - | 3.5 | - | 3.7 | - | 3.3 | - | - | - |
| 74 | Abortion | 3.7 | - | 3.7 | - | - | - | - | - | 3.5 | 8.4 | 6.3 | 12.9 | 9.8 | 10.0 | 18.3 | 6.0 |
| 43 | Haemorrhoids | 6.7 | 10.6 | 6.3 | 8.0 | 8.0 | 7.3 | 7.2 | 6.7 | 5.3 | 8.0 | 7.3 | 10.5 | 10.8 | 15.9 | 14.0 | 12.8 |
| 55 | Appendicitis | 7.7 | 7.9 | 7.3 | - | - | - | - | 17.0 | 9.2 | 12.1 | 10.1 | 13.6 | 12.5 | 21.6 | 19.4 | 14.0 |
| 61 | Diseases of gallbladder and pancreas | 13.4 | 15.3 | 12.8 | - | - | - | 9.7 | 8.2 | 7.2 | 10.2 | 10.7 | 14.4 | 9.9 | 19.7 | 14.8 | 18.8 |
| 53 | Ulcer of stomach, duodenum & jejunum | 12.7 | 14.0 | 10.5 | 5.0 | 7.0 | 10.0 | - | - | - | - | - | - | - | - | - | - |

TABLE 7(e) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-
PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE.

NOVA SCOTIA

| No. | Diagnosis | Separations | | Patient-Days | | Average days stay of separations | |
|-----|---|------------------|-----------------------|-----------------------|--------|-------------------------------------|------|
| | | T. | M. | F. | T. | M. | F. |
| 75. | Delivery without mention of complications | 17,923 | - | 17,923 | 98,268 | 5.5 | 5.5 |
| 50. | Hypertrophy of tonsils and adenoids | 5,610 | 2,508 | 3,102 | 14,132 | 2.5 | 2.6 |
| 48. | Pneumonia | 4,803 | 2,542 | 2,261 | 55,601 | 11.6 | 11.3 |
| 38. | Arteriosclerotic and degenerative heart disease | 3,373 | 2,144 | 1,229 | 61,135 | 18.1 | 18.1 |
| 73. | Complications of pregnancy | 3,199 | - | 3,199 | 11,489 | 3.6 | 3.6 |
| 55. | Appendicitis | 2,452 | 1,208 | 1,244 | 21,822 | 8.9 | 8.8 |
| 61. | Diseases of gallbladder and pancreas | 1,920 | 452 | 1,468 | 28,153 | 14.7 | 14.1 |
| 49. | Bronchitis | 1,811 | 1,067 | 744 | 18,039 | 10.0 | 9.3 |
| 74. | Abortion | 1,794 | - | 1,794 | 7,186 | 4.0 | 4.0 |
| 53. | Ulcer of stomach, duodenum and jejunum | 1,773 | not avail- able | not avail- able | 28,223 | 15.9 | - |
| | | | | | | | |
| | | Separations | | Patient-days | | | |
| | | Per 1,000 pop'n. | | Per 1,000 pop'n. | | | |
| 75. | Delivery without mention of complications | 24.0 | - | 48.8 | 132 | 268 | |
| 50. | Hypertrophy of tonsils and adenoids | 7.5 | 6.6 | 8.4 | 19 | 22 | |
| 48. | Pneumonia | 6.4 | 6.7 | 6.2 | 75 | 70 | |
| 38. | Arteriosclerotic and degenerative heart disease | 4.5 | 5.7 | 3.3 | 82 | 61 | |
| 73. | Complications of pregnancy | 4.3 | - | 8.7 | 15 | 31 | |
| 55. | Appendicitis | 3.3 | 3.2 | 3.4 | 29 | 30 | |
| 61. | Diseases of gallbladder and pancreas | 2.6 | 1.2 | 4.0 | 38 | 56 | |
| 49. | Bronchitis | 2.4 | 2.8 | 2.0 | 24 | 19 | |
| 74. | Abortion | 2.4 | - | 4.9 | 10 | 20 | |
| 53. | Ulcer of stomach, duodenum and jejunum | 2.4 | - | - | 38 | - | |

TABLE 7 (f) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE FOR PROVINCIAL PLAN IN-PATIENTS (1) (EXCLUDING NEWBORN)
(INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), 1962.

(1) See footnotes, Table 7(a)

QUEBEC

| No. | Diagnosis | All Ages | | | Under 1 | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | 65-74 | | | 75+ | | |
|-----|---|----------|--------|--------|---------|-------|-------|-------|--------|--------|-------|-------|-------|--------|-------|--------|-------|-------|-------|-------|---|---|-------|---|---|-----|--|--|
| | | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | | | |
| 75. | Delivery without mention of complications | 127,653 | | - | 127,653 | | - | | - | | - | 30 | - | 45,001 | - | 82,242 | | - | 380 | | - | | - | | - | | | |
| 50. | Hypertrophy of tonsils and adenoids | 48,318 | 23,359 | 24,959 | 237 | 132 | 7,324 | 5,946 | 12,924 | 13,839 | 1,746 | 3,507 | 1,037 | 1,366 | 87 | 162 | 3 | | | | | | | | | | | |
| 38. | Arteriosclerotic and degenerative heart disease | 20,765 | 12,336 | 8,429 | 13 | 15 | 29 | 26 | 39 | 62 | 62 | 77 | 1,274 | 582 | 6,362 | 3,349 | 2,890 | 2,527 | 1,667 | 1,791 | | | | | | | | |
| 61. | Diseases of gallbladder and pancreas | 18,938 | 4,349 | 14,589 | 29 | 20 | 39 | 23 | 27 | 52 | 115 | 1,446 | 1,363 | 5,846 | 1,948 | 5,361 | 582 | 1,328 | 1,667 | 1,791 | | | | | | | | |
| 73. | Complications of pregnancy | 18,485 | - | 18,485 | - | - | - | - | - | - | - | 6,382 | - | 11,982 | - | 116 | - | - | - | 513 | | | | | | | | |
| 74. | Abortion | 16,600 | - | 16,600 | - | - | - | - | - | - | - | 4,387 | - | 11,942 | - | 271 | - | - | - | - | | | | | | | | |
| 48. | Pneumonia | 15,655 | 8,655 | 7,000 | 2,715 | 1,942 | 1,888 | 1,562 | 1,063 | 887 | 430 | 303 | 765 | 861 | 981 | 732 | 425 | 372 | 388 | 341 | | | | | | | | |
| 30. | Psychoneurotic disorders | 15,320 | 4,996 | 10,324 | 12 | 8 | 25 | 24 | 208 | 257 | 667 | 1,830 | 2,371 | 5,144 | 1,511 | 2,549 | 157 | 411 | 45 | 101 | | | | | | | | |
| 56. | Hernia of abdominal cavity | 14,999 | 11,027 | 3,972 | 766 | 237 | 1,161 | 293 | 993 | 1,046 | 2,212 | 2,37 | 2,453 | 1,228 | 3,235 | 1,227 | 952 | 352 | 421 | 173 | | | | | | | | |
| 55. | Appendicitis | 14,901 | 7,658 | 7,243 | 5 | 7 | 195 | 167 | 3,044 | 2,694 | 2,212 | 2,795 | 1,584 | 1,193 | 503 | 303 | 88 | 56 | 27 | 27 | | | | | | | | |

Separations

Separations per 1,000 Population

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------|-----|------|------|------|------|------|------|------|-----|------|-------|------|-------|------|-----|------|------|------|------|------|------|------|------|------|------|------|---|
| 75. Delivery without mention of complications | 23.8 | - | 47.6 | - | - | - | - | - | - | 0.1 | - | 102.8 | - | 115.3 | - | 0.9 | - | - | - | - | - | - | - | - | - | - | - | - |
| 50. Hypertrophy of tonsils and adenoids | 9.0 | 8.7 | 9.3 | 3.4 | 2.0 | 26.6 | 22.5 | 20.8 | 23.3 | 4.0 | 8.0 | 1.5 | 1.9 | 0.2 | 0.4 | 0 | 0.1 | 0 | 0.1 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38. Arteriosclerotic and degenerative heart disease | 3.9 | 4.6 | 3.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 1.8 | 0.8 | 14.6 | 7.6 | 28.9 | 23.0 | 34.7 | 31.4 | 31.4 | 31.4 | 31.4 | 31.4 | 31.4 | 31.4 | 31.4 | |
| 61. Diseases of gallbladder and pancreas | 3.5 | 1.6 | 5.4 | 0.4 | 0.3 | 0.1 | 0.1 | 0 | 0.1 | 0.3 | 3.3 | 1.9 | 8.2 | 4.5 | 12.2 | 5.8 | 5.8 | 12.1 | 5.1 | 9.0 | 9.0 | 9.0 | 9.0 | 9.0 | 9.0 | 9.0 | 9.0 | |
| 73. Complications of pregnancy | 3.4 | - | 6.9 | - | - | - | - | - | 0 | - | 14.6 | - | 16.8 | - | 0.3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 74. Abortion | 3.1 | - | 6.2 | - | - | - | - | - | - | - | 10.0 | - | 16.7 | - | 0.6 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 48. Pneumonia | 2.9 | 3.2 | 2.6 | 39.5 | 30.0 | 6.9 | 5.9 | 1.7 | 1.5 | 1.0 | 0.7 | 1.1 | 1.2 | 2.3 | 1.7 | 4.2 | 3.4 | 8.1 | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 | 6.0 | |
| 30. Psychoneurotic disorders | 2.9 | 1.9 | 3.8 | 0.2 | 0.1 | 0.1 | 0.1 | 0.3 | 0.4 | 1.5 | 4.2 | 3.4 | 7.2 | 3.5 | 5.8 | 1.6 | 3.7 | 0.9 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | |
| 56. Hernia of abdominal cavity | 2.8 | 4.1 | 1.5 | 11.1 | 3.7 | 4.2 | 1.1 | 1.6 | 0.4 | 2.4 | 0.5 | 3.5 | 1.7 | 7.4 | 2.8 | 9.5 | 3.2 | 8.8 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | |
| 55. Appendicitis | 2.8 | 2.9 | 2.7 | 0.1 | 0.1 | 0.7 | 0.6 | 4.9 | 4.5 | 5.1 | 6.4 | 2.3 | 1.7 | 1.2 | 0.7 | 0.9 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | |

TABLE 7 (f) (cont'd)

| QUEBEC (cont'd) | | Under 1 | | | | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | 65-74 | | | 75+ | | | |
|-----------------|---|-----------------------------------|---------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|---------|--------|--------|--------|--------|--------|---|---|-------|---|---|-----|---|---|--|
| No. | Diagnosis | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| | | Patient-Days | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 711,371 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 50. | Hypertrophy of tonsils and adenoids | 115,254 | 54,616 | 60,638 | 1,060 | 460 | 14,079 | 11,054 | 24,122 | 26,090 | 10,955 | 11,494 | 3,831 | 10,705 | 521 | 784 | 21 | 45 | 27 | 6 | - | - | - | - | - | - | - | - | |
| 38. | Arteriosclerotic and degenerative heart disease | 517,057 | 280,512 | 236,545 | 150 | 246 | 416 | 500 | 787 | 1,025 | 755 | 1,292 | 20,647 | 10,752 | 119,979 | 69,249 | 68,198 | 65,372 | 69,580 | 88,109 | - | - | - | - | - | - | - | - | |
| 61. | Diseases of gallbladder and pancreas | 288,391 | 67,771 | 220,620 | 746 | 433 | 740 | 883 | 309 | 657 | 1,161 | 16,362 | 17,453 | 77,696 | 31,337 | 86,869 | 11,351 | 26,917 | 4,674 | 10,803 | - | - | - | - | - | - | - | - | |
| 73. | Complications of pregnancy | 82,817 | - | 82,817 | - | - | - | - | - | - | 20 | 26,985 | - | 54,835 | - | 977 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 74. | Abortion | 74,711 | - | 74,711 | - | - | - | - | - | - | - | 18,788 | - | 54,477 | - | 1,446 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 48. | Pneumonia | 237,113 | 131,936 | 105,177 | 41,841 | 29,044 | 26,187 | 21,470 | 12,140 | 10,745 | 4,807 | 3,448 | 8,953 | 11,811 | 17,275 | 12,066 | 9,295 | 6,673 | 11,433 | 9,923 | - | - | - | - | - | - | - | - | |
| 30. | Psychoneurotic disorders | 291,952 | 88,284 | 203,668 | 218 | 195 | 346 | 290 | 2,928 | 3,068 | 11,541 | 30,119 | 39,215 | 101,224 | 29,499 | 54,366 | 3,398 | 12,074 | 1,139 | 2,332 | - | - | - | - | - | - | - | - | |
| 56. | Hernia of abdominal cavity | 159,033 | 108,516 | 50,517 | 7,225 | 2,562 | 7,401 | 2,175 | 6,532 | 1,446 | 8,789 | 2,250 | 23,037 | 14,170 | 36,552 | 18,351 | 12,216 | 5,867 | 6,664 | 3,696 | - | - | - | - | - | - | - | - | |
| 55. | Appendicitis | 126,679 | 64,495 | 62,184 | 65 | 112 | 1,918 | 1,698 | 23,566 | 20,519 | 17,228 | 22,888 | 13,733 | 11,743 | 6,126 | 3,822 | 1,279 | 890 | 580 | 512 | - | - | - | - | - | - | - | - | |
| | | Patient-Days per 1,000 Population | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 133 | - | - | - | - | - | - | - | - | 0 | - | 555 | - | 653 | - | 6 | - | - | - | - | - | - | - | - | - | - | - | |
| 50. | Hypertrophy of tonsils and adenoids | 21 | 20 | 23 | 15 | 7 | 51 | 42 | 39 | 44 | 25 | 26 | 5 | 15 | 1 | 2 | 0 | 0 | 1 | 0 | - | - | - | - | - | - | - | - | |
| 38. | Arteriosclerotic and degenerative heart disease | 96 | 104 | 88 | 72 | 4 | 2 | 2 | 1 | 2 | 2 | 3 | 29 | 15 | 276 | 157 | 682 | 596 | 1,450 | 1,543 | - | - | - | - | - | - | - | - | |
| 61. | Diseases of gallbladder and pancreas | 54 | 25 | 82 | 11 | 7 | 3 | 3 | 0 | 1 | 3 | 37 | 25 | 109 | 72 | 197 | 114 | 245 | 97 | 189 | - | - | - | - | - | - | - | - | |
| 73. | Complications of pregnancy | 15 | - | 31 | - | - | - | - | - | 0 | - | 62 | - | 77 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 74. | Abortion | 14 | - | 28 | - | - | - | - | - | - | - | 43 | - | 76 | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 48. | Pneumonia | 44 | 49 | 39 | 608 | 449 | 95 | 81 | 20 | 18 | 11 | 8 | 13 | 17 | 40 | 27 | 93 | 61 | 238 | 174 | - | - | - | - | - | - | - | - | |
| 30. | Psychoneurotic disorders | 54 | 33 | 76 | 3 | 3 | 1 | 1 | 5 | 5 | 26 | 69 | 56 | 142 | 68 | 124 | 34 | 110 | 24 | 41 | - | - | - | - | - | - | - | - | |
| 56. | Hernia of abdominal cavity | 30 | 40 | 19 | 105 | 40 | 27 | 8 | 11 | 2 | 20 | 5 | 33 | 20 | 84 | 42 | 122 | 53 | 139 | 65 | - | - | - | - | - | - | - | - | |
| 55. | Appendicitis | 24 | 24 | 23 | 1 | 2 | 7 | 6 | 38 | 34 | 39 | 52 | 20 | 16 | 14 | 9 | 13 | 8 | 12 | 9 | - | - | - | - | - | - | - | - | |
| | | Average Days Stay of Separations | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 5.6 | - | - | - | - | - | - | - | - | 6.7 | - | 5.4 | - | 5.7 | - | 6.5 | - | - | - | - | - | - | - | - | - | - | - | |
| 50. | Hypertrophy of tonsils and adenoids | 2.4 | 2.3 | 2.4 | 4.5 | 3.5 | 1.9 | 1.9 | 1.9 | 1.9 | 6.3 | 3.3 | 3.7 | 7.8 | 6.0 | 4.8 | 7.0 | 7.5 | 27.0 | 6.0 | - | - | - | - | - | - | - | - | |
| 38. | Arteriosclerotic and degenerative heart disease | 24.9 | 22.7 | 28.1 | 11.5 | 16.4 | 14.3 | 19.2 | 20.2 | 16.5 | 12.2 | 16.8 | 16.2 | 18.5 | 18.9 | 20.7 | 23.6 | 25.9 | 41.7 | 49.2 | - | - | - | - | - | - | - | - | |
| 61. | Diseases of gallbladder and pancreas | 15.2 | 15.6 | 15.1 | 25.7 | 21.6 | 19.0 | 38.4 | 11.4 | 12.6 | 10.1 | 11.3 | 12.8 | 13.3 | 16.1 | 16.2 | 19.5 | 20.3 | 19.0 | 21.1 | - | - | - | - | - | - | - | - | |
| 73. | Complications of pregnancy | 4.5 | - | 4.5 | - | - | - | - | - | 4.0 | - | 4.2 | - | 4.6 | - | 8.4 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 74. | Abortion | 4.5 | - | 4.5 | - | - | - | - | - | - | - | 4.3 | - | 4.6 | - | 5.3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 48. | Pneumonia | 15.1 | 15.2 | 15.0 | 15.4 | 15.0 | 13.9 | 13.7 | 11.4 | 12.1 | 11.2 | 11.4 | 11.7 | 13.7 | 17.6 | 16.5 | 21.9 | 17.9 | 29.5 | 29.1 | - | - | - | - | - | - | - | - | |
| 30. | Psychoneurotic disorders | 19.1 | 17.7 | 19.7 | 18.2 | 24.4 | 13.8 | 12.1 | 14.1 | 11.9 | 17.3 | 16.5 | 16.5 | 19.7 | 19.5 | 21.3 | 21.6 | 29.4 | 25.3 | 23.1 | - | - | - | - | - | - | - | - | |
| 56. | Hernia of abdominal cavity | 10.6 | 9.8 | 12.7 | 9.4 | 10.8 | 6.4 | 7.4 | 6.6 | 6.3 | 8.4 | 9.5 | 9.4 | 11.5 | 11.3 | 15.3 | 12.8 | 16.7 | 15.8 | 21.7 | - | - | - | - | - | - | - | - | |
| 55. | Appendicitis | 8.5 | 8.4 | 8.6 | 13.0 | 16.0 | 9.8 | 10.2 | 7.7 | 7.6 | 7.8 | 8.2 | 8.7 | 9.8 | 12.2 | 12.6 | 14.5 | 15.9 | 21.5 | 18.3 | - | - | - | - | - | - | - | - | |

TABLE 7 (g) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), 1962.

ONTARIO

| No. | Diagnosis | All Ages | | | | | | Under 1 | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ |
|---|---|----------|--------|---------|-------|-------|--------|---------|--------|--------|-------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-----|-----|
| | | T(2) | | M(2) | | F(2) | | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| | | T(2) | M(2) | F(2) | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| <u>Separations</u> | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 142,392 | - | 142,392 | - | - | - | - | - | - | 71 | - | 58,626 | - | 83,460 | - | 216 | - | - | - | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 75,458 | 37,644 | 37,814 | 68 | 40 | 14,486 | 11,590 | 18,869 | 19,654 | 1,879 | 3,855 | 2,138 | 2,334 | 190 | 322 | 11 | 18 | 3 | 1 | 3 | 1 |
| 38. | Arteriosclerotic and degenerative heart disease | 33,045 | 20,079 | 12,966 | 6 | 1 | 13 | 12 | 41 | 25 | 52 | 24 | 1,784 | 522 | 4,258 | 5,179 | 4,116 | 3,711 | 4,005 | - | - | |
| 73. | Complications of pregnancy | 27,023 | - | 27,023 | 2,848 | 1,962 | 3,569 | 2,809 | 1,602 | 1,440 | 505 | 11,304 | 1,225 | 1,444 | 2,149 | 1,535 | 1,250 | 861 | 1,296 | 1,130 | - | |
| 48. | Pneumonia | 26,094 | 14,447 | 11,647 | 1,150 | 343 | 2,043 | 560 | 1,367 | 310 | 1,093 | 190 | 3,784 | 1,699 | 1,860 | 2,079 | 660 | 1,024 | 397 | - | - | |
| 56. | Hernia of abdominal cavity | 24,448 | 18,429 | 6,019 | - | - | - | - | - | - | - | 6,235 | - | 14,111 | - | 187 | - | - | - | - | - | |
| 74. | Abortion | 20,539 | - | 20,539 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 55. | Appendicitis | 20,110 | 10,092 | 10,018 | 7 | 4 | 264 | 165 | 3,531 | 3,450 | 2,544 | 3,539 | 2,542 | 2,024 | 599 | 176 | 152 | 88 | 83 | - | - | |
| 61. | Diseases of gallbladder and pancreas | 18,148 | 4,638 | 13,510 | 28 | 16 | 32 | 33 | 42 | 94 | 107 | 1,115 | 1,233 | 4,753 | 788 | 2,079 | 1,643 | 325 | 853 | - | - | |
| 76. | Delivery with specified complications | 16,872 | - | 16,872 | - | - | - | - | - | 10 | - | 5,493 | - | 11,315 | 49 | - | - | - | - | - | - | - |
| <u>Separations per 1,000 Population</u> | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 22.5 | - | 45.1 | - | - | - | - | - | 0.1 | - | 138.4 | - | 96.0 | .4 | - | - | - | - | - | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 11.9 | 11.8 | 12.0 | 0.9 | 0.5 | 47.2 | 39.7 | 28.4 | 31.0 | 4.4 | 9.1 | 2.4 | 2.7 | .6 | .3 | 0.1 | 0.1 | .0 | .0 | .0 | .0 |
| 38. | Arteriosclerotic and degenerative heart disease | 5.2 | 6.3 | 4.1 | 0.1 | .0 | .0 | .0 | 0.1 | .0 | 0.1 | 0.1 | 2.0 | .6 | 7.3 | 33.7 | 23.4 | 45.6 | 37.5 | - | - | |
| 73. | Complications of pregnancy | 4.3 | - | 8.6 | - | - | - | - | - | .0 | - | 26.7 | - | 18.0 | 0.1 | - | - | - | - | - | - | - |
| 48. | Pneumonia | 4.1 | 4.5 | 3.7 | 36.0 | 26.1 | 11.6 | 9.6 | 2.4 | 2.3 | 1.2 | 1.1 | 1.4 | 1.7 | 2.6 | 8.1 | 4.9 | 15.9 | 10.6 | - | - | |
| 56. | Hernia of abdominal cavity | 3.9 | 5.8 | 1.9 | 14.5 | 4.6 | 6.7 | 1.9 | 2.1 | .5 | 2.5 | .4 | 4.3 | 2.0 | 3.2 | 13.5 | 3.7 | 12.6 | 3.7 | - | - | |
| 74. | Abortion | 3.2 | - | 6.5 | - | - | - | - | - | 0.1 | 0.1 | 14.7 | - | 16.2 | .3 | - | - | - | - | - | - | - |
| 55. | Appendicitis | 3.2 | 3.2 | 3.2 | 0.1 | 0.1 | 0.9 | 0.6 | 5.3 | 5.4 | 5.9 | 8.4 | 2.9 | 2.3 | 1.0 | 1.1 | .9 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 |
| 61. | Diseases of gallbladder and pancreas | 2.9 | 1.5 | 4.3 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | .3 | 2.6 | 1.4 | 5.5 | 8.6 | 3.5 | 9.3 | 4.0 | 8.0 | - | - | |
| 76. | Delivery with specified complications | 2.7 | - | 5.3 | - | - | - | - | - | .0 | - | 13.0 | - | 13.0 | 0.1 | - | - | - | - | - | - | - |

(1) Includes

- a) Ontario residents hospitalized in Ontario hospitals (active and convalescent hospitals and units only)
- b) Insured Ontario residents hospitalized in out-of-province hospitals
- c) Out-of-province residents hospitalized in Ontario hospitals
- d) All patients who were discharged from or died in hospital

(2) Totals also include separations with age group not specified

TABLE 7 (g) (cont'd)

| ONTARIO (cont'd) | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---------|---------|---------|--------|--------|--------|--------|--------|--------|--------|---------|--------|---------|---------|--------|---------|--------|--------|
| All Ages | | | | | | | | | | | | | | | | | | | |
| Under 1 | | | | | | | | | | | | | | | | | | | |
| 1-4 | | | | | | | | | | | | | | | | | | | |
| 5-14 | | | | | | | | | | | | | | | | | | | |
| 15-24 | | | | | | | | | | | | | | | | | | | |
| 25-44 | | | | | | | | | | | | | | | | | | | |
| 45-64 | | | | | | | | | | | | | | | | | | | |
| 65-74 | | | | | | | | | | | | | | | | | | | |
| 75+ | | | | | | | | | | | | | | | | | | | |
| No. | Diagnosis | T | M | F | M | F | M | F | M | T | M | F | M | F | M | T | M | F | M |
| Patient-Days | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 854,937 | - | 854,937 | - | - | - | - | - | 538 | - | 348,041 | - | 504,797 | - | - | - | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 141,253 | 68,321 | 72,932 | 202 | 197 | 23,438 | 18,256 | 31,147 | 33,232 | 5,601 | 11,687 | 7,115 | 8,115 | 716 | 1,336 | 74 | 107 | 28 |
| 38. | Arteriosclerotic and degenerative heart disease | 738,849 | 431,868 | 306,981 | 76 | 9 | 103 | 136 | 372 | 231 | 776 | 271 | 36,004 | 9,045 | 203,302 | 97,762 | 110,318 | 96,610 | 80,905 |
| 73. | Complications of pregnancy | 130,012 | - | 130,012 | - | - | - | - | - | 132 | - | 50,598 | - | 78,765 | - | - | 488 | - | - |
| 48. | Pneumonia | 312,783 | 172,134 | 140,649 | 31,640 | 21,686 | 34,461 | 26,853 | 14,628 | 13,417 | 4,629 | 4,426 | 12,591 | 15,442 | 29,889 | 21,713 | 20,437 | 14,933 | 23,333 |
| 56. | Hernia of abdominal cavity | 206,435 | 141,851 | 64,584 | 6,737 | 2,175 | 9,274 | 2,347 | 7,263 | 1,632 | 7,176 | 1,480 | 27,214 | 16,524 | 49,383 | 23,731 | 21,233 | 10,086 | 13,329 |
| 74. | Abortion | 78,137 | - | 78,137 | - | - | - | - | - | 24 | - | 23,303 | - | 54,093 | - | - | 716 | - | - |
| 55. | Appendicitis | 155,065 | 77,452 | 77,613 | 51 | 24 | 2,294 | 1,350 | 23,801 | 22,838 | 17,154 | 24,187 | 19,278 | 15,991 | 10,545 | 6,924 | 2,698 | 2,511 | 1,623 |
| 61. | Diseases of gallbladder and pancreas | 264,067 | 70,809 | 193,258 | 582 | 231 | 496 | 603 | 426 | 789 | 1,178 | 11,833 | 14,831 | 56,996 | 31,887 | 73,347 | 14,193 | 30,733 | 7,192 |
| 76. | Delivery with specified complications | 146,858 | - | 146,858 | - | - | - | - | - | 70 | - | 44,518 | - | 101,723 | - | - | - | - | - |
| Patient-Days per 1,000 Population | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 135 | - | 271 | - | - | - | - | - | 1 | - | 821 | - | 580 | - | - | - | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 22 | 21 | 23 | 3 | 3 | 76 | 63 | 47 | 52 | 13 | 28 | 8 | 9 | 1 | 2 | 0 | 1 | 0 |
| 38. | Arteriosclerotic and degenerative heart disease | 116 | 136 | 97 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 41 | 10 | 344 | 169 | 717 | 549 | 994 |
| 73. | Complications of pregnancy | 20 | - | 41 | - | - | - | - | - | 0 | - | 119 | - | 91 | - | - | 1 | - | - |
| 48. | Pneumonia | 49 | 54 | 45 | 400 | 288 | 112 | 92 | 22 | 21 | 11 | 10 | 14 | 18 | 51 | 37 | 133 | 85 | 293 |
| 56. | Hernia of abdominal cavity | 33 | 45 | 20 | 85 | 29 | 30 | 8 | 11 | 3 | 17 | 3 | 31 | 19 | 84 | 41 | 138 | 57 | 160 |
| 74. | Abortion | 12 | - | 25 | - | - | - | - | 36 | 0 | - | 55 | - | 62 | - | - | 1 | - | - |
| 55. | Appendicitis | 24 | 24 | 25 | 1 | 0 | 7 | 5 | 36 | 36 | 40 | 57 | 22 | 18 | 18 | 12 | 18 | 14 | 20 |
| 61. | Diseases of gallbladder and pancreas | 42 | 22 | 61 | 7 | 3 | 2 | 2 | 1 | 1 | 3 | 28 | 17 | 66 | 54 | 126 | 92 | 174 | 88 |
| 76. | Delivery with specified complications | 23 | - | 47 | - | - | - | - | - | 0 | - | 105 | - | 117 | - | - | - | - | - |
| Average Days Stay of Separations | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 6.0 | - | 6.0 | - | - | - | - | - | 7.6 | - | 5.9 | - | 6.0 | - | - | - | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 1.9 | 1.8 | 1.9 | 3.0 | 4.9 | 1.6 | 1.6 | 1.7 | 1.7 | 3.0 | 3.0 | 3.3 | 3.5 | 3.8 | 4.1 | 6.7 | 5.9 | 9.3 |
| 38. | Arteriosclerotic and degenerative heart disease | 22.4 | 21.5 | 23.7 | 12.7 | 9.0 | 7.9 | 11.3 | 9.1 | 9.2 | 14.9 | 11.3 | 20.2 | 17.3 | 21.9 | 23.0 | 21.3 | 23.5 | 21.8 |
| 73. | Complications of pregnancy | 4.8 | - | 4.8 | - | - | - | - | - | 6.3 | - | 4.5 | - | 5.0 | - | - | 6.2 | - | - |
| 48. | Pneumonia | 12.0 | 11.9 | 12.1 | 11.1 | 11.1 | 9.7 | 9.6 | 9.1 | 9.3 | 9.2 | 9.5 | 10.3 | 10.7 | 13.9 | 14.1 | 16.3 | 17.4 | 18.4 |
| 56. | Hernia of abdominal cavity | 8.4 | 7.7 | 10.7 | 5.9 | 6.3 | 4.5 | 4.2 | 5.3 | 5.3 | 6.6 | 7.8 | 7.2 | 9.7 | 8.5 | 12.8 | 10.2 | 15.3 | 12.7 |
| 74. | Abortion | 3.8 | - | 3.8 | - | - | - | - | - | 4.8 | - | 3.7 | - | 3.8 | - | - | 3.8 | - | - |
| 55. | Appendicitis | 7.7 | 7.7 | 7.7 | 7.3 | 6.0 | 8.7 | 8.2 | 6.7 | 6.6 | 6.7 | 6.8 | 7.6 | 7.9 | 11.2 | 11.6 | 15.3 | 16.5 | 18.4 |
| 61. | Diseases of gallbladder and pancreas | 14.6 | 15.3 | 14.3 | 20.8 | 14.4 | 15.5 | 18.3 | 10.1 | 8.4 | 11.0 | 10.6 | 12.0 | 12.0 | 15.3 | 14.7 | 18.0 | 18.7 | 22.1 |
| 76. | Delivery with specified complications | 8.7 | - | 8.7 | - | - | - | - | - | 7.0 | - | 8.1 | - | 9.0 | - | - | - | - | - |

TABLE 7 (b) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL-PLAN (1) IN-PATIENTS, (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962.

(1) See footnotes, Table 7 (a)

MANITOBA

| No. | Diagnosis | All Ages | | | Under 1 | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | 65-74 | | | 75+ |
|-----|-----------|----------|---|---|---------|---|---|-----|---|---|------|---|---|-------|---|---|-------|---|---|-------|---|---|-------|---|---|-----|
| | | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | T | M | F | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

TABLE 7 (h) (cont'd)

| MANITOBA (cont'd) | | All Ages | | | | Under 1 | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ | |
|-----------------------------------|---|----------|--------|---------|--------|---------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--|
| No. | Diagnosis | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| Patient-days | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 123,000 | - | 123,000 | - | - | - | - | - | 157 | - | 51,017 | - | 71,580 | - | 246 | - | - | - | - | |
| 50. | Hypertrophy of tonsils and adenoids | 15,956 | 7,758 | 8,198 | 6 | 7 | 1,946 | 1,617 | 4,385 | 4,594 | 754 | 1,277 | 579 | 297 | 35 | 39 | 3 | 7 | - | - | |
| 48. | Pneumonia | 74,777 | 40,547 | 34,230 | 10,866 | 7,792 | 8,444 | 7,801 | 2,605 | 2,428 | 1,544 | 937 | 2,274 | 2,080 | 4,793 | 3,956 | 3,253 | 2,592 | 5,768 | 5,044 | |
| 33. | Arteriosclerotic and degenerative heart disease | 97,074 | 57,767 | 39,307 | 1 | 3 | 11 | 1 | 120 | 17 | 40 | 40 | 2,776 | 724 | 19,696 | 8,803 | 15,362 | 12,498 | 19,761 | 17,221 | |
| 73. | Complications of pregnancy | 15,333 | - | 15,333 | - | - | - | - | - | 10 | - | 5,956 | - | 9,226 | - | 141 | - | - | - | - | |
| 49. | Bronchitis | 36,224 | 23,961 | 12,263 | 3,662 | 2,296 | 3,740 | 2,146 | 733 | 821 | 498 | 442 | 1,030 | 1,357 | 4,245 | 2,497 | 5,112 | 1,189 | 4,941 | 1,515 | |
| 53. | Gastroenteritis and colitis, except, ulcerative, age 4 weeks and over | 23,966 | 12,151 | 11,815 | 6,602 | 5,204 | 2,907 | 2,317 | 655 | 711 | 250 | 518 | 350 | 669 | 589 | 1,004 | 395 | 688 | 403 | 704 | |
| 61. | Diseases of gallbladder and pancreas | 43,123 | 11,788 | 31,335 | 150 | 53 | 24 | 19 | 129 | 186 | 110 | 1,968 | 1,927 | 8,681 | 4,232 | 11,952 | 2,942 | 5,841 | 2,274 | 3,535 | |
| 56. | Hernia of abdominal cavity | 29,787 | 21,123 | 8,664 | 732 | 234 | 971 | 238 | 1,147 | 163 | 1,023 | 260 | 3,563 | 1,957 | 7,662 | 3,092 | 3,716 | 1,263 | 2,309 | 1,522 | |
| 46. | Acute upper respiratory infections | 15,416 | 8,011 | 7,405 | 2,711 | 1,866 | 2,927 | 2,210 | 1,127 | 1,171 | 443 | 617 | 352 | 493 | 242 | 460 | 113 | 203 | 36 | 335 | |
| Patient-Days per 1,000 Population | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 132 | - | 267 | - | - | - | - | - | 2 | - | 772 | - | 608 | - | 3 | - | - | - | - | |
| 50. | Hypertrophy of tonsils and adenoids | 17 | 16 | 18 | 1 | 1 | 44 | 38 | 44 | 48 | 11 | 19 | 5 | 5 | 5 | 1 | 1 | 0 | 0 | - | |
| 48. | Pneumonia | 80 | 85 | 74 | 945 | 702 | 190 | 184 | 26 | 25 | 23 | 14 | 19 | 23 | 54 | 46 | 99 | 423 | 383 | 383 | |
| 38. | Arteriosclerotic and degenerative heart disease | 104 | 122 | 85 | 0 | 0. | 0 | 0 | 1 | 0 | 1 | 1 | 23 | 6 | 222 | 103 | 578 | 479 | 1,235 | 1,090 | |
| 73. | Complications of pregnancy | 16 | - | 33 | - | - | - | - | - | 0 | - | 90 | - | 78 | - | 2 | - | - | - | - | |
| 49. | Bronchitis | 39 | 50 | 27 | 318 | 207 | 84 | 51 | 7 | 9 | 7 | 7 | 9 | 12 | 48 | 29 | 192 | 46 | 309 | 96 | |
| 58. | Gastroenteritis and colitis, except, ulcerative, age 4 weeks and over | 26 | 26 | 26 | 574 | 469 | 65 | 55 | 7 | 7 | 4 | 8 | 3 | 6 | 7 | 12 | 15 | 26 | 25 | 45 | |
| 61. | Diseases of gallbladder and pancreas | 46 | 25 | 68 | 13 | 5 | 1 | 0 | 1 | 2 | 2 | 30 | 16 | 74 | 48 | 129 | 111 | 234 | 142 | 224 | |
| 56. | Hernia of abdominal cavity | 32 | 44 | 19 | 64 | 21 | 22 | 6 | 11 | 2 | 15 | 4 | 30 | 17 | 36 | 86 | 140 | 49 | 144 | 92 | |
| 46. | Acute upper respiratory infections | 16 | 17 | 16 | 236 | 168 | 66 | 52 | 11 | 12 | 6 | 9 | 3 | 4 | 3 | 3 | 4 | 8 | 6 | 24 | |

Average Days Stay of Separations

| | Average day of separations | | | | | | | | | |
|---|----------------------------|------|------|------|------|------|-----|------|------|------|
| 75. Delivery without mention of complications | 6.0 | - | - | - | - | 5.8 | - | 5.9 | - | 6.3 |
| 50. Hypertrophy of tonsils and adenoids | 2.1 | 2.0 | 1.8 | 2.0 | 2.0 | 2.0 | 2.2 | 2.2 | 5.0 | 2.9 |
| 48. Pneumonia | 9.7 | 9.9 | 9.3 | 10.2 | 6.5 | 6.8 | 8.0 | 6.6 | 7.7 | 10.2 |
| 38. Arteriosclerotic and degenerative heart disease | 19.3 | 18.2 | 3.0 | 1.0 | 20.0 | 5.7 | 6.7 | 10.0 | 15.7 | 16.8 |
| 73. Complications of pregnancy | 3.5 | - | - | - | - | 2.5 | 7.1 | 3.3 | 3.6 | 6.1 |
| 19. Bronchitis | 9.0 | 10.0 | 6.2 | 6.0 | 4.9 | 5.5 | - | 7.7 | 13.2 | 11.0 |
| 81. Gastroenteritis and colitis, except, ulcerative, age 4 weeks and over | 6.4 | 6.5 | 8.4 | 6.5 | 2.9 | 3.3 | 3.2 | 3.3 | 4.0 | 6.4 |
| 56. Diseases of gallbladder and pancreas | 12.1 | 13.4 | 26.5 | 8.0 | 43.0 | 14.3 | 6.9 | 8.7 | 10.0 | 11.7 |
| 61. Hernia of abdominal cavity | 9.1 | 8.7 | 5.6 | 3.9 | 5.0 | 4.4 | 7.1 | 6.7 | 8.9 | 11.7 |
| 46. Acute upper respiratory infections | 5.1 | 5.1 | 5.9 | 4.8 | 4.3 | 4.0 | 4.3 | 4.3 | 4.2 | 5.3 |

TABLE 7 (1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (1) (EXCLUDING NEWBORN)
(INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), 1962

(1) See footnotes, Table 7(a)

SASKATCHEWAN

| No. | Diagnosis | All Ages | | | | Under 1 | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | Total | | | | | | | | | |
|---------------------------------|--|----------|-------|--------|-------|---------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| | | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 21,320 | - | 21,320 | - | 5 | - | 2 | - | 1,387 | - | 1,102 | - | 2,614 | - | 8,724 | - | 12,515 | - | 37 | - | 62 | - | 247 | - | 1 | - | 311 | - |
| 50. | Hypertrophy of tonsils and adenoids | 9,435 | 4,629 | 4,806 | 1,077 | 801 | 715 | 801 | 715 | 1,338 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | |
| 48. | Pneumonia | 8,858 | 4,910 | 3,948 | 1,077 | 801 | 715 | 801 | 715 | 1,338 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | 1,068 | |
| 49. | Bronchitis | 6,578 | 3,669 | 2,909 | 917 | 715 | 715 | 715 | 715 | 1,114 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | 862 | |
| 58. | Arteriosclerotic and degenerative heart disease | 5,940 | 3,633 | 2,307 | - | - | - | - | - | 3 | 1 | 1 | 1 | 9 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| 73. | Complications of pregnancy | 5,494 | - | 5,494 | - | - | - | - | - | 946 | 764 | 764 | 764 | 434 | 498 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | 2,174 | |
| 40. | Acute upper respiratory infections | 4,690 | 2,379 | 2,311 | 553 | 475 | 475 | 475 | 475 | - | - | - | - | - | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | 142 | |
| 58. | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | 4,553 | 2,265 | 2,288 | 825 | 632 | 632 | 632 | 632 | 615 | 476 | 476 | 476 | 276 | 273 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | 197 | |
| 61. | Diseases of gallbladder and pancreas | 4,362 | 1,225 | 3,136 | 5 | 4 | 4 | 4 | 4 | 6 | 6 | 6 | 6 | 13 | 15 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | 186 | |
| 55. | Appendicitis | 3,570 | 1,928 | 1,642 | 3 | 2 | 2 | 2 | 2 | 41 | 31 | 31 | 31 | 710 | 782 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | 613 | |
| Separations per 1000 population | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 22.9 | - | 47.4 | - | 0.4 | - | 0.2 | - | 29.6 | 24.7 | 24.7 | 24.7 | 25.1 | 0.2 | 133.8 | - | 113.9 | - | 4 | - | 0.8 | - | 2.2 | - | 0.1 | - | 0.1 | |
| 50. | Hypertrophy of tonsils and adenoids | 10.1 | 9.6 | 10.7 | 92.1 | 70.0 | 70.0 | 70.0 | 70.0 | 28.6 | 23.9 | 23.9 | 23.9 | 4.6 | 28.5 | 8.7 | 2.3 | 2.9 | 2.3 | 6.3 | 0.1 | 0.6 | 0.1 | 4.0 | 27.3 | 0.1 | 0.1 | 0.1 | |
| 48. | Pneumonia | 9.5 | 10.2 | 8.8 | 78.4 | 62.2 | 62.2 | 62.2 | 62.2 | 23.8 | 19.3 | 19.3 | 19.3 | 3.2 | 4.5 | 2.8 | 1.3 | 4.0 | 1.3 | 10.6 | 14.2 | 5.6 | 14.2 | 27.3 | 20.3 | 20.3 | 20.3 | 20.3 | |
| 49. | Bronchitis | 7.1 | 7.6 | 6.5 | 78.4 | 62.2 | 62.2 | 62.2 | 62.2 | 23.8 | 19.3 | 19.3 | 19.3 | 3.2 | 2.6 | 1.9 | 1.9 | 2.4 | 1.3 | 7.2 | 12.0 | 3.9 | 12.0 | 20.1 | 13.8 | 13.8 | 13.8 | 13.8 | |
| 58. | Arteriosclerotic and degenerative heart disease | 6.4 | 7.6 | 5.1 | - | - | - | - | - | 0.1 | .0 | .0 | .0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.6 | 0.6 | 33.9 | 36.9 | 7.1 | 36.9 | 64.7 | 56.7 | 56.7 | 56.7 | 56.7 | |
| 73. | Complications of pregnancy | 5.9 | - | 12.2 | - | - | - | - | - | - | - | - | - | - | 0.1 | 33.3 | - | 29.9 | - | 1.2 | - | 0.3 | - | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | |
| 46. | Acute upper respiratory infections | 5.0 | 5.0 | 5.1 | 47.3 | 41.3 | 41.3 | 41.3 | 41.3 | 20.2 | 17.1 | 17.1 | 17.1 | 4.2 | 5.0 | 3.2 | 3.2 | 1.4 | 1.2 | 1.7 | 1.2 | 1.7 | 1.2 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | |
| 58. | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | 4.9 | 4.7 | 5.1 | 70.5 | 55.5 | 55.5 | 55.5 | 55.5 | 13.1 | 10.7 | 10.7 | 10.7 | 2.6 | 2.7 | 3.0 | 3.0 | 1.1 | 1.1 | 5.1 | 3.3 | 3.1 | 3.3 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | |
| 61. | Diseases of gallbladder and pancreas | 4.7 | 2.6 | 7.0 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 2.9 | 2.9 | 1.6 | 1.6 | 9.9 | 9.9 | 15.0 | 9.9 | 12.3 | 12.3 | 12.3 | 12.3 | 12.3 | |
| 55. | Appendicitis | 3.8 | 3.8 | 3.9 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.9 | 0.7 | 0.7 | 0.7 | 6.8 | 7.9 | 9.4 | 9.4 | 2.0 | 3.4 | 0.6 | 1.5 | 1.9 | 1.5 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | |

TABLE 7(1) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS⁽¹⁾ (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1962
(1) See footnotes, Table 7(a)

(1) See footnotes, Table 7(a)

ALBERTA

| No. | Diagnosis | All Ages | | | Under 1. | | | 1-4 | | | 5-14 | | | 15-24 | | | 25-44 | | | 45-64 | | | 65-74 | | | 75+ | | |
|---------------------------------|--|----------|-------|--------|----------|------|-------|-------|-------|-------|------|--------|--------|-------|-------|-------|-------|-------|------|-------|---|---|-------|---|---|-----|--|--|
| | | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 36,626 | - | 36,626 | - | - | - | - | - | - | 20 | 16,286 | 20,250 | 70 | 43 | 3 | 4 | - | - | - | - | - | - | - | - | | | |
| 50 | Hypertrophy of tonsils and adenoids | 13,896 | 6,851 | 7,045 | - | 11 | 2,024 | 1,640 | 4,038 | 4,288 | 361 | 254 | 577 | 592 | 331 | 449 | 331 | 565 | 372 | - | - | - | - | - | | | | |
| 48 | Pneumonia | 10,684 | 5,755 | 4,929 | 1,210 | 982 | 1,490 | 1,241 | 628 | 580 | 263 | 331 | 237 | 237 | 91 | 98 | 207 | 391 | 85 | - | - | - | - | - | | | | |
| 46 | Acute upper respiratory infections | 7,324 | 3,757 | 3,567 | 1,814 | 672 | 1,411 | 1,137 | 691 | 666 | 234 | 189 | 347 | 443 | 417 | - | - | 391 | 188 | - | - | - | - | - | | | | |
| 49 | Influenza | 7,246 | 4,025 | 3,221 | 986 | 744 | 1,069 | 791 | 400 | 312 | 110 | 2,971 | 3,717 | 18 | - | - | - | 391 | 188 | - | - | - | - | - | | | | |
| 73 | Complications of pregnancy | 6,708 | - | 6,708 | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 38 | Arteriosclerotic and degenerative heart disease | 6,159 | 3,982 | 2,177 | - | - | 1 | 2 | 9 | 4 | 7 | 5 | 85 | 1,431 | 559 | 1,110 | 661 | 1,193 | 861 | - | - | - | - | - | | | | |
| 58 | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | 5,614 | 2,779 | 2,835 | 957 | 805 | 716 | 610 | 361 | 372 | 127 | 279 | 311 | 260 | 290 | 98 | 39 | 102 | 109 | - | - | - | - | - | | | | |
| 61 | Diseases of gallbladder and pancreas | 5,171 | 1,443 | 3,728 | 4 | 6 | 8 | 9 | 7 | 21 | 19 | 304 | 1,365 | 595 | 1,299 | 290 | 466 | 219 | 258 | - | - | - | - | - | | | | |
| 55 | Appendicitis | 4,879 | 2,443 | 2,436 | 1 | 1 | 52 | 51 | 943 | 1,011 | 620 | 847 | 374 | 180 | 101 | 44 | 26 | 23 | 25 | - | - | - | - | - | | | | |
| Separations per 1000 population | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75 | Delivery without mention of complications | 26.7 | 9.7 | 55.3 | - | 5 | 6 | 26.9 | 22.9 | 26.2 | 0.1 | 168.1 | 112.4 | 7 | 4 | 0.1 | 0.1 | - | - | - | - | - | - | - | | | | |
| 50 | Hypertrophy of tonsils and adenoids | 10.1 | 8.1 | 10.6 | 62.1 | 52.5 | 19.8 | 17.3 | 4.1 | 4.0 | 4.0 | 7.9 | 3.2 | 5.6 | 13.9 | 12.0 | 0.1 | 29.6 | 23.0 | - | - | - | - | - | | | | |
| 48 | Pneumonia | 7.8 | 5.3 | 7.4 | 41.7 | 35.9 | 18.7 | 15.9 | 4.5 | 4.6 | 2.7 | 2.6 | 1.9 | 2.2 | 2.8 | 3.6 | 12.0 | 4.2 | 5.2 | - | - | - | - | - | | | | |
| 46 | Acute upper respiratory infections | 5.3 | 5.7 | 5.4 | 50.6 | 39.8 | 14.2 | 11.0 | 2.6 | 2.1 | 1.1 | 2.0 | 1.9 | 4.2 | 12.9 | 7.5 | 7.5 | 20.6 | 11.6 | - | - | - | - | - | | | | |
| 49 | Influenza | 4.9 | 5.7 | 10.1 | - | 39.8 | - | - | - | - | 0.0 | 30.7 | 20.6 | 0.2 | - | - | - | 20.6 | 11.6 | - | - | - | - | - | | | | |
| 73 | Complications of pregnancy | 4.5 | 5.6 | 3.3 | - | - | - | - | 0.1 | 0.1 | 0.0 | 0.1 | 5 | 5.3 | 5.3 | 34.3 | 24.0 | 62.5 | 53.1 | - | - | - | - | - | | | | |
| 38 | Arteriosclerotic and degenerative heart disease | 4.1 | 3.9 | 4.3 | 49.1 | 43.0 | 9.5 | 8.5 | 2.3 | 2.5 | 2.5 | 2.9 | 1.7 | 2.5 | 3.0 | 3.2 | 5.3 | 6.7 | - | - | - | - | - | - | | | | |
| 58 | Gastroenteritis and colitis, except ulcerative, age 4 weeks and over | 3.8 | 2.0 | 5.6 | 0.2 | 0.3 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 3.1 | 7.6 | 12.3 | 9.0 | 16.9 | 11.5 | 15.9 | 15.9 | - | - | - | - | - | | | | |
| 61 | Diseases of gallbladder and pancreas | 3.6 | 3.5 | 3.7 | 0.1 | 0.1 | 0.7 | 0.7 | 6.1 | 6.9 | 6.3 | 8.7 | 2.0 | 1.5 | 1.4 | 0.9 | 1.2 | 1.2 | 1.5 | - | - | - | - | - | | | | |
| 55 | Appendicitis | | | | | | | | | | | | | | | | | | | | | | | | | | | |

TABLE 7(j) (Cont'd)

[illegible]

TABLE 7 (k) (cont'd)

| BRITISH COLUMBIA (cont'd) | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---------|---------|--------|--------|-------|--------|--------|--------|-------|--------|-------|---------|--------|--------|--------|--------|
| All Ages | | | Under 1 | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ |
| No. | Diagnosis | T | M | F | M | F | M | F | M | F | M | F | M | F | M | F | F |
| Patient-Days | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 210,466 | - | - | - | - | - | - | 116 | - | 90,013 | - | 120,018 | - | 319 | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 44,150 | 21,693 | 22,457 | 13 | 6,439 | 4,939 | 11,614 | 12,306 | 1,451 | 2,761 | 1,864 | 1,988 | 292 | 437 | 15 | 3 |
| 48. | Pneumonia | 125,574 | 71,146 | 54,428 | 13,290 | 9,781 | 11,767 | 4,827 | 4,277 | 1,518 | 2,008 | 4,399 | 6,469 | 10,295 | 7,772 | 9,375 | 7,537 |
| 38. | Arteriosclerotic and degenerative heart disease | 186,795 | 112,756 | 74,039 | 2 | - | 17 | 32 | 23 | 189 | 54 | 4,601 | 2,046 | 39,445 | 18,650 | 30,748 | 22,819 |
| 73. | Complications of pregnancy | 36,801 | - | 36,801 | 8,704 | 5,436 | - | 1,672 | 1,455 | 549 | 780 | 977 | 2,591 | 4,006 | 2,555 | 4,619 | - |
| 49. | Bronchitis | 52,435 | 31,015 | 21,420 | 2,178 | 681 | 673 | 2,476 | 528 | 962 | 272 | 4,579 | 3,165 | 11,613 | 4,779 | 6,383 | - |
| 56. | Hernia of abdominal cavity | 51,553 | 36,806 | 14,747 | 4,770 | 4,280 | 5,693 | 2,122 | 2,046 | 823 | 999 | 862 | 853 | 621 | 752 | 335 | - |
| 46. | Acute upper respiratory infections | 32,039 | 16,866 | 15,173 | - | - | - | - | - | - | 6,196 | - | 13,457 | - | 168 | - | - |
| 74. | Abortion | 19,856 | - | 19,856 | 289 | 108 | 303 | 111 | 61 | 334 | 1,940 | 2,677 | 11,436 | 7,585 | 15,426 | 5,011 | - |
| 61. | Diseases of gallbladder and pancreas | 65,426 | 20,883 | 44,543 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Patient-Days per 1,000 Population | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 127 | - | 258 | - | - | - | - | 1 | - | 840 | - | 553 | - | 2 | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 27 | 26 | 28 | 1 | 84 | 67 | 69 | 73 | 13 | 26 | 8 | 9 | 2 | 3 | 0 | 0 |
| 48. | Pneumonia | 76 | 84 | 67 | 175 | 159 | 159 | 29 | 25 | 14 | 19 | 20 | 30 | 63 | 50 | 192 | 98 |
| 38. | Arteriosclerotic and degenerative heart disease | 113 | 134 | 91 | 0 | - | 0 | 0 | 0 | 2 | 1 | 21 | 9 | 243 | 121 | 629 | 463 |
| 73. | Complications of pregnancy | 22 | - | 45 | - | - | - | 10 | 1 | - | 148 | - | 95 | - | 1 | - | - |
| 49. | Bronchitis | 32 | 37 | 26 | 444 | 292 | 70 | 10 | 9 | 5 | 7 | 4 | 12 | 25 | 17 | 94 | 34 |
| 56. | Hernia of abdominal cavity | 31 | 44 | 18 | 111 | 37 | 9 | 15 | 3 | 9 | 3 | 21 | 15 | 71 | 31 | 131 | 48 |
| 46. | Acute upper respiratory infections | 19 | 20 | 19 | 243 | 230 | 77 | 13 | 12 | 7 | 9 | 4 | 4 | 4 | 5 | 7 | 5 |
| 74. | Abortion | 12 | - | 24 | - | 6 | - | - | 0 | - | 58 | - | 62 | - | 1 | - | - |
| 61. | Diseases of gallbladder and pancreas | 39 | 25 | 55 | 15 | - | 4 | 1 | 0 | 3 | 18 | 12 | 53 | 47 | 100 | 102 | 171 |
| Average Days Stay of Separations | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of complications | 6.3 | - | 6.3 | - | - | - | - | 7.2 | - | 6.3 | - | 6.4 | - | 7.4 | - | - |
| 50. | Hypertrophy of tonsils and adenoids | 2.3 | 2.3 | 2.4 | 3.2 | 2.2 | 2.1 | 2.2 | 2.2 | 3.0 | 3.0 | 3.1 | 3.4 | 3.5 | 3.8 | 3.0 | - |
| 48. | Pneumonia | 11.4 | 11.7 | 11.1 | 11.6 | 11.2 | 9.5 | 8.4 | 8.8 | 7.4 | 8.7 | 8.9 | 9.8 | 12.1 | 11.8 | 17.3 | 14.2 |
| 38. | Arteriosclerotic and degenerative heart disease | 18.5 | 18.5 | 18.5 | 2.0 | - | 8.5 | 10.7 | 5.7 | 15.7 | 9.0 | 16.0 | 16.2 | 17.6 | 17.3 | 18.6 | 18.7 |
| 73. | Complications of pregnancy | 4.7 | - | 4.7 | - | - | - | - | 10.2 | - | 4.5 | - | 4.8 | - | 7.0 | - | - |
| 49. | Bronchitis | 8.5 | 8.9 | 7.9 | 8.9 | 8.4 | 7.1 | 6.0 | 6.0 | 6.2 | 5.5 | 5.7 | 7.1 | 9.9 | 8.4 | 15.5 | 11.6 |
| 56. | Hernia of abdominal cavity | 9.3 | 8.9 | 10.5 | 7.4 | 8.5 | 5.0 | 5.7 | 6.0 | 6.8 | 6.8 | 7.9 | 8.7 | 9.7 | 11.9 | 12.0 | 14.4 |
| 46. | Acute upper respiratory infections | 6.2 | 6.2 | 6.2 | 7.5 | 7.6 | 5.9 | 5.0 | 5.3 | 4.8 | 4.6 | 4.5 | 5.0 | 6.8 | 6.6 | 10.1 | 10.2 |
| 74. | Abortion | 4.0 | - | 4.0 | - | - | - | - | 7.0 | - | 4.1 | - | 4.0 | - | 3.6 | - | - |
| 61. | Diseases of gallbladder and pancreas | 14.0 | 16.0 | 13.2 | 22.2 | 18.0 | 37.9 | 111.0 | 12.2 | 18.6 | 9.7 | 10.5 | 10.7 | 14.2 | 12.9 | 19.6 | 16.7 |

TABLE 7 (1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS⁽¹⁾ (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION) 1962.

(1) See footnotes Table 7(a)

YUKON

| No. | Diagnosis | All Ages | | | | Under 1 | | | | 1-4 | | 5-14 | | 15-24 | | 25-44 | | 45-64 | | 65-74 | | 75+ |
|--|-------------------------------------|----------|------|------|-------|---------|------|------|------|-----|---|------|-------|-------|------|-------|------|-------|---|-------|--|-----|
| | | T(2) | | M(2) | | F(2) | | M | F | M | F | M | F | M | F | M | F | M | F | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| <u>Separations</u> | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of compli- | 510 | | 510 | 37 | 31 | | | | | | | | | | | | | | | | |
| 48. | cations | 297 | 163 | 134 | 22 | 12 | 57 | 56 | 10 | | | 19 | 304 | 18 | 11 | 5 | 7 | 12 | | | | |
| 46. | Pneumonia | 147 | 88 | 59 | 24 | 13 | 35 | 29 | 13 | 5 | | 5 | 16 | 2 | 11 | | 2 | 1 | | | | |
| 49. | Acute upper respiratory infections | 132 | 83 | 49 | | | 26 | 20 | | 10 | | 7 | 4 | 19 | 6 | | 3 | 4 | | | | |
| 73. | Bronchitis | 121 | | 121 | | | | | | 3 | | | 71 | | | | | 1 | | | | |
| 50. | Complications of pregnancy | 102 | 52 | 50 | | | 18 | 12 | 27 | 4 | | 3 | 1 | | | | | | | | | |
| 78. | Hypertrophy of tonsils and adenoids | | | | | | | | | | | | | | | | | | | | | |
| | Infection of skin and subcutaneous | | | | | | | | | | | | | | | | | | | | | |
| | tissue | | | | | | | | | | | | | | | | | | | | | |
| 58. | Gastroenteritis and colitis, except | 83 | 49 | 34 | 3 | 1 | 14 | 7 | 6 | 8 | | 12 | 9 | 4 | 4 | 1 | 1 | 1 | | | | |
| | ulcerative, age 4 weeks and over | | | | | | | | | | | | | | | | | | | | | |
| 91. | Dislocation without fracture, and | 81 | 46 | 35 | 26 | 10 | 9 | 9 | 1 | 2 | | 3 | 5 | 2 | 2 | 2 | | 1 | | | | |
| | sprains and strains of joints and | | | | | | | | | | | | | | | | | | | | | |
| | adjacent muscles | | | | | | | | | | | | | | | | | | | | | |
| 74. | Abortion | 81 | 73 | 8 | | | | | 4 | 8 | | 40 | 3 | 18 | 4 | 1 | | 1 | | | | |
| | | 75 | | 75 | | | | | | | | | 53 | | | | | | | | | |
| <u>Separations per 1000 population</u> | | | | | | | | | | | | | | | | | | | | | | |
| 75. | Delivery without mention of compli- | 34.0 | | 77.3 | 123.3 | 103.3 | | | | | | | 138.2 | | 1.2 | | | | | | | |
| 46. | cations | 19.8 | 19.4 | 20.3 | | | 57.0 | 62.2 | 6.3 | 3.3 | | 6.3 | 7.3 | 15.0 | 13.8 | 25.0 | 70.0 | 120.0 | | | | |
| 46. | Pneumonia | 9.8 | 10.5 | 8.9 | 73.3 | 40.0 | 35.0 | 32.2 | 8.1 | 5.3 | | 1.7 | 1.8 | 1.7 | 1.2 | | 20.0 | 10.0 | | | | |
| 49. | Acute upper respiratory infections | 8.8 | 9.9 | 7.4 | 80.0 | 43.3 | 26.0 | 22.2 | 1.3 | 2.0 | | 2.3 | 1.8 | 15.8 | 7.5 | | 30.0 | 40.0 | | | | |
| 73. | Bronchitis | 8.1 | | 18.3 | | | | | | | | | 32.3 | | | | | | | | | |
| 50. | Complications of pregnancy | 6.8 | 6.2 | 7.6 | | | 18.0 | 13.3 | 16.9 | 4.0 | | 1.0 | 0.5 | | | | | | | | | |
| 78. | Hypertrophy of tonsils and adenoids | | | | | | | | | | | | | | | | | | | | | |
| | Infection of skin and subcutaneous | | | | | | | | | | | | | | | | | | | | | |
| | tissue | | | | | | | | | | | | | | | | | | | | | |
| 58. | Gastroenteritis and colitis, except | 5.5 | 5.8 | 5.2 | 10.0 | 3.3 | 14.0 | 7.8 | 3.8 | 8.0 | | 4.0 | 4.1 | 3.3 | 5.0 | 5.0 | 10.0 | 10.0 | | | | |
| | ulcerative, age 4 weeks and over | | | | | | | | | | | | | | | | | | | | | |
| 91. | Dislocation without fracture, and | 5.4 | 5.5 | 5.3 | 86.7 | 33.3 | 9.0 | 10.0 | 0.6 | 2.0 | | 1.0 | 2.3 | 1.7 | 2.5 | 10.0 | | 10.0 | | | | |
| | sprains and strains of joints and | | | | | | | | | | | | | | | | | | | | | |
| | adjacent muscles | | | | | | | | | | | | | | | | | | | | | |
| 74. | Abortion | 5.4 | 8.7 | 1.2 | | | | | 2.5 | 0.7 | | 13.3 | 1.4 | 15.0 | 5.0 | 5.0 | | 10.0 | | | | |
| | | 5.0 | | 11.4 | | | | | | | | | 24.1 | | | | | | | | | |

pop'n not available

(2) Totals also include separations with age group not specified

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
PRINCE EDWARD ISLAND, 1962

| Rank | U.S.Code (3) | Operation or Treatment | Number of Separations | Rate per 100,000 Population(1) | Rate per 1,000 Total Separations (2) |
|------|-----------------|---|--------------------------|-----------------------------------|--|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 407 | 384.0 | 22.2 |
| 2 | 45.1 | Appendectomy | 325 | 306.6 | 17.7 |
| 3 | 77.1 | Dilatation and curettage after delivery or abortion | 314 | 605.0(5) | 17.1 |
| 4 | 72.8 | Dilatation and curettage of uterus | 305 | 587.6(5) | 16.6 |
| 5 | 41.0 | Repair of hernia | 206 | 194.3 | 11.2 |
| 6 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 201 | 189.6 | 10.9 |
| 7 | 82. | Reduction of fracture | 198 | 186.8 | 10.8 |
| 8 | 53.5 | Cholecystectomy | 173 | 163.2(6) | 9.4 |
| 9 | 72.6 | Hysterectomy (including partial) | 136 | 262.0(6) | 7.4 |
| 10 | 27.4 | Other tonsil or adenoid operations | 130 | 122.6(6) | 7.1 |
| 11 | 73.0 | Caesarean section | 104 | 200.4(6) | 5.7 |
| 12 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 98 | 92.5 | 5.3 |
| 13 | 89.0 | Incision of skin and subcutaneous tissue | 96 | 90.6 | 5.2 |
| 14 | 24.1 | Extraction of tooth | 90 | 84.9(4) | 4.9 |
| 15 | 66.1 | Prostatectomy | 84 | 155.3(4) | 4.6 |
| 16 | 82.0 | Closed reduction of fracture | 73 | 68.9 | 4.0 |
| 17 | 40.1 | Exploratory laparotomy | 67 | 63.2 | 3.6 |
| 18 | 89.4 | Suturing of skin and subcutaneous tissue | 66 | 62.3 | 3.6 |
| 19 | 88.4 | Excision and ligation of varicose veins | 66 | 62.3 | 3.6 |
| 20 | 87.0 | Amputation and disarticulation of extremities | 63 | 59.4 | 3.4 |
| 21 | 49.3 | Hemorrhoidectomy | 59 | 55.7 | 3.2 |
| 22 | 82.5 | Open reduction with fixation device | 56 | 52.8 | 3.0 |
| 23 | 38.1 | Mastectomy | 56 | 52.8 | 3.0 |
| 24 | 69.2 | Circumcision | 55 | 101.7(4) | 3.0 |
| 25 | 44.2 | Gastrectomy | 46 | 43.4 | 2.5 |

(1) Population: 7,100,000

M.54,100 F.51,900

(2) Total separations - 18,359 (excluding newborn)

(3) International Classification

of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments. U.S.

Department of Health, Education and Welfare, Public Health Service, 1959.

(4) Based on male population.

(5) Based on female population.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
QUEBEC, 1962

| Rank | U.S.Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population (1) | Rate per 1,000 Total Separations (2) |
|------|----------|---|--------------------------|------------------------------------|---|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 38,561 | 713.6(4) | 50.9 |
| 2 | 77.1 | Dilatation and curettage after delivery or abortion | 15,330 | 571.6(4) | 20.2 |
| 3 | 45.1 | Appendectomy | 14,888 | 277.4 | 19.7 |
| 4 | 27.1 | Tonsillectomy without adenoidectomy | 13,094 | 244.0 | 17.3 |
| 5 | 53.5 | Cholecystectomy | 11,489 | 214.0 | 15.2 |
| 6 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 11,188 | 208.5 | 14.8 |
| 7 | 41.0 | Repair of inguinal hernia except recurrent | 10,962 | 204.3 | 14.5 |
| 8 | 24.1 | Extraction of tooth (simple) | 10,346 | 192.8 | 13.7 |
| 9 | 72.8 | Dilatation and curettage of uterus | 9,238 | 346.3(4) | 12.3 |
| 10 | 72.4 | Hysterectomy, complete or total | 6,617 | 246.7(4) | 8.7 |
| 11 | 49.3 | Hemorrhoidectomy | 5,138 | 95.8 | 6.8 |
| 12 | 69.2 | Circumcision | 5,037 | 187.6(3) | 6.6 |
| 13 | 89.4 | Suture of skin and subcutaneous tissue | 5,035 | 93.8 | 6.6 |
| 14 | 89.0 | Incision of skin and subcutaneous tissue | 4,885 | 91.0 | 6.4 |
| 15 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 4,832 | 90.0 | 6.4 |
| 16 | 82.0 | Closed reduction of fracture of shaft of long bone | 4,420 | 82.4 | 5.8 |
| 17 | 73.1 | Local excision and destruction of lesion of cervix | 3,591 | 66.9 | 4.7 |
| 18 | 76.3 | Episiotomy without low forceps | 3,464 | 129.2(4) | 4.6 |
| 19 | 82.3 | Closed reduction of fracture of extremity of long bone | 3,083 | 57.5 | 4.1 |
| 20 | 90.5 | Proctoscopy without effect upon tissue or lesion | 2,958 | 55.1 | 3.9 |
| 21 | 89.2 | Removal of nail | 2,866 | 53.4 | 3.8 |
| 22 | 88.4 | Excision and ligation of varicose veins | 2,780 | 51.8 | 3.7 |
| 23 | 20.4 | Operations on tympanum | 2,778 | 51.8 | 3.7 |
| 24 | 21.1 | Operations on nasal septum | 2,732 | 50.9 | 3.6 |
| 25 | 81.9 | Other repair and plastic operations on bones | 2,615 | 48.7 | 3.5 |

(1) Population: T.5,366,000 M.2,634,300 F.2,631,700 (2) Separations: 757,577 (excluding newborn) (3) Based on male population.
(4) Based on female population.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ONTARIO, 1962

| Rank | U.S. Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population (1) | Rate per 1,000 Total Separations (2) |
|------|-----------|--|-----------------------|---------------------------------|--------------------------------------|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 62,256 | 981.6 | 64.5 |
| 2 | 72.8 | Dilatation and curettage of uterus | 26,450 | 837.8 (4) | 27.4 |
| 3 | 45.1 | Appendectomy | 19,671 | 310.2 (4) | 20.4 |
| 4 | 77.1 | Dilatation and curettage after delivery or abortion | 19,166 | 607.1 (4) | 19.8 |
| 5 | 41.0 | Repair of inguinal hernia, except recurrent | 16,275 | 256.6 (4) | 16.8 |
| 6 | 76.3 | Episiotomy without low forceps | 13,254 | 578.2 (4) | 13.7 |
| 7 | 27.1 | Tonsillectomy without adenoidectomy | 12,688 | 200.1 (4) | 13.1 |
| 8 | 76.5 | Delivery by low forceps without episiotomy | 11,687 | 370.2 (4) | 12.1 |
| 9 | 53.5 | Cholecystectomy | 10,326 | 162.8 | 10.7 |
| 10 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 8,393 | 132.3 (4) | 8.7 |
| 11 | 76.4 | Delivery by low forceps with episiotomy | 7,107 | 225.1 (4) | 7.4 |
| 12 | 24.1 | Extraction of tooth (simple) | 7,007 | 110.5 | 7.3 |
| 13 | 88.4 | Excision and ligation of varicose veins | 6,188 | 97.6 | 6.4 |
| 14 | 89.4 | Suture | 6,144 | 96.9 | 6.4 |
| 15 | 49.3 | Hemorrhoidectomy | 5,919 | 93.3 (4) | 6.1 |
| 16 | 72.4 | Hysterectomy, complete or total | 5,591 | 177.1 | 5.8 |
| 17 | 89.0 | Incision of skin and subcutaneous tissue | 5,148 | 81.2 | 5.3 |
| 18 | 82.3 | Closed reduction of fracture of extremity of long bone | 4,170 | 65.8 (3) | 4.3 |
| 19 | 66.2 | Prostatectomy, transurethral | 3,939 | 125.2 | 4.1 |
| 20 | 38.1 | Partial mastectomy | 3,903 | 61.5 (4) | 4.0 |
| 21 | 78.1 | Caesarean section, low cervical | 3,793 | 120.1 | 3.9 |
| 22 | 82.0 | Closed reduction of shaft of long bone | 3,783 | 59.6 (3) | 3.9 |
| 23 | 69.2 | Circumcision | 3,628 | 113.9 (3) | 3.8 |
| 24 | 89.2 | Removal of nail | 3,456 | 54.5 | 3.6 |
| 25 | 21.1 | Operation on nasal septum | 3,048 | 48.1 | 3.2 |

(1) Population: T.6,342,000, M.3,185,100, F.3,156,900.

(2) Separations: T.965,924

(3) Based on male population.

(4) Based on female population.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
 MANITOBA, 1962

| Rank | U.S. Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population (1) | Rate per 1,000 Total Separations (4) |
|------|-----------|--|-----------------------|---------------------------------|--------------------------------------|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 5,100 | 553.0 | 37.1 |
| 2 | 45.1 | Appendectomy | 2,469 | 264.1 | 15.1 |
| 3 | 72.8 | Dilatation and curettage of uterus | 2,395 | 520.2 (2) | 14.7 |
| 4 | 24.1 | Extraction of tooth, simple | 2,229 | 238.4 | 13.6 |
| 5 | 41.0 | Repair of inguinal hernia except recurrent | 2,056 | 219.9 | 12.6 |
| 6 | 53.5 | Cholecystectomy | 1,699 | 181.7 | 10.4 |
| 7 | 27.1 | Tonsillectomy without adenoidectomy | 1,397 | 149.4 | 8.5 |
| 8 | 82.3 | Closed reduction of fracture of extremity of long bone | 1,135 | 121.4 | 6.9 |
| 9 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | | | |
| 10 | 49.3 | Hemorrhoidectomy | 910 | 97.3 | 5.5 |
| 11 | 83.4 | Excision and ligation of varicose veins | 805 | 86.1 | 4.9 |
| 12 | 89.4 | Suture of skin and subcutaneous tissue | 707 | 75.6 | 4.3 |
| 13 | 21.1 | Operations on nasal septum | 664 | 71.0 | 4.1 |
| 14 | 66.2 | Prostatectomy, transurethral | 628 | 67.2 (3) | 3.8 |
| 15 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 581 | 122.4 (3) | 3.6 |
| 16 | 82.0 | Closed reduction of fracture of shaft of long bone | 574 | 61.4 | 3.5 |
| 17 | 89.0 | Incision of skin and subcutaneous tissue | 567 | 60.6 | 3.5 |
| 18 | 17.4 | Extraction of lens, intracapsular | 560 | 59.9 | 3.4 |
| 19 | 38.1 | Partial mastectomy | 537 | 57.4 | 3.3 |
| 20 | 72.4 | Hysterectomy, complete | 491 | 52.5 (2) | 3.0 |
| 21 | 82.5 | Open reduction of fracture of extremity of long bone with fixation | 468 | 101.6 | 2.9 |
| 22 | 74.4 | Repair of cystocele and/or rectocele | 425 | 45.5 (2) | 2.0 |
| 23 | 11.3 | Advancement or recession of eye muscle | 416 | 90.3 (2) | 2.5 |
| 24 | 69.2 | Circumcision | 393 | 42.0 (3) | 2.4 |
| 25 | 90.3 | Bronchoscopy without effect upon tissue or lesion | 386 | 31.3 (3) | 2.4 |
| | | | 310 | 33.2 | 1.9 |

(1) Population: T.935,000, M.474,600, F.460,400

(2) Based on female population.

(3) Based on male population

(4) Separations: T.163,425 (excluding newborn).

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORNS)
SASKATCHEWAN, 1962

| Rank | U.S. Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population (1) | Rate per 1,000 Total Separations (4) |
|------|-----------|---|-----------------------|---------------------------------|--------------------------------------|
| 1 | 27.2 | Tonsillectomy and adenoidectomy | 7,949 | 867.6 | 41.7 |
| 2 | 72.8 | Dilatation and curettage of uterus | 3,319 | 745.3 (3) | 17.4 |
| 3 | 45.1 | Appendectomy | 3,104 | 338.8 | 16.3 |
| 4 | 24.1 | Extraction of tooth (simple) | 2,290 | 250.0 | 12.0 |
| 5 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 2,012 | 219.6 | 10.5 |
| 6 | 41.0 | Repair of inguinal hernia except recurrent | 1,789 | 195.3 | 9.4 |
| 7 | 53.5 | Cholecystectomy | 1,441 | 157.3 | 7.6 |
| 8 | 27.1 | Tonsillectomy without adenoidectomy | 1,391 | 151.8 | 7.3 |
| 9 | 89.1 | Excision and destruction of lesions of skin and subcutaneous tissue | 1,224 | 133.6 (3) | 6.4 |
| 10 | 72.4 | Hysterectomy (complete) | 918 | 206.2 | 4.8 |
| 11 | 82.3 | Closed reduction of fracture of extremity of long bone | 865 | 94.4 | 4.5 |
| 12 | 49.3 | Hemorrhoidectomy | 807 | 88.1 | 4.2 |
| 13 | 89.4 | Suturing of skin and subcutaneous tissue | 769 | 83.9 | 4.0 |
| 14 | 89.0 | Incision of skin and subcutaneous tissue | 735 | 80.2 | 3.9 |
| 15 | 82.0 | Closed reduction of fracture of shaft of long bone | 719 | 78.5 | 3.8 |
| 16 | 88.4 | Excision and ligation of varicose veins | 702 | 76.6 (2) | 3.7 |
| 17 | 66.2 | Prostatectomy, transurethral | 684 | 145.3 (2) | 3.6 |
| 18 | 64.5 | Dilatation of urethra | 580 | 63.3 | 3.0 |
| 19 | 90.2 | Laryngoscopy and tracheoscopy without effect upon tissue or lesion | 574 | 62.7 (3) | 3.0 |
| 20 | 38.1 | Partial mastectomy | 571 | 128.2 (3) | 3.0 |
| 21 | 74.4 | Repair of cystocele and/or rectocele | 548 | 123.1 (3) | 2.9 |
| 22 | 69.2 | Circumcision | 531 | 112.8 (2) | 2.8 |
| 23 | 93.2 | Pyelography | 526 | 57.4 (3) | 2.8 |
| 24 | 77.3 | Repair of other obstetrical lacerations | 424 | 95.2 (3) | 2.2 |
| 25 | 21.1 | Operations on nasal septum | 414 | 45.2 | 2.2 |

(1) Covered Population: T.916,176, M.470,877, F.445,299.

(2) Based on male population.

(4) Separations: T.190,714 (excluding newborns)

(3) Based on female population.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE THIRTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING MEMBERS)
 1962

| Rank | U.S.Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population (1) | Date per 1,000 Total Separations (4) |
|------|----------|--|-----------------------|---------------------------------|--------------------------------------|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 11,584 | 345.5 (3) | 43.5 |
| 2 | 72.8 | Dilation and curettage of uterus | 4,515 | 331.3 | 17.1 |
| 3 | 45.1 | Appendectomy | 4,257 | 310.7 (3) | 13.1 |
| 4 | 77.1 | Dilation and curettage after delivery or abortion | 3,966 | 596.5 (3) | 15.0 |
| 5 | 41.0 | Repair of inguinal hernia | 3,038 | 221.8 | 11.5 |
| 6 | 24.1 | Extraction of tooth (simple) | 2,726 | 199.0 | 10.3 |
| 7 | 53.5 | Cholecystectomy | 2,254 | 164.5 | 6.5 |
| 8 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 1,637 | 134.1 | 7.0 |
| 9 | 27.1 | Tonsillectomy with adenoidectomy | 1,704 | 128.8 | 6.7 |
| 10 | 82.3 | Closed reduction of fracture of extremity of long bone | 1,436 | 104.8 | 5.4 |
| 11 | 89.4 | Suture | 1,413 | 103.1 (3) | 5.4 |
| 12 | 72.4 | Hysterectomy, complete or total | 1,301 | 196.3 | 4.9 |
| 13 | 89.0 | Incision of skin and subcutaneous tissue | 1,271 | 92.8 | 4.8 |
| 14 | 82.1 | Excision and ligation of varicose veins | 1,248 | 91.1 | 4.7 |
| 15 | 93.2 | Pyelography | 1,202 | 87.7 | 4.6 |
| 16 | 49.3 | Hemorrhoidectomy | 1,190 | 86.9 | 4.5 |
| 17 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 1,052 | 76.8 (2) | 4.0 |
| 18 | 66.2 | Prostatectomy, transurethral | 1,026 | 145.1 | 3.9 |
| 19 | 82.0 | Closed reduction of fracture of shaft of long bone | 910 | 66.4 | 3.5 |
| 20 | 21.1 | Operation on nasal septum | 857 | 62.6 (3) | 3.2 |
| 21 | 78.1 | Caesarean section, low cervical | 806 | 121.6 (2) | 3.1 |
| 22 | 69.2 | Circumcision | 673 | 95.2 (2) | 2.6 |
| 23 | 17.4 | Extraction of lens, extracapsular | 653 | 43.0 | 2.5 |
| 24 | 44.2 | Partial or subtotal gastrectomy | 645 | 47.1 | 2.4 |
| 25 | 38.8 | Biopsy of breast | 622 | 45.1 | 2.4 |

(1) Population: T: 1,373,000, M: 753,300, F: 662,700.

(2) Based on male population.

(3) Based on female population.

(4) Separations: T: 241,209 (excluding newborn).

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORNS)
BRITISH COLUMBIA, 1962.

| Rank | U.S. Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population ⁽¹⁾ | Rate per 1,000 Total Separations ⁽⁴⁾ |
|------|-----------|--|-----------------------|--|---|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 15,807 | 952.3 | 57.6 |
| 2 | 72.8 | Dilatation and curettage of uterus | 5,325 | 652.6 | 19.4 |
| 3 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 4,652 | 280.4 | 17.0 |
| 4 | 41.0 | Repair of inguinal hernia except recurrent | 3,810 | 229.7 | 13.9 |
| 5 | 77.1 | Dilatation and curettage after delivery or abortion | 3,674 | 450.2 | 13.4 |
| 6 | 45.1 | Appendectomy | 3,356 | 202.3 | 12.2 |
| 7 | 24.1 | Extraction of tooth (simple) | 2,976 | 179.4 | 10.8 |
| 8 | 27.1 | Tonsillectomy without adenoidectomy | 2,709 | 163.3 | 9.9 |
| 9 | 53.5 | Cholecystectomy | 2,280 | 137.4 | 8.3 |
| 10 | 88.4 | Excision and ligation of varicose veins | 2,145 | 129.3 | 7.8 |
| 11 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 1,993 | 120.1 | 7.3 |
| 12 | 66.2 | Prostatectomy, transurethral | 1,936 | 229.7 | 7.1 |
| 13 | 72.4 | Hysterectomy, complete or total | 1,866 | 228.7 | 6.8 |
| 14 | 49.3 | Hemorrhoidectomy | 1,727 | 104.1 | 6.3 |
| 15 | 82.3 | Closed reduction of fracture of extremity of long bone | 1,605 | 96.7 | 5.8 |
| 16 | 89.4 | Suture | 1,265 | 76.2 | 4.6 |
| 17 | 81.9 | Other repair and plastic operations on bones | 1,163 | 70.1 | 4.2 |
| 18 | 82.0 | Closed reduction of fracture of shaft of long bone | 1,039 | 62.6 | 3.8 |
| 19 | 44.2 | Partial or subtotal gastrectomy | 1,019 | 61.4 | 3.7 |
| 20 | 17.4 | Extraction of lens, intracapsular | 1,005 | 60.6 | 3.7 |
| 21 | 89.0 | Incision of skin and subcutaneous tissue | 1,005 | 60.6 | 3.7 |
| 22 | 38.1 | Partial mastectomy | 986 | 59.4 | 3.6 |
| 23 | 82.5 | Open reduction of fracture of extremity of long bone with fixtures | 924 | 55.7 | 3.4 |
| 24 | 38.8 | Biopsy of breast | 848 | 51.1 | 3.1 |
| 25 | 21.4 | Rhinoplasty and repair of nose | 833 | 50.2 | 3.0 |

(1) Based on female population.

(2) Based on male population.

(3) Based on male population.

(4) Separations: T.274,384 (excluding newborn).

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
YUKON, 1962.

| Rank | U.S. Code | Operation or Treatment | Number of Separations(1) | Rate per 100,00 Population(2) | Rate per 1,000 Total Separations(3) |
|------|-----------|--|-----------------------------|----------------------------------|--|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 87 | 580.0 | 24.2 |
| 2 | 72.8 | Dilatation and curettage of uterus | 74 | 1,121.2(5) | 20.6 |
| 3 | 77.1 | Dilatation and curettage after delivery or abortion | 53 | 803.0(5) | 14.7 |
| 4 | 41.0 | Repair of inguinal hernia except recurrent | 33 | 220.0 | 9.2 |
| 5 | 45.1 | Appendectomy | 27 | 180.0 | 7.5 |
| 6 | 89.4 | Suturing of skin and subcutaneous tissue | 26 | 173.3 | 7.2 |
| 7 | 24.1 | Extraction of tooth (simple) | 25 | 166.7 | 6.9 |
| 8 | 53.5 | Cholecystectomy | 18 | 120.0 | 5.0 |
| 9 | 69.2 | Circumcision | 18 | 214.3(4) | 5.0 |
| 10 | 49.3 | Hemorrhoidectomy | 16 | 106.7 | 4.4 |
| 11 | 89.0 | Incision of skin and subcutaneous tissue | 15 | 100.0 | 4.2 |
| 12 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 13 | 86.7 | 3.6 |
| 13 | 27.1 | Tonsillectomy without adenoidectomy | 12 | 80.0 | 3.3 |
| 14 | 40.1 | Exploratory laparotomy or celiotomy | 10 | 66.7 | 2.8 |
| 15 | 73.1 | Local excision and destruction of lesion of cervix | 10 | 151.5(5) | 2.8 |
| 16 | 78.4 | Caesarean section, type unspecified | 10 | 151.5(5) | 2.8 |
| 17 | 83.5 | Excision of semilunar cartilage of knee joint | 10 | 66.7 | 2.8 |
| 18 | 38.4 | Excision and ligation of varicose veins | 10 | 66.7 | 2.8 |
| 19 | 03.3 | Spinal puncture | 9 | 60.0 | 2.5 |
| 20 | 41.6 | Repair of umbilical hernia | 8 | 53.3 | 2.2 |
| 21 | 90.6 | Cystoscopy and urethroscopy without effect upon tissue or lesion | 8 | 53.3 | 2.2 |
| 22 | 93.5 | Salpingography | 8 | 53.3 | 2.2 |
| 23 | 82.0 | Closed reduction of fracture of shaft of long bone | 7 | 46.7 | 1.9 |
| 24 | 72.4 | Hysterectomy, complete or total | 6 | 90.9(5) | 1.7 |
| 25 | 82.3 | Closed reduction of fracture of extremity of long bone | 6 | 40.0 | 1.7 |
| 26 | 85.2 | Excision of lesion of muscle, tendon and fascia | 6 | 40.0 | 1.7 |
| 27 | 87.0 | Amputation and disarticulation of finger(s) excluding thumb | 6 | 40.0 | 1.7 |

(1) Includes patients still in hospital at the end of the year. (2) Population: T. 15,000, M. 8,400, F. 6,600

(3) Separations: T. 3,600 (excluding newborn) (4) Based on male population. (5) Based on female population.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR TERRITORIAL PLAN IN-PATIENTS
(EXCLUDING NEWBORN)(1) NORTHWEST TERRITORIES, 1962

| Rank | U.S.Code | Operation or Treatment | Number of Separations | Rate per 100,000 Population(1) | Rate per 1,000 Total Separations (11) |
|------|----------|--|-----------------------|--------------------------------|---------------------------------------|
| 1 | 27.2 | Tonsillectomy with adenoidectomy | 150 | 625.0 | 23.0 |
| 2 | 77.1 | Dilation and curettage after delivery or abortion | 64 | 598.1(3) | 10.1 |
| 3 | 72.8 | Dilation and curettage of uterus | 43 | 401.9(3) | 6.8 |
| 4 | 45.1 | Appendectomy | 40 | 166.7 | 6.3 |
| 5 | 89.0 | Incision of skin and subcutaneous tissue | 37 | 154.2 | 5.8 |
| 6 | 76.4 | Delivery by low forceps with episiotomy | 31 | 289.7(3) | 4.9 |
| 7 | 76.3 | Episiotomy without low forceps | 29 | 271.0(3) | 4.6 |
| 8 | 89.4 | Suture | 26 | 108.3 | 4.1 |
| 9 | 03.3 | Spinal puncture | 24 | 100.0 | 3.8 |
| 10 | 24.1 | Extraction of tooth (simple) | 22 | 91.7 | 3.5 |
| 11 | 69.2 | Circumcision | 21 | 157.9(2) | 3.3 |
| 12 | 40.0 | Repair of inguinal hernia except recurrent | 18 | 75.0 | 2.8 |
| 13 | 27.1 | Tonsillectomy without adenoidectomy | 17 | 70.8 | 2.8 |
| 14 | 82.3 | Closed reduction of fracture of extremity of long bone | 17 | 70.8 | 2.4 |
| 15 | 89.6 | Skin graft except of lip and mouth | 15 | 62.5 | 1.9 |
| 16 | 53.5 | Cholecystectomy | 12 | 50.0(3) | 1.9 |
| 17 | 77.3 | Repair of other obstetrical lacerations | 12 | 112.1 | 1.9 |
| 18 | 38.0 | Mastectomy | 11 | 45.8 | 1.7 |
| 19 | 71.5 | Ligation and division of Fallopian tubes, bilateral | 11 | 102.8(3) | 1.7 |
| 20 | 72.4 | Hysterectomy, complete or total | 11 | 102.8(3) | 1.7 |
| 21 | 89.1 | Excision and destruction of lesion of skin and subcutaneous tissue | 11 | 45.8 | 1.7 |
| 22 | 93.2 | Retrograde pyelography | 10 | 41.7 | 1.6 |
| 23 | 49.3 | Memorrhoidectomy | 9 | 37.5 | 1.4 |
| 24 | 90.3 | Bronchoscopy without effect upon tissue or lesion | 9 | 37.5 | 1.4 |
| 25 | 34.0 | Thoracotomy and pleurotomy | 7 | 29.2 | 1.1 |

(3) Based on female population.

(2) Based on male population.

M.13,300, F.10,700.

(1) Population T.24,000, Separations: T.6,356 (excluding newborn).

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND OUT-OF-PROVINCE HOSPITALIZATION) PRINCE EDWARD ISLAND, 1962

| U.S. Code | Group | Operation or treatment | Percent distribution of | | | |
|---|---------------------------------------|--|------------------------------------|---|-------------------------|-----------------------|
| | | | Cases | Days | Cases | Days |
| 01-06 03.0 | 1 1(i) | Operation on nervous system Laminotomy | 29 9 | 411 169 | 0.6 0.2 | 0.8 0.3 |
| | | Residual | 20 | 242 | 0.4 | 0.4 |
| 08-09 08.1 | 2 2(i) | Operations on endocrine system Partial or subtotal thyroidectomy | 53 -- | 553 -- | 1.1 -- | 1.0 -- |
| | | Residual | 53 | 553 | 1.1 | 1.0 |
| 10-18 11 17 | 3 3(i) 3(ii) | Operations on eye Operations on eye muscles Operations on lens | 66 19 5 | 692 306 16 | 1.4 0.4 0.1 | 1.3 0.6 0.0 |
| | | Residual | 42 | 370 | 0.9 | 0.7 |
| 20-22 20.7 20 21 21.1 | 4 4(i) 4(ii) 4(iii) 4(iv) | Operations on ear, nose and throat Operations on mastoid antrum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum | 72 (9) 21 36 (5) | 636 (97) 144 275 (32) | 1.5 0.4 0.8 | 1.2 0.3 0.5 |
| | | Residual | 15 | 217 | 0.3 | 0.4 |
| 24-28 27.2 24.1-24.3 27.1-27.4 27.2 | 5 5(i) 5(ii) 5(iii) 5(iv) | Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy | 663 (407) 90 537 (407) | 2825 (1435) 302 1921 (1435) | 14.1 1.9 11.4 | 5.2 0.6 3.5 |
| | | Residual | 36 | 602 | 0.8 | 1.1 |

PRINCE EDWARD ISLAND (Cont'd)

| U.S. Code | Group | Operation or treatment | Percent distribution of | | |
|-----------|--------|--|----------------------------|--------|-------|
| | | | Cases | Days | Cases |
| 30-31 | 6 | Operations on heart and great vessels | 11 | 241 | 0.2 |
| 30.3 | 6(i) | Operations on valves of heart | (3) | (91) | 0.4 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 4 | 117 | 0.1 |
| | | Residual | 7 | 124 | 0.1 |
| | | | | | 0.2 |
| 33-35 | 7 | Operations on bronchus, lung, pleura, chest-wall and mediastinum | 14 | 271 | 0.3 |
| 34.1 | 7(i) | Thoracentesis and pleuracentesis | 3 | 29 | 0.1 |
| | | Residual | 11 | 242 | 0.2 |
| | | | | | 0.4 |
| 38 | 8 | Operations on breast | 102 | 892 | 2.2 |
| 38.8 | 8(i) | Biopsy of breast | 44 | 187 | 0.9 |
| 38.1-38.3 | 8(ii) | Mastectomy | 56 | 688 | 1.2 |
| | | Residual | 2 | 17 | 0.0 |
| | | | | | 0.0 |
| 40-49 | 9 | Operations on gastro-intestinal tract | 87 | 11282 | 18.5 |
| 45.1 | 9(i) | Appendectomy | (325) | (2741) | 20.7 |
| 40.1 | 9(ii) | Exploratory laparotomy or celiotomy | 67 | 1167 | 1.4 |
| 41 | 9(iii) | Repair of hernia | 206 | 2077 | 4.4 |
| 44.2-44.3 | 9(iv) | Gastrectomy | 46 | 1095 | 1.0 |
| 45 | 9(v) | Operations on appendix | 329 | 2806 | 7.0 |
| 49.3 | 9(vi) | Hemorrhoidectomy | 59 | 650 | 1.3 |
| | | Residual | 165 | 3487 | 3.5 |
| | | | | | 6.4 |
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 194 | 3600 | 4.1 |
| 53.5 | 10(i) | Cholecystectomy | 173 | 2937 | 3.7 |
| | | Residual | 21 | 663 | 0.4 |
| | | | | | 1.2 |

PRINCE EDWARD ISLAND (Cont'd)

| U.S. Code | Group | Operation or treatment | Percent distribution of | | |
|---|---|---|---|--|---|
| | | | Cases | Days | Cases |
| 60-64 64.5 | 11 11(i) | Operations on urinary system Dilatation of urethra | 134 40 | 2734 348 | 2.8 0.8 |
| | | Residual | 94 | 2386 | 2.0 |
| | | | | | 4.4 |
| 66-69 69.2 66.1-66.3 69.2 | 12 12(i) 12(ii) 12(iii) | Operations on male genital system Circumcision, adults and children Prostatectomy, transurethral Circumcision, adults and children | 184 (55) 84 55 | 2810 (216) 2047 216 | 3.9 1.8 1.2 |
| | | Residual | 45 | 547 | 1.0 |
| | | | | | 1.0 |
| 70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4 | 13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi) | Operations on female genital organs Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele | 648 (305) 5 136 305 10 13 | 5060 (1257) 56 1890 1257 139 161 | 13.8 0.1 2.9 6.5 0.2 0.3 |
| | | Residual | 179 | 1557 | 3.8 |
| | | | | | 2.9 |
| 76-78 77.1 76.3-76.4 77.1 78.0-76.4 | 14 14(i) 14(ii) 14(iii) 14(iv) | Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section | 428 (314) 1 314 104 | 2436 (1083) 9 1083 1288 | 9.1 0.0 6.7 2.2 |
| | | Residual | 9 | 56 | 0.2 |
| | | | | | 0.1 |

PRINCE EDWARD ISLAND (Cont'd)

| U.S. Code | Group | Operation or treatment | Percent distribution of | | |
|------------------|---------|--|----------------------------|--------|-------|
| | | | Cases | Days | Cases |
| 80-87 | 15 | Operations on musculoskeletal system | 501 | 11224 | 10.6 |
| 82.5 | 15(i) | Open reduction with fixation device | (56) | (1268) | 20.6 |
| 82 | 15(ii) | Reduction of fracture | 198 | 2567 | 4.2 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (73) | (641) | 1.3 |
| 87.0-87.9 | 15(iv) | Amputation and disarticulation of extremities | 63 | 1504 | 2.8 |
| | | Residual | 240 | 7153 | 5.1 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 86 | 1030 | 1.8 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | (66) | (906) | 1.9 |
| 88.4 | 16(ii) | Excision and ligation of varicose veins | 66 | 906 | 1.4 |
| | | Residual | 20 | 124 | 0.4 |
| 89 | 17 | Operations on skin and subcutaneous tissue | 336 | 3999 | 7.1 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | (98) | (753) | 7.3 |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | 96 | 717 | 2.0 |
| 89.1 | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | 98 | 753 | 2.1 |
| 89.2 | 17(iv) | Removal of nail | 27 | 226 | 0.6 |
| 89.4 | 17(v) | Suture | 66 | 399 | 1.4 |
| | | Residual | 49 | 1904 | 1.0 |
| 90-99 | 18 | Certain non-surgical procedures | 318 | 3801 | 6.8 |
| 90.6 | 18(i) | Cystoscopy and urethroscopy without effect upon tissue or lesion | (201) | (2308) | 7.0 |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 34 | 361 | 0.7 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect upon tissue or lesion | 201 | 2308 | 4.3 |
| 92.0 | 18(iv) | Encephalography and ventriculography | 1 | 5 | 0.0 |
| 93.2 | 18(v) | Pyelography | 2 | 17 | 0.0 |
| 99.3 | 18(vi) | Exchange transfusion | 2 | 24 | 0.0 |
| | | Residual | 78 | 1086 | 1.7 |
| | | Total | 4711 | 54497 | 100.0 |
| | | | | | 100.0 |

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR QUEBEC RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), QUEBEC, 1962.

| U.S. Code | Group | Operation or treatment | Percent distribution of | | | |
|---|---------------------------------------|--|---|---|---------------------|-------------------|
| | | | Cases | Days | Cases | Days |
| 01-06 03.0 | 1 1(i) | Operations on nervous system Laminotomy | 3730 722 | 120062 21224 | 1.2 0.2 | 3.6 0.6 |
| | | Residual | 3008 | 98838 | 1.0 | 2.9 |
| 08-09 08.1 | 2 2(i) | Operations on endocrine system Partial or subtotal thyroidectomy | 1368 813 | 27674 13017 | 0.4 0.3 | 0.3 0.4 |
| | | Residual | 555 | 14657 | 0.2 | 0.4 |
| 10-18 11.3 11 17 | 3 3(i) 3(ii) 3(iii) | Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens | 8962 (2096) 2559 2487 | 90815 (10365) 12648 40502 | 2.9 0.8 0.8 | 2.7 0.4 1.2 |
| | | Residual | 3916 | 37665 | 1.2 | 1.1 |
| 20-22 20.4 20 21 21.1 | 4 4(i) 4(ii) 4(iii) 4(iv) | Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum | 13598 (2778) 5347 7175 (2732 | 125385 (21490) 51885 52362 (17829) | 4.3 1.7 2.3 | 3.7 1.5 1.6 |
| | | Residual | 1076 | 21138 | 0.3 | 0.6 |
| 24-28 27.2 24.1-24.3 27.1-27.4 27.2 | 5 5(i) 5(ii) 5(iii) 5(iv) | Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy | 65874 (38561) 10567 53128 (38561) | 208761 (90237) 35552 149752 (90237) | 21.0 3.4 16.9 | 6.2 1.1 4.4 |
| | | Residual | 2179 | 23457 | 0.7 | 0.7 |

QUEBEC (Cont'd)

| U.S. Code | Group | Operation or treatment | Percent distribution | | | |
|-----------|--------|--|----------------------|----------|-------|------|
| | | | Cases | Days | Cases | Days |
| 30-31 | 6 | Operations on heart and great vessels | 1230 | 31801 | 0.4 | 0.9 |
| 30.4 | 6(i) | Catheterization of heart | 485 | 8029 | 0.2 | 0.2 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 487 | 15997 | 0.2 | 0.5 |
| | | Residual | 258 | 7775 | 0.1 | 0.2 |
| 33-35 | 7 | Operations on bronchus, lung, pleura, chest wall and mediastinum | 1283 | 39390 | 0.4 | 1.2 |
| 34.0 | 7(i) | Thoracotomy and pleurotomy | 367 | 11385 | 0.1 | 0.3 |
| | | Residual | 916 | 28005 | 0.3 | 0.8 |
| 38 | 8 | Operations on breast | 5128 | 54355 | 1.6 | 1.6 |
| 38.1 | 8(i) | Partial mastectomy | (2389) | (17584) | | |
| 38.1-38.3 | 8(ii) | Mastectomy | 3635 | 42917 | 1.2 | 1.3 |
| | | Residual | 1493 | 11438 | 0.5 | 0.3 |
| 40-49 | 9 | Operation on gastro-intestinal tract | 45657 | 595039 | 14.6 | 17.7 |
| 45.1 | 9(i) | Appendectomy | (14888) | (134069) | | |
| 40.1 | 9(ii) | Exploratory laparotomy or celiotomy | 1167 | 25558 | 0.4 | 0.8 |
| 41 | 9(iii) | Repair of hernia | 14008 | 156752 | 4.5 | 4.7 |
| 41.2-44.3 | 9(iv) | Gastrectomy | 2097 | 51916 | 0.7 | 1.5 |
| 45 | 9(v) | Operations on appendix | 14960 | 135280 | 4.8 | 4.0 |
| 49.3 | 9(vi) | Hemorrhoidectomy | 5138 | 58224 | 1.6 | 1.7 |
| | | Residual | 8287 | 167309 | 2.6 | 5.0 |
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 12714 | 246652 | 4.1 | 7.3 |
| 53.5 | 10(i) | Cholecystectomy | (11489) | (212421) | | |
| 53.5 | 10(ii) | Cholecystectomy | 11489 | 212421 | 3.7 | 6.3 |
| | | Residual | 1225 | 34231 | 0.4 | 1.0 |

QUEBEC (Cont'd)

| U.S.Code | Group | Operation or treatment | Percent distribution of | | | |
|------------------------|-------------------|--|----------------------------|-------------------|------------|------------|
| | | | Cases | Days | Cases | Days |
| 60-64 64.5 | 11 11(i) | Operations on urinary system Dilatation of urethra | 5716 943 | 119016 12602 | 1.8 0.3 | 3.5 0.4 |
| | | Residual | 4773 | 106414 | 1.5 | 3.2 |
| 66-69 69.2 | 12 12(i) | Operations on male genital system Circumcision | 10626 (5037) | 142411 (22118) | 3.4 | 4.2 |
| 66.1-66.3 69.2 | 12(ii) 12(iii) | Prostatectomy Circumcision | 2844 5037 | 84423 22118 | 0.9 1.6 | 2.5 0.7 |
| | | Residual | 2745 | 35870 | 0.9 | 1.1 |
| 70-75 72.8 | 13 13(i) | Operations on female genital organs, excluding obstetrical Dilatation and curettage of uterus | 31624 (9288) | 376439 (68747) | 10.1 | 11.2 |
| 70.2-70.5 72.3-72.6 | 13(ii) 13(iii) | Oophorectomy Hysterectomy | 2225 8712 | 31349 150510 | 0.7 2.8 | 0.9 4.5 |
| 72.8 | 13(iv) | Dilatation and curettage of uterus | 9288 | 68747 | 3.0 | 2.0 |
| 74.3 | 13(v) | Colporrhaphy | 1030 | 17047 | 0.3 | 0.5 |
| 74.4 | 13(vi) | Repair of cystocele and/or rectocele | 670 | 11224 | 0.2 | 0.3 |
| | | Residual | 9699 | 97562 | 3.1 | 2.9 |
| 76-78 77.1 | 14 14(i) | Obstetrical procedures Dilatation and curettage after delivery or abortion | 26443 (15330) | 161227 (73127) | 8.4 | 4.8 |
| 76.3-76.4 77.1 | 14(ii) 14(iii) | Episiotomy Dilatation and curettage after delivery or abortion | 4565 15330 | 29906 73127 | 1.5 4.9 | 0.9 2.2 |
| 78.0-78.4 | 14(iv) | Caesarean section | 3473 | 38405 | 1.1 | 1.1 |
| | | Residual | 3075 | 19789 | 1.0 | 0.6 |

QUEBEC (Cont'd)

| U.S. Code | | Group | Operation or treatment | Cases | Days | Cases | Days | Percent distribution of |
|------------------|--|---------|--|---------|---------|-------|------|----------------------------|
| 80-87 | | 15 | Operations on musculoskeletal system | 32373 | 487826 | 10.3 | 14.5 | |
| 82.0 | | 15(i) | Closed reduction of fracture of shaft of long bone | (4420) | (48911) | | | |
| 82 | | 15(ii) | Reduction of fracture | 12454 | 161006 | 4.0 | 4.8 | |
| 82.0, 82.3, 82.6 | | 15(iii) | Closed reduction of fracture | (9085) | (85533) | | | |
| 87.0-87.4 | | 15(iv) | Amputation and disarticulation of extremities | 711 | 6889 | 0.2 | 0.2 | |
| | | | Residual | 19208 | 319931 | 6.1 | 9.5 | |
| 88 | | 16 | Operations on peripheral blood vessels and lymphatic system | 4730 | 72412 | 1.5 | 2.2 | |
| 88.4 | | 16(i) | Excision and ligation of varicose veins | (2780) | (36085) | | | |
| 88.4 | | 16(ii) | Excision and ligation of varicose veins | 2780 | 36085 | 0.9 | 1.1 | |
| | | | Residual | 1950 | 36327 | 0.6 | 1.1 | |
| 89 | | 17 | Operations on skin and subcutaneous tissue | 26205 | 233679 | 8.4 | 6.9 | |
| 89.1 | | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | (11188) | (94839) | | | |
| 89.0 | | 17(ii) | Incision of skin and subcutaneous tissue | 4885 | 40476 | 1.6 | 1.2 | |
| 89.1 | | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | 11188 | 94839 | 3.6 | 2.8 | |
| 89.2 | | 17(iv) | Removal of nail | 2866 | 16521 | 0.9 | 0.5 | |
| 89.4 | | 17(v) | Suture | 5035 | 28920 | 1.6 | 0.9 | |
| | | | Residual | 2231 | 52923 | 0.7 | 1.6 | |

QUEBEC (Cont'd)

| U.S. Code | Group | Operation or treatment | Cases | Days | Percent distribution of Cases | Days |
|-----------|---------|--|--------|---------|-------------------------------------|-------|
| 90-99 | 18 | Certain non-surgical procedures | 16528 | 232702 | 5.3 | 6.9 |
| 90.6 | 18(i) | Cystoscopy and urethroscopy without effect upon tissue or lesion | (4832) | (59343) | | |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 2958 | 38985 | 0.9 | 1.2 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect upon tissue or lesion | 4832 | 59343 | 1.5 | 1.8 |
| 92.0 | 18(iv) | Encephalography and ventriculography | 685 | 15497 | 0.2 | 0.5 |
| 93.0 | 18(v) | Cholangiography | 20 | 236 | 0.0 | 0.0 |
| 99.3 | 18(vi) | Exchange transfusion | 285 | 4671 | 0.1 | 0.1 |
| | | Residual | 7748 | 113970 | 2.5 | 3.4 |
| | | Total | 313789 | 3365646 | 100.0 | 100.0 |

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS." (EXCLUDING NEVUS) ONTARIO(1), 1962.

| Percent Distribution of | | | | |
|-------------------------|--------|---|---------|----------|
| U.S. Code | Group | Operation or Treatment | Cases | Days |
| 01-06 | 1 | Operations on nervous system | 6086 | 148793 |
| 03.0 | 1(i) | Laminotomy | 1565 | 49160 |
| | | Residual | 4521 | 99633 |
| 08-09 | 2 | Operations on endocrine system | 1865 | 23406 |
| 08.1 | 2(i) | Partial or subtotal thyroidectomy | 1407 | 16079 |
| | | Residual | 458 | 7327 |
| 10-18 | 3 | Operations on eye | 13056 | 116140 |
| 17.4 | 3(i) | Extraction of lens, intracapsular | (2450) | (34945) |
| 11 | 3(ii) | Operations on eye (ocular) muscles | 4067 | 12194 |
| 17 | 3(iii) | Operations on lens | 4382 | 61311 |
| | | Residual | 4607 | 42635 |
| 20-22 | 4 | Operations on ear, nose and throat. | 14121 | 100562 |
| 21.1 | 4(i) | Operations on nasal septum | (3048) | (13340) |
| 20 | 4(ii) | Operations on ear | 4977 | 32750 |
| 21 | 4(iii) | Operations on nose and accessory sinuses | 7809 | 42265 |
| 21.1 | 4(iv) | Operations on nasal septum | (3048) | (13340) |
| | | Residual | 1335 | 25547 |
| 24-28 | 5 | Operations on buccal cavity and esophagus | 86198 | 208850 |
| 27.2 | 5(i) | Tonsillectomy with adenoidectomy | (62256) | (115629) |
| 24.1-24.3 | 5(ii) | Extraction of tooth and root resection | 7094 | 24735 |
| 27.1-27.4 | 5(iii) | Operations on tonsils and /or adenoids | 76224 | 153782 |
| 27.2 | 5(iv) | Tonsillectomy with adenoidectomy | (62256) | (115629) |
| | | Residual | 2880 | 30333 |
| | | | 0.7 | 0.8 |

SCENARIO (Cont'd.)

| | | Percent Distribution of | | | |
|------------------|---------|---|---------|----------|------------|
| U.S. Code | Group | Operation or Treatment | Cases | Days | Cases Days |
| 66-69 | 12 | Operations on male genital system | 12403 | 170419 | 2.9 4.3 |
| 66.2 | 12(i) | Prostatectomy, transurethral | (3989) | (8888) | |
| 66.1-66.3 | 12(ii) | Prostatectomy | 4936 | 118465 | 1.2 3.0 |
| 69.2 | 12(iii) | Circumcision | 3628 | 13237 | 0.9 0.3 |
| | | Residual | 3839 | 38717 | 0.9 1.0 |
| 70-75 | 13 | Operations on female genital organs excluding obstetrical | 55330 | 480375 | 13.0 12.1 |
| 72.8 | 13(i) | Dilatation and curettage of uterus | (26450) | (132064) | |
| 70.2-70.5 | 13(ii) | Oophorectomy | 1994 | 25364 | 0.5 0.6 |
| 72.3-72.6 | 13(iii) | Hysterectomy | 11039 | 162656 | 2.6 4.1 |
| 72.8 | 13(iv) | Dilatation and curettage of uterus | 26450 | 132064 | 6.2 3.3 |
| 74.3 | 13(v) | Colporrhaphy | 2153 | 30544 | 0.5 0.8 |
| 74.4 | 13(vi) | Repair of cystocele and /or rectocele | 1323 | 13032 | 0.3 0.5 |
| | | Residual | 12371 | 111715 | 2.9 2.8 |
| 76-78 | 14 | Obstetrical procedures | 63370 | 392288 | 14.9 9.8 |
| 77.1 | 14(i) | Dilatation and curettage after delivery or abortion | (19166) | (72442) | |
| 76.3-76.4 | 14(ii) | Episiotomy | 20361 | 130880 | 4.8 3.3 |
| 77.1 | 14(iii) | Dilatation and curettage after delivery or abortion | 19166 | 72442 | 4.5 1.8 |
| 78.0-78.4 | 14(iv) | Caesarean section | 7011 | 80812 | 1.6 2.0 |
| | | Residual | 16832 | 108154 | 4.0 2.7 |
| 80-87 | 15 | Operations on musculoskeletal system | 39712 | 678481 | 9.3 17.0 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | (4170) | (36223) | |
| 82 | 15(ii) | Reduction of fracture | 15565 | 292120 | 3.7 7.3 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (9042) | (85967) | |
| 87.0-87.4 | 15(iv) | Amputation and disarticulation of extremities | 906 | 7269 | 0.2 0.2 |
| | | Residual | 23241 | 379092 | 5.5 9.5 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 8344 | 99465 | 2.0 2.5 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | (6188) | (58862) | |
| 89.4 | 16(ii) | Excision and ligation of varicose veins | 6188 | 58862 | 1.5 1.5 |
| | | Residual | 2156 | 40603 | 0.5 1.0 |

ONTARIO (cont'd).

| U.S. Code | Group | Operation or Treatment | Percent Distribution of | | | |
|-----------|---------|--|-------------------------|-----------|-------|-------|
| | | | Cases | Days | Cases | Days |
| 89 | 17 | Operations on skin and subcutaneous tissue | 27287 | 250895 | 6.4 | 6.3 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | (8393) | (59665) | | |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | 5148 | 41707 | 1.2 | 1.0 |
| 89.1 | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | 8393 | 59665 | 2.0 | 1.5 |
| 89.2 | 17(iv) | Removal of nail | 3456 | 16180 | 0.8 | 0.4 |
| 89.4 | 17(v) | Suture | 6144 | 41774 | 1.4 | 1.0 |
| | | Residual | 4146 | 91569 | 1.0 | 2.3 |
| 90-99 | 18 | Not Coded In Ontario | | | | |
| | | Total (17 Groups) | 425,065 | 3,983,511 | 100.0 | 100.0 |

(1) Based on claims processed by the Ontario Hospital Services Commission.
January - December 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA
RESIDENT IN-PATIENTS (1) (EXCLUDING NEWBORNS), MANITOBA, 1962.

| U.S. Code | Group | Operation or treatment | Percent distribution of | | | |
|-----------|--------|---|----------------------------|---------|-------|------|
| | | | Cases | Days | Cases | Days |
| 01-06 | 1 | Operations on nervous system | 469 | 10043 | 1.0 | 2.4 |
| 01.0 | 1(i) | Craniotomy | 109 | 3649 | 0.2 | 0.9 |
| | | Residual | 360 | 6394 | 0.8 | 1.5 |
| 08-09 | 2 | Operations on endocrine system | 337 | 3136 | 0.7 | 0.8 |
| 08.2 | 2(i) | Complete or total thyroidectomy | 171 | 1627 | 0.4 | 0.4 |
| | | Residual | 166 | 1509 | 0.4 | 0.4 |
| 10-18 | 3 | Operations on eye | 1845 | 14923 | 3.9 | 3.6 |
| 17.4 | 3(i) | Extraction of lens, intracapsular | (537) | (7508) | | |
| 11 | 3(ii) | Operations on eye (ocular) muscles | 658 | 1970 | 1.4 | 0.5 |
| 17 | 3(iii) | Operations on lens | 596 | 8113 | 1.3 | 2.0 |
| | | Residual | 591 | 4840 | 1.3 | 1.2 |
| 20-22 | 4 | Operations on ear, nose and throat | 2076 | 9617 | 4.4 | 2.3 |
| 21.1 | 4(i) | Operations on nasal septum | (628) | (2365) | | |
| 20 | 4(ii) | Operations on ear | 663 | 3093 | 1.4 | 0.7 |
| 21 | 4(iii) | Operations on nose and accessory sinuses | 1327 | 5597 | 2.8 | 1.4 |
| 21.1 | 4(iv) | Operations on nasal septum | (628) | (2365) | | |
| | | Residual | 86 | 927 | 0.2 | 0.2 |
| 24-28 | 5 | Operations on buccal cavity and esophagus | 10414 | 23005 | 22.3 | 5.6 |
| 27.2 | 5(i) | Tonsillectomy with adenoidectomy | (6106) | (12146) | | |
| 24.1-24.3 | 5(ii) | Extraction of tooth and root resection | 2288 | 4550 | 4.9 | 1.1 |
| 27.1-27.4 | 5(iii) | Operations on tonsils and/or adenoids | 7747 | 15782 | 16.6 | 3.8 |
| 27.2 | 5(iv) | Tonsillectomy with adenoidectomy | (6106) | (12146) | | |
| | | Residual | 379 | 2673 | 0.8 | 0.6 |

| U.S. Code | Group | Operation or treatment | Percent distribution of | | | |
|-----------|--------|--|-------------------------|---------|-------|------|
| | | | Cases | Days | Cases | Days |
| 30-31 | 6 | Operations on heart and great vessels | 234 | 3566 | 0.5 | 0.9 |
| 30.4 | 6(i) | Catheterization of heart | 99 | 335 | 0.2 | 0.1 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 97 | 2397 | 0.2 | 0.6 |
| 33-35 | 7 | Residual | 38 | 834 | 0.1 | 0.2 |
| 35.3 | 7(i) | Operations on bronchus, lung, pleura, chest-wall and mediastinum | 144 | 3988 | 0.3 | 1.0 |
| | | Complete lobectomy | 40 | 1165 | 0.1 | 0.3 |
| 38 | 8 | Residual | 104 | 2823 | 0.2 | 0.7 |
| 38.1 | 8(i) | Operations on breast | 1094 | 8357 | 2.3 | 2.0 |
| 38.1-38.3 | 8(ii) | Partial mastectomy | (491) | (1852) | | |
| | | Mastectomy | 767 | 6892 | 1.6 | 1.7 |
| 40-49 | 9 | Residual | 327 | 1465 | 0.7 | 0.4 |
| 45.1 | 9(i) | Operations on gastro-intestinal tract | 3748 | 104058 | 18.7 | 25.2 |
| 40.1 | 9(ii) | Appendectomy | (2469) | (19161) | | |
| 41 | 9(iii) | Exploratory laparotomy or celiotomy | 301 | 6292 | 0.6 | 1.5 |
| 44.2-44.3 | 9(iv) | Repair of hernia | 2968 | 27051 | 6.4 | 6.6 |
| 45 | 9(v) | Gastrectomy | 414 | 10569 | 0.9 | 2.6 |
| 49.3 | 9(vi) | Operations on appendix | 2491 | 19522 | 5.3 | 4.7 |
| | | Hemorrhoidectomy | 805 | 7014 | 1.7 | 1.7 |
| | | Residual | 1769 | 33610 | 3.8 | 8.1 |

MANITOBA (Cont'd.)

| U.S.Code | Group | Operation or Treatment | Percent distribution of | | | |
|-----------|---------|---|----------------------------|---------|-------|------|
| | | | Cases | Days | Cases | Days |
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 1900 | 32712 | 4.1 | 7.9 |
| 53.5 | 10(i) | Cholecystectomy | (1699) | (27220) | | |
| 53.5 | 10(ii) | Cholecystectomy | 1699 | 27220 | 3.6 | 6.6 |
| | | Residual | 201 | 5492 | 0.4 | 1.3 |
| 60-64 | 11 | Operations on urinary system | 893 | 14397 | 1.9 | 3.5 |
| 60.4 | 11(i) | Complete nephrectomy | 109 | 3085 | 0.2 | 0.7 |
| | | Residual | 784 | 11312 | 1.7 | 2.7 |
| 66-69 | 12 | Operations on male genital system | 1611 | 23956 | 3.4 | 5.8 |
| 66.2 | 12(i) | Prostatectomy, transurethral | (581) | (13191) | | |
| 66.1-66.3 | 12(ii) | Prostatectomy | 813 | 19827 | 1.7 | 4.8 |
| 69.2 | 12(iii) | Circumcision | 386 | 1033 | 0.8 | 0.2 |
| | | Residual | 412 | 3096 | 0.9 | 0.7 |
| 70-75 | 13 | Operations on female genital organs excluding obstetrical | 5520 | 44459 | 11.8 | 10.0 |
| 72.8 | 13(i) | Dilation and curettage of uterus | (2395) | (8008) | | |
| 70.2-70.5 | 13(ii) | Oophorectomy | 165 | 1944 | 0.4 | 0.5 |
| 72.3-72.6 | 13(iii) | Hysterectomy | 961 | 13940 | 2.1 | 3.4 |
| 72.8 | 13(iv) | Dilatation and curettage of uterus | 2395 | 8008 | 5.1 | 1.9 |
| 74.3 | 13(v) | Colporrhaphy | 157 | 2191 | 0.3 | 0.5 |
| 74.4 | 13(vi) | Repair of cystocele and/or rectocele | 416 | 5459 | 0.9 | 1.3 |
| | | Residual | 1426 | 9917 | 3.1 | 2.4 |

| U. S. Code | Group | Operation or Treatment | Percent distribution of | | |
|------------------|---------|--|-------------------------|---------|-------|
| | | | Cases | Days | Cases |
| 76-78 | 14 | Obstetrical procedures | 130 | 860 | 0.3 |
| 77.1 | 14(i) | Dilatation and curettage after delivery or abortion | (61) | (237) | 0.2 |
| 76.3-76.4 | 14(ii) | Episiotomy | 1 | 5 | 0.0 |
| 77.1 | 14(iii) | Dilatation and curettage after delivery or abortion | 61 | 237 | 0.1 |
| 78.0-78.4 | 14(iv) | Caesarean section | 10 | 134 | 0.0 |
| | | Residual | 58 | 484 | 0.1 |
| 80-87 | 15 | Operation on musculoskeletal system | 6045 | 80674 | 12.9 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | (1135) | (6876) | 19.5 |
| 82 | 15(ii) | Operations of fracture | 2648 | 32073 | 5.7 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (1959) | (13291) | 7.8 |
| 87.0-87.9 | 15(iv) | Amputation and disarticulation of extremities | 317 | 7311 | 0.7 |
| | | Residual | 3080 | 41290 | 10.0 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 946 | 9175 | 2.0 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | (707) | (5148) | 2.2 |
| 88.4 | 16(ii) | Excision and ligation of varicose veins | 707 | 5148 | 1.5 |
| | | Residual | 239 | 4027 | 0.5 |
| 89 | 17 | Operations on skin and subcutaneous tissue | 2829 | 20138 | 6.1 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | (910) | (5881) | 1.2 |
| | | | 560 | 2952 | 0.7 |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | 910 | 5881 | 1.9 |
| 89.1 | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | 280 | 1102 | 0.6 |
| 89.2 | 17(iv) | Removal of nail | 664 | 2812 | 1.4 |
| 89.4 | 17(v) | Suture | | | 0.7 |
| | | Residual | 415 | 7391 | 0.9 |
| | | | | | 1.8 |

MANITOBA (cont'd.)

| U.S.Code | Group | Operation or Treatment | Percent distribution of | | |
|----------|---------|--|----------------------------|--------|-------|
| | | | Cases | Days | Cases |
| 90-99 | 18 | Certain non-surgical procedures | 1502 | 8806 | 3.2 |
| 90.6 | 18(i) | Cystoscopy and urethroscopy without effect upon tissue or lesion | (574) | (2830) | 2.1 |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 61 | 345 | 0.1 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect upon tissue or lesion | 574 | 2830 | 1.2 |
| 92.0 | 18(iv) | Encephalography and ventriculography | 67 | 495 | 0.1 |
| 93.0 | 18(v) | Cholangiography | 2 | 34 | 0.0 |
| 99.3 | 18(vi) | Exchange transfusion | 2 | 10 | 0.0 |
| Residual | | | 796 | 5092 | 1.7 |
| Total | | | 46737 | 412870 | 100.0 |
| | | | | | 100.0 |

(1) Based on Manitoba resident in-patient separations from January 1 - December 31, 1962 and processed to February 28, 1963 by the Manitoba Hospital Commission. Includes only separations who were admitted primarily for surgery.

TABLE 3 - SUMMARY OF PATIENTS IN THE STOMACH SURVEY OF OPERATIONS AND TREATMENTS FOR PROFOUND
 PLAS PLASMASTASIA (ENDOCRINE DEFICIENCY), SASKATCHEWAN, 1962.

| U.S. Code | Group | Operation or Treatment | Person Distribution | | | |
|-----------|--------|---|---------------------|---------|-------|------|
| | | | Cases | Days | Cases | Days |
| 01-06 | 1 | Operations on nervous system | 674 | 16952 | 1.1 | 2.7 |
| 03.3 | 1(i) | Spinal puncture | 181 | 2217 | 0.3 | 0.4 |
| | | Residual | 493 | 14735 | 0.8 | 2.4 |
| 08-09 | 2 | Operations on endocrine system | 318 | 4698 | 0.5 | 0.8 |
| 08.1 | 2(i) | Partial or subtotal thyroidectomy | 243 | 3528 | 0.4 | 0.6 |
| | | Residual | 75 | 1170 | 0.1 | 0.2 |
| 10-18 | 3 | Operations on eye | 1530 | 16610 | 2.5 | 2.7 |
| 17.4 | 3(i) | Extraction of lens, intracapsular | (385) | (5801) | | |
| 11.0-11.9 | 3(ii) | Operations on eye (ocular) muscles | 288 | 1514 | 0.5 | 0.2 |
| 17.0-17.9 | 3(iii) | Operations on lens | 531 | 7894 | 0.9 | 1.1 |
| | | Residual | 711 | 7202 | 1.2 | 1.2 |
| 20-22 | 4 | Operations on ear, nose and throat | 1958 | 13248 | 3.2 | 2.1 |
| 21.1 | 4(i) | Operations on nasal septum | (414) | (1491) | | |
| 20.0-20.9 | 4(ii) | Operations on ear | 650 | 4657 | 1.1 | 0.3 |
| 21.0-21.9 | 4(iii) | Operations on nose and accessory sinuses | 1195 | 5912 | 2.0 | 1.0 |
| | | Residual | 113 | 2679 | 0.2 | 0.4 |
| 24-28 | 5 | Operations on buccal cavity and esophagus | 12282 | 36320 | 20.3 | 5.3 |
| 27.2 | 5(i) | Tonsillectomy with adenoidectomy | (7949) | (19578) | | |
| 24.1-24.3 | 5(ii) | Extraction of tooth and root resection | 2302 | 7540 | 3.8 | 1.2 |
| 27.1-27.4 | 5(iii) | Operations on tonsils and/or adenoids | 9533 | 24318 | 15.8 | 3.9 |
| | | Residual | 1447 | 4462 | 0.7 | 0.7 |

SASKATCHEWAN (cont'd)

| U.S. Code | Group | Operation or Treatment | Percent Distribution of | | |
|-----------|--------|--|----------------------------|---------|-------|
| | | | Cases | Days | Cases |
| 30-31 | 6 | Operations on heart and great vessels | 166 | 3422 | 0.3 |
| 30.4 | 6(i) | Catheterization of heart | 89 | 1332 | 0.1 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 53 | 1536 | 0.1 |
| | | Residual | 24 | 554 | 0.0 |
| 33-35 | 7 | Operations on bronchus, lung, pleura, chest-wall and mediastinum | 237 | 7426 | 0.4 |
| 34.1 | 7(i) | Thoracentesis or pleuracentesis | 79 | 2191 | 0.1 |
| | | Residual | 158 | 5235 | 0.3 |
| 38 | 8 | Operations on breast | 1135 | 11834 | 1.9 |
| 38.1 | 8(i) | Partial mastectomy | (568) | (3029) | |
| 38.1-38.3 | 8(ii) | Mastectomy | 873 | 10306 | 1.4 |
| | | Residual | 262 | 1528 | 0.4 |
| 40-49 | 9 | Operations on gastro-intestinal tract | 8785 | 119751 | 14.6 |
| 45.1 | 9(i) | Appendectomy | (3104) | (27179) | |
| 40.1 | 9(ii) | Exploratory laparotomy or celiotomy | 234 | 5795 | 0.4 |
| 41.0-41.9 | 9(iii) | Repair of hernia | 2546 | 28946 | 4.2 |
| 44.2-44.3 | 9(iv) | Gastrectomy | 398 | 10348 | 0.7 |
| 45.0-45.9 | 9(v) | Operations on appendix | 3123 | 27471 | 5.2 |
| 49.3 | 9(vi) | Hemorrhoidectomy | 807 | 9334 | 1.3 |
| | | Residual | 1677 | 37857 | 2.8 |
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 1667 | 33908 | 2.8 |
| 53.5 | 10(i) | Cholecystectomy | 1441 | 26694 | 2.4 |
| | | Residual | 226 | 7214 | 0.4 |
| | | | | | 1.2 |

SASKATCHEWAN (cont'd)

| Percent Distribution of | | | | |
|-------------------------|---------|---|-------|---------|
| U.S. Code | Group | Operation or Treatment | Cases | Days |
| 60-64 | 11 | Operations on urinary system | 1277 | 22787 |
| 64.5 | 11(i) | Dilatation of urethra | 580 | 4943 |
| | | Residual | 697 | 17844 |
| 66-69 | 12 | Operations on male genital system | 1987 | 44522 |
| 66.2 | 12(i) | Prostatectomy, transurethral | (684) | (24895) |
| 66.1-66.3 | 12(ii) | Prostatectomy | 988 | 36135 |
| 69.2 | 12(iii) | Circumcision | 531 | 2100 |
| | | Residual | 468 | 6287 |
| 70-75 | 13 | Operations on female genital organs excluding obstetrical | 6962 | 61750 |
| 72.8 | 13(i) | Dilatation and curettage of uterus | 3319 | 13827 |
| 70.2-70.5 | 13(ii) | Oophorectomy | 171 | 2479 |
| 72.3-72.6 | 13(iii) | Hysterectomy | 1361 | 22965 |
| 74.3 | 13(iv) | Colporrhaphy | 67 | 1140 |
| 74.4 | 13(v) | Repair of cystocele and /or rectocele | 548 | 8108 |
| | | Residual | 1496 | 12931 |
| 76-78 | 14 | Obstetrical procedures | 6443 | 40842 |
| 77.1 | 14(i) | Dilatation and curettage after delivery or abortion | 2291 | 9161 |
| 76.3-76.4 | 14(ii) | Episiotomy | 2373 | 15077 |
| 78.0-78.4 | 14(iii) | Caesarean section | 529 | 7473 |
| | | Residual | 1250 | 9126 |
| | | | | 2.1 |
| | | | | 6.6 |
| | | | | 1.5 |
| | | | | 2.4 |
| | | | | 1.2 |
| | | | | 1.5 |

SASKATCHEWAN (cont'd)

| | | Percent Distribution of | | | |
|------------------|---------|--|--------|---------|---------------------|
| U.S. Code | Group | Operation or Treatment | Cases | Days | Cases of Days |
| 80-87 | 15 | Operations on musculoskeletal system | 5294 | 36871 | 8.8 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | (865) | (6583) | 14.0 |
| 82.0-82.9 | 15(ii) | Reduction of fracture | 2385 | 33469 | 4.0 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (1815) | (14636) | 5.4 |
| 87.0-87.4 | 15(iv) | Amputation and disarticulation of extremities | 142 | 1495 | 0.2 |
| | | Residual | 2767 | 51907 | 4.6 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 1050 | 12737 | 1.7 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | 702 | 7131 | 1.2 |
| | | Residual | 348 | 5606 | 0.6 |
| 89 | 17 | Operations on skin and subcutaneous tissue | 3447 | 33318 | 5.4 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | 1224 | 12508 | 2.0 |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | 735 | 5431 | 1.2 |
| 89.2 | 17(iii) | Removal of nail | 368 | 2246 | 0.6 |
| 89.4 | 17(iv) | Suture | 769 | 5379 | 1.3 |
| | | Residual | 351 | 7754 | 0.6 |
| 90-99 | 18 | Certain non-surgical procedures | 5157 | 53657 | 8.5 |
| 90.6 | 18(i) | Cystoscopy and urethroscopy without effect on tissue or lesion | 2012 | 20219 | 3.3 |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 574 | 5922 | 1.0 |
| 90.2 | 18(iii) | Encephalography and ventriculography | 76 | 1592 | 0.1 |
| 93.0 | 18(iv) | Pyelography | 43 | 346 | 0.1 |
| 99.3 | 18(v) | Exchange transfusion | 25 | 318 | 0.1 |
| | | Residual | 2427 | 25260 | 4.0 |
| | | Total | 60369 | 620653 | 100.0 |
| | | | | | 100.0 |

(1) Including out-of-province hospitalization

TABLE 9 - SEVERITIES AND PERIODS OF DISABILITY FOR ALBERTA, 1962
(EXCLUDING NEWBORNS), ALBERTA, 1962 (1)

| U.S.Code | Group | Operation or Treatment | Percent distribution of | | |
|---|---------------------------------------|--|--|--|---------------------|
| | | | Cases | Days | Cases |
| 01-06 05.2 | 1 1(i) | Operations on nervous system Excision and destruction of lesion of peripheral nerve | 764 77 | 18957 759 | 0.9 0.1 |
| | | Residual | 687 | 18198 | 0.8 |
| 08-09 08.1 | 2 2(i) | Operations on endocrine system Partial or subtotal thyroidectomy | 554 425 | 6920 4896 | 0.6 0.5 |
| | | Residual | 129 | 2024 | 0.1 |
| 10-18 17.4 11 17 | 3 3(i) 3(ii) 3(iii) | Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens | 2622 (658) 782 771 | 25299 (11204) 3013 12519 | 2.9 0.9 0.9 |
| | | Residual | 1069 | 9767 | 1.1 |
| 20-22 21.1 20 21 21.1 | 4 4(i) 4(ii) 4(iii) 4(iv) | Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum | 3058 (857) 786 2073 (857) | 16336 (2620) 4414 8769 (2620) | 3.4 0.9 2.3 |
| | | Residual | 199 | 3153 | 0.2 |
| 24-28 27.2 24.1-24.3 27.1-27.4 27.2 | 5 5(i) 5(ii) 5(iii) 5(iv) | Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy | 17120 (11584) 2810 13667 (11584) | 54950 (30539) 9224 37434 (30539) | 19.2 3.2 15.4 |
| | | Residual | 643 | 8292 | 0.7 |
| | | | | | 1.0 |

ALBERTA (Cont'd.)

| U.S. Code | Group | Operation or Treatment | Percent distribution of | | |
|-----------|--------|--|----------------------------|---------|------------|
| | | | Cases | Days | Cases Days |
| 30-31 | 6 | Operations on heart and great vessels | 376 | 5579 | 0.4 0.6 |
| 30.4 | 6(i) | Catherization of heart | 179 | 923 | 0.2 0.1 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 129 | 3079 | 0.1 0.4 |
| | | Residual | 68 | 1577 | 0.1 0.2 |
| 33-35 | 7 | Operations on bronchus, lung, pleura, chest-wall and mediastinum | 354 | 8792 | 0.4 1.0 |
| 34.0 | 7(i) | Thoracotomy and pleurotomy | 56 | 1589 | 0.1 0.2 |
| | | Residual | 298 | 7203 | 0.3 0.8 |
| 38 | 8 | Operations on breast | 1528 | 11275 | 1.7 1.3 |
| 38.8 | 8(i) | Biopsy of breast | 622 | 2523 | 0.7 0.3 |
| 38.1-38.3 | 8(ii) | Mastectomy | 805 | 8092 | 0.9 0.9 |
| | | Residual | 101 | 660 | 0.1 0.1 |
| 40-49 | 9 | Operations on gastro-intestinal tract | 13181 | 152782 | 14.8 17.7 |
| 45.1 | 9(i) | Appendectomy | (4257) | (33649) | |
| 40.1 | 9(ii) | Exploratory laparotomy or celiotomy | 402 | 8014 | 0.5 0.9 |
| 41 | 9(iii) | Repair of hernia | 4169 | 40202 | 4.7 4.6 |
| 44.2-44.3 | 9(iv) | Gastrectomy | 671 | 15117 | 0.8 1.7 |
| 45 | 9(v) | Operations on appendix | 4291 | 34251 | 4.8 4.0 |
| 49.3 | 9(vi) | Hemorrhoidectomy | 1190 | 11628 | 1.3 1.3 |
| | | Residual | 2458 | 43570 | 2.8 5.0 |

Percent distribution
of

| U.S. Code | Group | Operation or Treatment | Cases | Days | Cases | Days |
|-----------|---------|---|--------|---------|-------|------|
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 2556 | 44273 | 2.9 | 5.1 |
| 53.5 | 10(i) | Cholecystectomy | (2254) | (36206) | | |
| 53.5 | 10(ii) | Cholecystectomy | 2254 | 36206 | 2.5 | 4.2 |
| | | Residual | 302 | 8067 | 0.3 | 0.9 |
| 60-64 | 11 | Operations on urinary system | 1488 | 26129 | 1.7 | 3.0 |
| 64.5 | 11(i) | Dilatation of urethra | 347 | 3093 | 0.4 | 0.4 |
| | | Residual | 1141 | 23036 | 1.3 | 2.7 |
| 66-69 | 12 | Operations on male genital system | 2650 | 38225 | 3.0 | 4.4 |
| 66.2 | 12(i) | Prostatectomy, transurethral | (1026) | (23878) | | |
| 66.1-663 | 12(ii) | Prostatectomy | 1184 | 23954 | 1.3 | 3.3 |
| 69.2 | 12(iii) | Circumcision | 673 | 2571 | 0.8 | 0.3 |
| | | Residual | 793 | 6700 | 0.9 | 0.8 |
| 70-75 | 13 | Operations on female genital organs excluding obstetrical | 9639 | 79304 | 10.8 | 9.2 |
| 72.8 | 13(i) | Dilatation and curettage of uterus | (4515) | (19023) | | |
| 70.2-70.5 | 13(ii) | Oophorectomy | 401 | 4821 | 0.4 | 0.6 |
| 72.3-72.6 | 13(iii) | Hysterectomy | 1896 | 23721 | 2.1 | 3.3 |
| 72.8 | 13(iv) | Dilatation and curettage of uterus | 4515 | 19023 | 5.1 | 2.2 |
| 74.3 | 13(v) | Colporrhaphy | 84 | 1278 | 0.1 | 0.1 |
| 74.4 | 13(vi) | Repair of cystocele and/or rectocele | 485 | 6422 | 0.5 | 0.7 |
| | | Residual | 2258 | 19039 | 2.6 | 2.2 |

ALBERTA (cont'd.)

| U.S.Code | Group | Operation or Treatment | Percent distribution of | | | |
|------------------|---------|--|----------------------------|---------|-------|------|
| | | | Cases | Days | Cases | Days |
| 76-78 | 14 | Obstetrical procedures | 10309 | 63919 | 11.6 | 7.4 |
| 77.1 | 14(i) | Dilatation and curettage after delivery or abortion | (3966) | (14379) | | |
| 76.3-76.4 | 14(ii) | Episiotomy | 3160 | 21250 | 3.6 | 2.5 |
| 77.1 | 14(iii) | Dilatation and curettage after delivery or abortion | 3966 | 14379 | 4.5 | 1.7 |
| 78.0-78.4 | 14(iv) | Caesarean section | 1006 | 12630 | 1.1 | 1.5 |
| | | Residual | 2177 | 15660 | 2.4 | 1.8 |
| 80-87 | 15 | Operations on musculoskeletal system | 10421 | 192318 | 11.7 | 22.2 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | (1436) | (11703) | | |
| 82 | 15(ii) | Reduction of fracture and fracture-dislocation of bones | 3940 | 60418 | 4.3 | 7.0 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (2697) | (25353) | | |
| 87.0-87.9 | 15(iv) | Amputation and disarticulation of extremities | 450 | 15927 | 0.5 | 1.3 |
| | | Residual | 6131 | 115573 | 6.9 | 13.4 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 1760 | 20845 | 2.0 | 2.4 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | (1248) | (11395) | | |
| 88.4 | 16(ii) | Excision and ligation of varicose veins | 1246 | 11395 | 1.4 | 1.3 |
| 89 | 17 | Operations on skin and subcutaneous tissue | 512 | 9450 | 0.6 | 1.1 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | 5934 | 50125 | 6.7 | 5.8 |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | (1837) | (15306) | | |
| 89.1 | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | 1271 | 8456 | 1.4 | 1.0 |
| 89.2 | 17(iv) | Removal of nail | 1837 | 15300 | 2.1 | 1.8 |
| 89.4 | 17(v) | Suture | 620 | 3368 | 0.7 | 0.4 |
| | | Residual | 1413 | 7753 | 1.6 | 0.9 |
| | | | 793 | 15242 | 0.9 | 1.6 |

ALBERTA (Cont'd.)

| U.S. Code | Group | Operation or Treatment | Percent of | | |
|-----------|---------|--|------------|--------|-------|
| | | | Cases | Days | Days |
| 90-99 | 18 | Certain non-surgical procedures | 4641 | 49001 | 5.2 |
| 93.2 | 18(i) | Pyelography | 1202 | 12367 | 1.4 |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 406 | 3822 | 0.5 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect on tissue or lesion | 1052 | 10638 | 1.2 |
| 92.0 | 18(iv) | Encephalography and ventriculography | 160 | 2434 | 0.2 |
| 93.0 | 18(v) | Pyelography | 3 | 4 | 0.0 |
| 99.3 | 18(vi) | Exchange transfusion | 16 | 146 | 0.0 |
| | | Residual | 1802 | 19590 | 2.0 |
| | | Total | 88955 | 865029 | 100.0 |

(1) Includes residents covered by the Provincial Plan and those not covered by the Provincial Plan.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL
PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS). BRITISH COLUMBIA, 1962.

| U.S. Code | Group | Operation or Treatment | Percent Distribution of | | | |
|---|---------------------------------------|---|--|---|----------------------------|--------------------------|
| | | | Cases | Days | Cases | Days |
| 01-06 03.0 | 1 1(i) | Operations on nervous system Laminotomy | 1600 345 1255 | 34623 10092 24531 | 1.4 0.3 1.1 | 3.0 0.3 2. |
| 03-09 08.1 | 2 2(i) | Operations on endocrine system Partial or subtotal thyroidectomy | 703 525 178 | 7518 5116 2402 | 0.6 0.5 0.2 | 0.7 0.4 0.2 |
| 10-18 17.4 11 17 | 3 3(i) 3(ii) 3(iii) | Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens | 3817 (1005) 1299 1164 1354 | 33075 (13001) 4873 14468 13734 | 3.4 1.1 1.0 1.2 | 2.9 0.4 1.3 1.2 |
| 20-22 21.4 20 21 21.1 | 4 4(i) 4(ii) 4(iii) 4(iv) | Operations on ear, nose, and throat Rhinoplasty and repair of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum | 4938 (833) 1676 2765 (623) 497 | 28436 (4832) 9885 13679 (2500) 4872 | 4.4 1.5 2.4 0.4 | 2.5 0.9 1.2 0.4 |
| 24-28 27.2 24.1-24.3 27.1-27.4 27.2 | 5 5(i) 5(ii) 5(iii) 5(iv) | Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operation on tonsils and/or adenoids Tonsillectomy with adenoidectomy | 23652 (15807) 3065 19168 (15907) 1419 | 70128 (38006) 9857 48535 (38006) 11736 | 20.8 2.7 16.9 1.2 | 6.2 0.2 4.3 1.0 |

BRITISH COLUMBIA (cont'd).

| | | Percent Distribution of | | | |
|-----------|--------|---|--------|---------|---------------|
| U.S. Code | Group | Operation or Treatment | Cases | Days | Cases Days |
| 30-31 | 6 | Operations on heart and great vessels. | 609 | 11621 | 0.5 1.3 |
| 30.4 | 6(i) | Catheterization of heart | 295 | 2678 | 0.3 0.2 |
| 30.2-30.3 | 6(ii) | Repair of heart and pericardium and operations on valves | 179 | 5420 | 0.2 0.5 |
| | | Residual | 135 | 3523 | 0.1 0.3 |
| 33-35 | 7 | Operations on bronchi, lung, pleura, chest-wall and mediastinum | 610 | 16175 | 0.5 1.4 |
| 34.0 | 7(i) | Thoracotomy and pleurotomy | 123 | 2985 | 0.1 0.3 |
| | | Residual | 487 | 13190 | 0.4 1.2 |
| 38 | 8 | Operations on breast | 2487 | 18468 | 2.2 1.6 |
| 38.1 | 8(i) | Partial mastectomy | (986) | (3751) | |
| 38.1-38.3 | 8(ii) | Mastectomy | 1517 | 14083 | 1.3 1.2 |
| | | Residual | 970 | 4385 | 0.9 0.4 |
| 40-49 | 9 | Operations on gastro-intestinal tract(2) | 15710 | 221268 | 13.8 19.5 |
| 45.1 | 9(i) | Appendectomy | (3356) | (28119) | |
| 40.1 | 9(ii) | Exploratory laparotomy or celiotomy | 530 | 11481 | 0.5 1.0 |
| 41 | 9(iii) | Repair of hernia | 5105 | 49619 | 4.5 4.4 |
| 44.2-44.3 | 9(iv) | Gastrectomy | 1051 | 25294 | 0.9 2.2 |
| 45 | 9(v) | Operations on appendix | 3389 | 28654 | 3.0 2.5 |
| 49.3 | 9(vi) | Hemorrhoidectomy | 1727 | 15445 | 1.5 1.1 |
| | | Residual | 3908 | 90775 | 3.4 8.0 |
| 51-56 | 10 | Operations on liver, biliary tract, pancreas and spleen | 2649 | 51806 | 2.3 4.6 |
| 53.5 | 10(i) | Cholecystectomy | (2280) | (41107) | |
| 53.5 | 10(ii) | Cholecystectomy | 2280 | 41107 | 2.0 3.6 |
| | | Residual | 369 | 10699 | 0.3 0.9 |

BRITISH COLUMBIA (cont'd)

| U.S. Code | Group | Operation or Treatment | Percent Distribution | | |
|---|---|--|--|--|--|
| | | | Cases | Days | of Cases Days |
| 60-64 64.5 | 11 11(i) | Operations on urinary system Dilatation of urethra | 3412 757 2655 | 52295 6970 45325 | 3.0 9.7 2.3 |
| | | Residual | | | 4.0 |
| 66-69 66.2 66.1-66.3 69.2 | 12 12(i) 12(ii) 12(iii) 12(iii) | Operations on male genital system Prostatectomy, Transurethral Prostatectomy Circumcision | 4198 (1936) 2308 754 1136 | 71475 (44717) 56758 2958 11759 | 3.7 2.0 0.7 3.0 |
| | | Residual | | | 1.2 |
| 70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4 | 13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi) | Operations on female genital organs, excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele | 13098 (5325) 514 2661 5325 707 362 3529 | 105523 (18903) 6396 37286 18903 9324 4752 23862 | 11.5 0.5 2.3 4.7 0.6 0.3 3.1 |
| | | Residual | | | 2.5 |
| 76-78 77.1 76.3-76.4 77.1 78.0-78.4 | 14 14(i) 14(ii) 14(iii) 14(iv) | Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section (3) | 7407 (3674) 827 3674 1324 1582 | 50478 (14736) 6196 14736 16443 13103 | 6.5 0.7 3.2 1.2 1.4 |
| | | Residual | | | 1.2 |

BRITISH COLUMBIA (cont'd)

| U.S. Code | | Group | Operation or Treatment | Cases | Days | Cases | Days |
|------------------|---------|--|------------------------|-------------------------|---------|-------|-------|
| | | | | Percent Distribution of | | | |
| 80-87 | 15 | Operations on musculoskeletal system | | 11281 | 190188 | 9.9 | 16.7 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | | (1605) | (10708) | | |
| 82 | 15(ii) | Reduction of fracture | | 4162 | 77412 | 3.7 | 6.8 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | | (2833) | (22383) | | |
| 87.0-87.4 | 15(iv) | Amputation and disarticulation of extremities | | 133 | 1456 | 0.1 | 0.1 |
| | | Residual | | 6986 | 111320 | 6.2 | 9.3 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | | 2822 | 33264 | 2.5 | 2.9 |
| 88.4 | 16(i) | Excision and ligation of varicose veins | | (2145) | (21196) | | |
| 83.4 | 16(ii) | Excision and ligation of varicose veins | | 7115 | 21196 | 1.9 | 1.2 |
| | | Residual | | 677 | 12068 | 0.6 | 1.1 |
| 89 | 17 | Operations on skin and subcutaneous tissue | | 5685 | 57605 | 5.0 | 5.1 |
| 89.1 | 17(i) | Excision and destruction of lesion of skin and subcutaneous tissue | | (1993) | (14039) | | |
| 89.0 | 17(ii) | Incision of skin and subcutaneous tissue | | 1005 | 8863 | 0.9 | 0.8 |
| 89.1 | 17(iii) | Excision and destruction of lesion of skin and subcutaneous tissue | | 1943 | 14039 | 1.8 | 1.2 |
| 89.2 | 17(iv) | Removal of nail | | 336 | 2036 | 0.3 | 0.2 |
| 89.4 | 17(v) | Suture | | 1265 | 7345 | 1.1 | 0.6 |
| | | Residual | | 1086 | 25322 | 1.0 | 2.2 |
| 90-99 | 18 | Certain non-surgical procedures | | 8759 | 81797 | 7.7 | 7.2 |
| 90.5 | 18(i) | Cystoscopy and urethroscopy without effect upon tissue or lesion | | (4552) | (37995) | | |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | | 731 | 6159 | 0.5 | 0.7 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect upon tissue or lesion | | 4652 | 37995 | 4.2 | 3.3 |
| 92.0 | 18(iv) | Encephalography and ventriculography | | 951 | 14861 | 0.8 | 1.3 |
| 93.0 | 18(v) | Cholangiography | | 85 | 796 | 0.1 | 0.1 |
| 99.3 | 18(vi) | Exchange transfusion | | 22 | 370 | 0.0 | 0.0 |
| | | Residual | | 2318 | 19616 | 2.0 | 1.7 |
| | | Total | | 113437 | 1135743 | 100.0 | 100.0 |

1) "Arrest of hemorrhage", "excision of lesion," "ligation," and "removal of foreign body" are included. "Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.

2) "Abdominal wall and peritoneum" are included. "Repair of rectocele," and "repair of rectocele and cystocele are excluded."

3) Caesarean section with hysterectomy is in Group 14(iv)

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS
(EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1962.

| U.S. Code | Group | Operation or Treatment | Percent distribution of | | | |
|---|---------------------------------------|---|---------------------------------|------------------------------------|---------------------------------|---------------------------------|
| | | | Cases | Days | Cases | Days |
| 01-06 03.3 | 1 1(i) | Operations on nervous system Spinal puncture | 30 24 6 | 458 319 139 | 2.8 2.2 0.6 | 3.0 2.1 0.9 |
| 03-09 | 2 | Operations on endocrine system | 1 | 11 | 0.1 | 0.1 |
| 10-18 13.6 11 17 | 3 3(i) 3(ii) 3(iii) | Operations on eye Pterygium operation Operations on eye (ocular) muscles Operations on lens | 48 5 6 11 26 | 753 73 38 216 426 | 4.4 0.5 0.6 1.0 2.4 | 5.0 0.5 0.3 1.4 2.8 |
| 20-22 22.5 20 21 21.1 | 4 4(i) 4(ii) 4(iii) 4(iv) | Operations on ear, nose and throat Tracheostomy Operations on ear Operations on nose and accessory sinuses Operations on nasal septum | 28 5 11 12 (3) | 616 58 417 141 (11) | 2.6 0.5 1.0 1.1 -- | 4.1 0.4 2.7 0.9 -- |
| 24-23 27.2 24.1-24.3 27.1-27.4 | 5 5(i) 5(ii) 5(iii) | Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and adenoids | 206 (150) 24 170 12 | 1006 (577) 113 699 194 | 19.1 2.2 15.7 1.1 | 6.6 0.7 4.6 1.3 |
| 30-31 30.5 30.2-30.3 | 6 6(i) 6(ii) | Operations on heart and great vessels Catheterisation of the left heart Repair of heart and pericardium and operations on valves | 10 3 2 5 | 153 31 43 79 | 0.9 0.3 0.2 0.5 | 1.0 0.2 0.3 0.5 |

NORTHWEST TERRITORIES (cont'd)

| U.S. Code | Group | Operation or Treatment | Percent Distribution of | | |
|---|---|---|--------------------------------------|---|--|
| | | | Cases | Days | Days |
| 33-35 34.0 | 7 7(i) | Operations on bronchus, lung, pleura, chest-wall and mediastinum Thoracotomy and pleurotomy | 26 7 19 | 1403 318 1085 | 2.4 0.6 1.8 7.1 |
| 38 38.0 38.1-38.3 | 8 8(i) 8(ii) | Operations on breast Mastotomy Mastectomy | 26 11 9 6 | 300 109 166 25 | 2.4 1.0 0.8 0.6 0.2 |
| 40-49 45.1 40.1 41. 44.2-44.3 49.3 | 9 9(i) 9(ii) 9(iii) 9(iv) 9(v) | Operations on gastro-intestinal tract Appendectomy Exploratory laparotomy or celiotomy Repair of hernia Gastrectomy Hemorrhoidectomy | 118 40 5 27 6 9 31 | 1558 428 66 292 160 105 507 | 10.9 3.7 0.5 2.5 0.6 0.8 2.9 10.3 2.8 0.4 1.9 1.1 0.7 3.3 |
| 51-57 53.5 | 10 10(i) | Operations on liver, biliary tract, pancreas, and spleen Cholecystectomy | 17 12 5 | 588 261 327 | 1.6 1.1 0.5 3.9 1.7 2.2 |
| 60-64 63.1 | 11 11(i) | Operations on urinary system Local excision and destruction of lesion of bladder | 12 4 8 | 395 62 333 | 1.1 0.4 0.7 2.6 0.4 2.2 |
| 66-69 69.2 66.1-66.3 | 12 12(i) 12(ii) | Operations on male genital system Circumcision Prostatectomy | 37 21 2 14 | 333 109 89 135 | 3.4 1.9 0.2 1.3 2.2 0.7 0.6 0.9 |

NORTHWEST TERRITORIES (cont'd)

| Percent Distribution of | | | | | | |
|----------------------------|---------|---|-------|-------|-------|------|
| U.S. Code | Group | Operation or Treatment | Cases | Days | Cases | Days |
| 70-75 | 13 | Operations on female genital organs excluding obstetrical | 102 | 1117 | 9.4 | 7.4 |
| 72.8 | 13(i) | Dilatation and curettage of uterus | 43 | 219 | 4.0 | 1.4 |
| 70.2-70.5 | 13(ii) | Oophorectomy | 6 | 74 | 0.6 | 0.5 |
| 72.3-72.6 | 13(iii) | Hysterectomy | 15 | 268 | 1.4 | 1.3 |
| 74.3 | 13(iv) | Colporrhaphy | 3 | 144 | 0.3 | 0.9 |
| 74.4 | 13(v) | Repair of cystocele and /or rectocele | 1 | 19 | 0.1 | 0.1 |
| | | Residual | 34 | 393 | 3.1 | 2.6 |
| 76-78 | 14 | Obstetrical procedures | 165 | 1086 | 15.3 | 7.1 |
| 77.1 | 14(i) | Dilatation and curettage after delivery or abortion | 64 | 244 | 5.9 | 1.6 |
| 76.3-76.4 | 14(ii) | Episiotomy | 60 | 471 | 5.6 | 3.1 |
| 78.0-78.4 | 14(iii) | Caesarean section | 11 | 155 | 1.0 | 1.0 |
| | | Residual | 30 | 216 | 2.8 | 1.4 |
| 80-87 | 15 | Operations on musculoskeletal system | 93 | 1997 | 8.6 | 13.1 |
| 82.3 | 15(i) | Closed reduction of fracture of extremity of long bone | (17) | (189) | | |
| 82 | 15(ii) | Reduction of fracture | 34 | 793 | 3.1 | 5.2 |
| 82.0, 82.3, 82.6 | 15(iii) | Closed reduction of fracture | (27) | (221) | | |
| 87.0-87.4 | 15(iv) | Amputation and disarticulation of extremities | 3 | 59 | 0.3 | 0.4 |
| | | Residual | 56 | 1145 | 5.2 | 7.5 |
| 88 | 16 | Operations on peripheral blood vessels and lymphatic system | 20 | 351 | 1.9 | 2.3 |
| 88.0 | 16(i) | Incision of peripheral vessels | 7 | 185 | 0.6 | 1.2 |
| 88.4 | 16(ii) | Excision and ligation of varicose veins | 7 | 57 | 0.6 | 0.4 |
| | | Residual | 6 | 109 | 0.6 | 0.7 |

NORTHWEST TERRITORIES (cont'd)

| U.S. Code | Group | Operation or Treatment | Percent Distribution of | | | |
|-----------|---------|--|----------------------------|-------|-------|-------|
| | | | Cases | Days | Cases | Days |
| 89. | 17 | Operations on skin and subcutaneous tissue | 100 | 1436 | 9.3 | 9.4 |
| 89.0 | 17(i) | Incision of skin and subcutaneous tissue | 37 | 261 | 3.4 | 1.7 |
| 89.1 | 17(ii) | Excision and destruction of lesion of skin and subcutaneous tissue | 11 | 95 | 1.0 | 0.6 |
| 89.2 | 17(iii) | Removal of nail | 2 | 16 | 0.2 | 0.1 |
| 89.4 | 17(iv) | Suture | 26 | 115 | 2.4 | 0.8 |
| | | Residual | 24 | 949 | 2.2 | 6.2 |
| 90-99 | 18 | Certain non-surgical procedures | 41 | 1635 | 3.8 | 10.8 |
| 93.2 | 18(i) | Retrograde pyelography | (10) | (301) | | |
| 90.5 | 18(ii) | Proctoscopy without effect upon tissue or lesion | 5 | 424 | 0.5 | 2.8 |
| 90.6 | 18(iii) | Cystoscopy and urethroscopy without effect upon tissue or lesion | 7 | 261 | 0.6 | 1.7 |
| 92.0 | 18(iv) | Encephalography and ventriculography | - | - | - | - |
| 93.2 | 18(v) | Pyelography | 10 | 301 | 0.9 | 2.0 |
| 99.3 | 18(vi) | Exchange transfusion | - | - | - | - |
| | | Residual | 19 | 649 | 1.8 | 4.3 |
| | | Total | 1080 | 15196 | 100.0 | 100.0 |

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR FIVE PROVINCES AND ONE TERRITORY, 1962

(1) See page 274

| I.S.C. Number | Diagnosis | CASES | | | | | | | | | | PATIENT-DAYS | | | |
|---|--------------------------------------|---------|-----|---------------|-------|--------|---|---------|-------|---------------|---------|--------------|---|-------|---|
| | | Newborn | | Other Infants | | Total | | Newborn | | Other Infants | | Total | | Total | |
| | | M | F | M | F | M | F | M | F | M | F | M | F | M | F |
| 470-475 | Acute upper respiratory infections | | | | | | | | | | | | | | |
| | Que. | - | 4 | 608 | 457 | 1,069 | | - | 93 | 6,638 | 4,649 | 11,380 | | | |
| | Man. | - | - | 417 | 318 | 735 | | - | - | 2,711 | 1,866 | 4,577 | | | |
| | Sask. | 3 | 1 | 553 | 475 | 1,032 | | 55 | 71 | 3,392 | 3,116 | 6,604 | | | |
| | Alta. | 3 | 6 | 710 | 580 | 1,299 | | 39 | 138 | 4,604 | 3,663 | 8,444 | | | |
| | B.C. | 6 | 3 | 638 | 561 | 1,208 | | 86 | 27 | 4,770 | 4,280 | 9,163 | | | |
| | N.W.T. | - | - | 16 | 11 | 27 | | - | - | 93 | 84 | 177 | | | |
| | | 12 | 14 | 2,942 | 2,402 | 5,370 | | 180 | 329 | 22,208 | 17,688 | 40,405 | | | |
| 480-483, 490-493, 500-502, 763 | Influenza, pneumonia, and bronchitis | | | | | | | | | | | | | | |
| | Que. | 101 | 60 | 4,431 | 3,172 | 7,764 | | 1,509 | 1,275 | 63,685 | 43,203 | 109,672 | | | |
| | Man. | 10 | 8 | 1,709 | 1,319 | 3,046 | | 200 | 179 | 15,326 | 10,843 | 26,548 | | | |
| | Sask. | 11 | 12 | 2,119 | 1,642 | 3,784 | | 105 | 89 | 20,147 | 14,531 | 34,872 | | | |
| | Alta. | 22 | 21 | 2,385 | 1,908 | 4,336 | | 384 | 478 | 20,453 | 16,058 | 37,373 | | | |
| | B.C. | 34 | 28 | 2,194 | 1,585 | 3,841 | | 477 | 434 | 22,557 | 15,717 | 39,185 | | | |
| | N.W.T. | - | 1 | 236 | 174 | 411 | | - | 11 | 2,076 | 1,608 | 3,695 | | | |
| | | 178 | 130 | 13,074 | 9,800 | 23,182 | | 2,675 | 2,466 | 144,244 | 101,960 | 251,345 | | | |

TABIE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | CASES | | | | | | | | | | PATIENT-DAYS | | | | | | | | | | Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-----------|---------|---|---|---|-------|---------------|---|---|---|-------|--------------|---|---|---|-------|---------|---|---|---|-------|-------|---------------|---|---|---|-------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Newborn | | | | | Other Infants | | | | | Total | | | | | Newborn | | | | | | Other Infants | | | | | Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | M | | F | | Total | M | | F | | Total | M | | F | | Total | M | | F | | Total | | M | | F | | Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | M | F | M | F | | M | F | M | F | | M | F | M | F | | M | F | M | F | | | M | F | M | F | | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | CASES | | | | | | PATIENT-DAYS | | | | | |
|------------------|---|---------|-----|---------------|-----|-------|--|--------------|-------|---------------|--------|--------|--|
| | | Newborn | | Other Infants | | Total | | Newborn | | Other Infants | | Total | |
| | | M | F | M | F | | | M | F | M | F | | |
| 750-753 | Congenital malformations of nervous system and sense organs | | | | | | | | | | | | |
| | Que. | 48 | 80 | 154 | 122 | 404 | | 755 | 1,014 | 3,493 | 2,440 | 7,702 | |
| | Man. | 12 | 21 | 24 | 35 | 92 | | 658 | 698 | 646 | 1,647 | 3,649 | |
| | Sask. | 15 | 15 | 46 | 47 | 123 | | 180 | 460 | 710 | 732 | 2,082 | |
| | Alta. | 25 | 34 | 71 | 86 | 216 | | 331 | 563 | 1,071 | 1,126 | 3,091 | |
| | B.C. | 27 | 27 | 32 | 34 | 120 | | 1,543 | 969 | 1,325 | 701 | 4,538 | |
| | N.W.T. | - | 1 | 1 | - | 2 | | - | 11 | 7 | - | 18 | |
| | | 127 | 178 | 328 | 324 | 957 | | 3,467 | 3,715 | 7,252 | 6,646 | 21,080 | |
| 754 | Congenital malformations of circulatory system | | | | | | | | | | | | |
| | Que. | 52 | 52 | 226 | 202 | 532 | | 867 | 669 | 6,876 | 5,920 | 14,332 | |
| | Man. | 13 | 16 | 37 | 35 | 101 | | 80 | 216 | 1,005 | 690 | 1,991 | |
| | Sask. | 28 | 17 | 40 | 37 | 122 | | 500 | 269 | 683 | 763 | 2,215 | |
| | Alta. | 31 | 23 | 57 | 65 | 176 | | 267 | 306 | 859 | 987 | 2,419 | |
| | B.C. | 52 | 36 | 71 | 49 | 208 | | 553 | 670 | 2,334 | 1,176 | 4,733 | |
| | N.W.T. | - | - | 9 | 1 | 10 | | - | - | 105 | 1 | 106 | |
| | | 176 | 144 | 440 | 389 | 1,149 | | 2,267 | 2,130 | 11,862 | 9,537 | 25,796 | |
| 615, 755-759 | Other congenital malformations & redundant prepuce and phimosis | | | | | | | | | | | | |
| | Que. | 297 | 68 | 1,536 | 417 | 2,318 | | 1,759 | 1,171 | 14,884 | 7,476 | 25,290 | |
| | Man. | 37 | 24 | 240 | 75 | 376 | | 394 | 338 | 2,617 | 1,700 | 5,049 | |
| | Sask. | 85 | 48 | 318 | 106 | 557 | | 1,174 | 447 | 3,055 | 1,899 | 6,575 | |
| | Alta. | 1,006 | 82 | 387 | 127 | 1,592 | | 7,423 | 1,091 | 3,149 | 1,703 | 13,366 | |
| | B.C. | 161 | 96 | 325 | 159 | 741 | | 1,919 | 1,468 | 3,931 | 3,047 | 10,365 | |
| | N.W.T. | 1 | 2 | 12 | 5 | 20 | | 25 | 37 | 78 | 29 | 169 | |
| | | 1,587 | 320 | 2,518 | 879 | 5,604 | | 12,694 | 4,552 | 27,714 | 15,854 | 60,814 | |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | PATIENT-DAYS | | | | | | | | | |
|------------------|---|--------------|-----|---------------|-----|-------|---------|-------|---------------|-------|--------|
| | | CASES | | | | | | | | | |
| | | Newborn | | Other Infants | | Total | Newborn | | Other Infants | | Total |
| | | M | F | M | F | | M | F | M | F | |
| 760-761 | Birth injury | | | | | | | | | | |
| | Que. | 143 | 93 | 179 | 108 | 523 | 1,632 | 1,049 | 2,310 | 1,497 | 6,488 |
| | Man. | 33 | 21 | 7 | 4 | 65 | 375 | 248 | 66 | 48 | 737 |
| | Sask. | 48 | 32 | 7 | 1 | 88 | 398 | 253 | 107 | 1 | 759 |
| | Alta. | 70 | 45 | 7 | 7 | 129 | 571 | 452 | 80 | 61 | 1,164 |
| | B.C. | 79 | 42 | 4 | 4 | 129 | 685 | 389 | 53 | 36 | 1,163 |
| | N.W.T. | 1 | 2 | - | - | 3 | 6 | 2 | - | - | 8 |
| | | 374 | 235 | 204 | 124 | 937 | 3,667 | 2,393 | 2,616 | 1,643 | 10,319 |
| 762 | Postnatal asphyxia and atelectasis | | | | | | | | | | |
| | Que. | 377 | 209 | 188 | 106 | 880 | 2,933 | 1,746 | 2,914 | 1,466 | 9,059 |
| | Man. | 72 | 36 | 18 | 9 | 135 | 513 | 569 | 372 | 176 | 1,630 |
| | Sask. | 51 | 35 | 5 | 4 | 95 | 323 | 205 | 94 | 29 | 651 |
| | Alta. | 87 | 70 | 13 | 4 | 174 | 764 | 883 | 178 | 41 | 1,866 |
| | B.C. | 152 | 96 | 9 | 3 | 260 | 1,530 | 1,069 | 88 | 42 | 2,729 |
| | N.W.T. | 1 | 1 | 2 | - | 4 | 1 | 1 | 63 | - | 65 |
| | | 740 | 447 | 235 | 126 | 1,548 | 6,064 | 4,473 | 3,709 | 1,754 | 16,000 |
| 765-768 | Ophthalmia and pemphigus neonatorum, umbilical and other sepsis | | | | | | | | | | |
| | Que. | 125 | 78 | 212 | 155 | 570 | 2,030 | 1,325 | 2,462 | 1,785 | 7,602 |
| | Man. | 16 | 9 | 4 | 6 | 35 | 251 | 208 | 24 | 108 | 591 |
| | Sask. | 12 | 11 | 8 | 5 | 36 | 162 | 110 | 33 | 20 | 325 |
| | Alta. | 30 | 21 | 18 | 8 | 77 | 438 | 290 | 130 | 27 | 885 |
| | B.C. | 34 | 19 | 15 | 8 | 76 | 554 | 445 | 165 | 276 | 1,440 |
| | N.W.T. | 1 | 1 | 2 | 1 | 5 | 10 | 29 | 26 | 4 | 69 |
| | | 218 | 139 | 259 | 183 | 799 | 3,445 | 2,407 | 2,840 | 2,220 | 10,912 |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | CASES | | | | | | PATIENT-DAYS | | | | | |
|------------------|--|---------|-----|---------------|-------|-------|--|--------------|--------|---------------|--------|--------|--|
| | | Newborn | | Other Infants | | Total | | Newborn | | Other Infants | | Total | |
| | | M | F | M | F | | | M | F | M | F | | |
| 770 | Erythroblastosis | | | | | | | | | | | | |
| | Que. | 184 | 166 | 325 | 249 | 924 | | 3,144 | 9,836 | 4,657 | 2,960 | 20,597 | |
| | Man. | 48 | 48 | 10 | 17 | 123 | | 479 | 490 | 87 | 127 | 1,183 | |
| | Sask. | 96 | 89 | 28 | 21 | 234 | | 1,069 | 941 | 314 | 173 | 2,497 | |
| | Alta. | 123 | 98 | 12 | 21 | 254 | | 1,297 | 918 | 76 | 127 | 2,418 | |
| | B.C. | 187 | 153 | 22 | 22 | 384 | | 1,807 | 1,813 | 255 | 336 | 4,211 | |
| | N.W.T. | 1 | - | - | - | 1 | | 4 | - | - | - | 4 | |
| | | 639 | 554 | 397 | 330 | 1,920 | | 7,800 | 13,998 | 5,389 | 3,723 | 30,910 | |
| 771 | Haemorrhagic disease of newborn | | | | | | | | | | | | |
| | Que. | 21 | 14 | 25 | 22 | 82 | | 120 | 121 | 392 | 228 | 861 | |
| | Man. | 10 | 9 | 4 | 5 | 28 | | 232 | 63 | 21 | 30 | 346 | |
| | Sask. | 4 | 4 | 5 | 1 | 14 | | 16 | 32 | 72 | 6 | 126 | |
| | Alta. | 2 | 6 | 5 | 4 | 17 | | 32 | 86 | 23 | 45 | 186 | |
| | B.C. | 9 | 13 | 3 | 3 | 28 | | 161 | 215 | 26 | 7 | 409 | |
| | N.W.T. | 1 | - | - | 1 | 2 | | 9 | - | - | 1 | 10 | |
| | | 47 | 46 | 42 | 36 | 171 | | 570 | 517 | 534 | 317 | 1,938 | |
| 291, 772 | Nutritional maladjustment and iron deficiency anaemias | | | | | | | | | | | | |
| | Que. | 135 | 114 | 676 | 558 | 1,483 | | 2,049 | 1,728 | 10,351 | 7,964 | 22,092 | |
| | Man. | 29 | 20 | 98 | 80 | 227 | | 446 | 287 | 1,303 | 885 | 2,921 | |
| | Sask. | 76 | 83 | 468 | 348 | 975 | | 1,009 | 1,103 | 4,402 | 3,640 | 10,154 | |
| | Alta. | 75 | 72 | 207 | 174 | 702 | | 1,205 | 1,162 | 2,346 | 1,837 | 6,640 | |
| | B.C. | 164 | 174 | 194 | 170 | 702 | | 3,175 | 3,134 | 2,306 | 2,066 | 10,681 | |
| | N.W.T. | 3 | 4 | 20 | 14 | 41 | | 32 | 60 | 197 | 202 | 491 | |
| | | 482 | 467 | 1,663 | 1,344 | 3,956 | | 8,006 | 7,474 | 20,905 | 16,594 | 52,979 | |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | CASES | | | | PATIENT-DAYS | | | | | |
|-------------------------|---|---------|-------|---------------|-----|--------------|---------|--------|---------------|--------|--------|
| | | Newborn | | Other Infants | | Total | Newborn | | Other Infants | | Total |
| | | M | F | M | F | | M | F | M | F | |
| 773-776 | Immaturity & ill-defined diseases peculiar to early infancy | 974 | 822 | 519 | 432 | 2,747 | 6,563 | 6,826 | 9,797 | 9,942 | 33,128 |
| | Que. | 74 | 52 | 48 | 37 | 211 | 949 | 833 | 853 | 513 | 3,148 |
| | Man. | 125 | 81 | 35 | 23 | 264 | 1,224 | 936 | 620 | 558 | 3,338 |
| | Sask. | 257 | 187 | 56 | 46 | 546 | 2,834 | 2,237 | 1,007 | 965 | 7,043 |
| | Alta. | 387 | 284 | 54 | 44 | 769 | 5,072 | 3,849 | 887 | 847 | 10,655 |
| | B.C. | 8 | 9 | 7 | 11 | 35 | 40 | 53 | 99 | 376 | 568 |
| | N.W.T. | | | | | | | | | | |
| | | 1,825 | 1,435 | 719 | 593 | 4,572 | 16,682 | 14,734 | 13,263 | 13,201 | 57,880 |
| N800-N804, N852-N856 | Skull fractures & head injuries | - | - | 105 | 80 | 185 | - | - | 1,016 | 712 | 1,728 |
| | Que. | - | - | 19 | 15 | 34 | - | - | 84 | 91 | 175 |
| | Man. | 1 | - | 24 | 19 | 44 | 55 | - | 222 | 87 | 364 |
| | Sask. | - | - | 26 | 26 | 52 | - | - | 259 | 207 | 466 |
| | Alta. | - | - | 33 | 40 | 73 | - | - | 224 | 367 | 591 |
| | B.C. | - | - | 2 | - | 2 | - | - | 22 | - | 22 |
| | N.W.T. | | | | | | | | | | |
| | | 1 | - | 209 | 180 | 390 | 55 | - | 1,827 | 1,464 | 3,346 |
| N940-N949 | Burns | - | - | 49 | 39 | 88 | - | - | 600 | 1,098 | 1,698 |
| | Que. | - | - | 27 | 17 | 44 | - | - | 446 | 121 | 567 |
| | Man. | - | - | 22 | 14 | 36 | - | - | 144 | 168 | 312 |
| | Sask. | - | - | 36 | 19 | 55 | - | - | 347 | 233 | 580 |
| | Alta. | 1 | - | 26 | 25 | 52 | 12 | - | 333 | 291 | 636 |
| | B.C. | - | - | - | - | - | - | - | - | - | - |
| | N.W.T. | | | | | | | | | | |
| | | 1 | - | 160 | 144 | 275 | 12 | - | 1,870 | 1,911 | 3,793 |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | PATIENT-DAYS | | | | | | | | | |
|---------------------------------------|---|--------------|--------|---------------|-------|---------|---------|---------|---------------|---------|-----------|
| | | CASES | | | | | | | | | |
| | | Newborn | | Other Infants | | Total | Newborn | | Other Infants | | Total |
| | | M | F | M | F | | M | F | M | F | |
| N805-N851, N860-N936, N950-N999 | Other accidents, poisonings & violence | | | | | | | | | | |
| | Que. | 6 | 3 | 235 | 204 | 448 | 84 | - | 6 | 2,408 | 2,169 |
| | Man. | - | - | 57 | 50 | 107 | - | - | - | 478 | 471 |
| | Sask. | 2 | - | 65 | 54 | 121 | 19 | - | - | 254 | 311 |
| | Alta. | - | 3 | 66 | 61 | 130 | - | - | 29 | 610 | 364 |
| | B.C. | 13 | - | 94 | 51 | 158 | 362 | - | - | 689 | 305 |
| | N.W.T. | - | - | 1 | 1 | 2 | - | - | - | 1 | 4 |
| | | 21 | 6 | 518 | 421 | 966 | 465 | - | 35 | 4,440 | 3,624 |
| | | | | | | | | | | | 8,564 |
| Residual | Other (1) | | | | | | | | | | |
| | Que. | 63,798 | 60,696 | 6,214 | 4,539 | 135,247 | 403,879 | 381,086 | 92,461 | 65,800 | 943,226 |
| | Man. | 12 | 7 | 941 | 730 | 1,690 | 116 | 234 | 9,165 | 6,843 | 16,358 |
| | Sask. | 88 | 54 | 1,016 | 764 | 1,922 | 1,142 | 682 | 10,164 | 7,751 | 19,739 |
| | Alta. | 17,494 | 17,934 | 1,436 | 1,142 | 38,006 | 120,684 | 124,565 | 13,889 | 11,377 | 270,515 |
| | B.C. | 892 | 788 | 1,236 | 916 | 3,832 | 9,556 | 7,865 | 13,669 | 10,419 | 41,509 |
| | N.W.T. | 399 | 377 | 123 | 120 | 1,019 | 2,379 | 2,342 | 1,277 | 1,585 | 7,583 |
| | | 82,683 | 79,856 | 10,966 | 8,211 | 181,716 | 537,756 | 516,774 | 140,625 | 103,775 | 1,298,930 |

TABLE 10 - (Cont'd)

| I.S.C. Number | Diagnosis | CASES | | | | | | PATIENT-DAYS | | | | | |
|------------------|-----------|---------|--------|---------------|--------|---------|---------|--------------|---------|---------------|-----------|-------|---|
| | | Newborn | | Other Infants | | Total | | Newborn | | Other Infants | | Total | |
| | | M | F | M | F | M | F | M | F | M | F | M | F |
| Total | Que. | 66,358 | 62,558 | 19,580 | 13,699 | 162,195 | 429,042 | 409,686 | 277,715 | 198,084 | 1,314,527 | | |
| | Man. | 383 | 278 | 4,726 | 3,540 | 8,927 | 4,937 | 4,480 | 43,837 | 32,791 | 86,045 | | |
| | Sask. | 667 | 507 | 5,857 | 4,347 | 11,378 | 7,786 | 6,065 | 54,669 | 41,312 | 109,832 | | |
| | Alta. | 12,285 | 18,644 | 6,975 | 5,358 | 50,262 | 137,392 | 133,295 | 60,592 | 47,679 | 378,958 | | |
| | B.C. | 2,247 | 1,803 | 6,117 | 4,497 | 14,664 | 28,185 | 22,922 | 63,492 | 47,176 | 161,775 | | |
| | N.W.T. | 417 | 401 | 531 | 427 | 1,776 | 2,522 | 2,596 | 4,912 | 4,697 | 14,727 | | |
| | | 69,357 | 84,191 | 43,786 | 31,863 | 249,202 | 609,864 | 579,044 | 505,217 | 371,739 | 2,065,360 | | |

- (A) A. Separations in the "Residual - Other Infants" category have been obtained by several different methods, as follows:
- (a) Quebec: Total separations, newborns, all diagnoses (1-98) in Table 6, less separations in the special diagnoses listed in Table 10. The "Residual - Other Infants" category therefore includes separations effected by mature newborn and immature newborn, and separations for diseases not included specifically in Table 10.
- (b) Manitoba, British Columbia, Northwest Territories: Total separations, newborns, all diagnoses (1-98) in Table 6, less separations in the special diagnoses listed in Table 10.
- (c) Saskatchewan: Total separations, newborns, all diagnoses (1-98) in Table 6, less separations in categories 96 and 97 (mature and immature newborn) and separations in the special diagnoses listed in Table 10.
- (d) Alberta: Separations in category 96 and 97 (mature and immature newborn in Table 6 less separations for the special diagnoses listed in Table 10.
- B. The "Residual - Other Infants" category has been calculated uniformly, as follows:
- (a) Separations for all diagnoses (1-93) for the "Under 1" age group in Table 6, less the separations for diagnoses listed in Table 10.
- C. Quebec, Manitoba and Alberta each include patients who are the responsibility of their Provincial Plans, and patients who are not the responsibility of their Provincial Plans.

